2002 DODGE RAM VAN AND WAGON (AB)









Jeep

CHRYSLER . PLYMOUTH . DODGE . JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION

1 2 3 4 5 6 7 8 9 10 11 12 thru 17


Country Make Vehicle Other Line Series Body Style Engine Check Digit Year Plant Sequence No.


The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description							
1	Country of Origin	2 = Canada							
2	Make	B = Dodge							
3	Vehicle type	3 = Truck with Side air Bags 7 = Truck w/o side air bags							
4	GVWR & Pass. Safety	D=0-1360 kg (0-3000 lbs) E=1361-1814 kg (3001-4000 lbs) F=1815-2267 kg (4001-5000 lbs) G=2268-2721 kg (5001-6000 lbs) H=2722-3175 kg (6001-7000 lbs) J=3176-3628 kg (7001-8000 lbs) K=3629-4082 kg (8001-9000 lbs) L=4083-4535 kg (9001-10000 lbs) M=4536-6350 kg (10001-14000 lbs)							
5	Vehicle Line	B = Wagon/Ram Van							
6	Series	1 = 1500 2 = 2500 3 = 3500							
7	Body Style	1 = 11, 12, 13 (Van) 5 = 51, 52, 53 (Wagon)							
8	Engine	X - 3.9L 6 Cyl. Gasoline (MPI) (EHC) Y = 5.2L 8 Cyl. Gasoline (MPI) (ELF) T = 5.2L CNG 8 Cyl Cpmpressed Natural Gas (ELN) Z = 5.9L 8 Cyl. Gasoline (MPI) (EML)							
9	Check Digit								
10	Model Year	2 = 2002							
11	Assembly Plant	K = Pillette Road							
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence							

Group – 001


Component Parts for Mopar Accessories






GROUP 1 - Component Parts for Mopar Accessories

illustration little	Group-Fig. No
Audio & Electronics	
Player Kit - CD Changer - 6 Disc	Fig. 001-110
Player Kit - CD Changer - 12 Disc	Fig. 001-112
Install Kit - CD Changer - Trunk	Fig. 001-130
Carriers & Cargo Hauling	
Receiver and Adapter Kits - Trailer Tow	Fig. 001-282
Wiring Kit - Trailer Tow 7 - Way	Fig. 001-292
Wiring Kit - Trailer Tow 4 - Way	Fig. 001-294
Driving Convenience	
Control Package - Speed	Fig. 001-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
			l radios. Fo	or radios wi	thout CD (<u>Changer co</u>	ntrols, use	∍ FM-M	lodulator Kit 82202292
1 2	8220 2700 4797 433	1 1							PLAYER KIT, CD Changer - 6 Disc MAGAZINE, CD Changer
3	4/9/ 400	Ţ							CHANGER, CD, Serviced in
J									Package, (NOT SERVICED) (Not
									Serviced)
									•
	M VAN & WAGON								
	LINE		BODY 11= Van (1	109 WB)		GINE C, EH0 = Mag	anum 3.9L §	SMPI	TRANSMISSION DGG = 32RH 3 Spd. Auto.
	.,,,,,, =	* : M ** :	11	100 000,	_	J, ⊑110 ·,	giluin o.c.	JIVII .	DOT 40DE 4 0 d Auto
ERIES = Van, Wa = Conv.	2 = 2	2500	12 = Van ((127 WB)	ELI	F, ELO = Magi	inum 5.2L Si	MPI	DGT = 46RE 4 Spd. Auto.
= Van, Wa		2500	12 = Van (13 = X-Var 51 = Wago	(127 WB) In (127 WB) on (109 WB) on (127WB)	ELN	F, EL0 = Mag N, EL0 = 5.2L IL, EM0 = Mag	L V8 MPI CN	٧G	DG1 = 46RE 4 Spa. Auto. DG0 = All Auto. Transmis sions.



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Fo	r radio withou	t CD cc	ontrols						
	8220 4730	1	1, 2, 3						PLAYER KIT, CD Changer - 12 Di
	5013 804AA	1	1, 2, 3						MODULATOR, FM
	5013 800AA-		1, 2, 3						HARDWARE KIT, Mounting
	5013 806AA	1	1, 2, 3						CHANGER, CD
	5013 802AA	1	1, 2, 3						CONTROLLER, CD Wireless
	5013 805AA	1	1, 2, 3						MAGAZINE, CD Changer
	5013 803AA	1	1, 2, 3						CONTROLLER, CD Wired
	4465 117	1	1, 2, 3						ADAPTOR, A/C
	5013 801AA	1	1, 2, 3						DIN CORD, CD Player
DGE RAM RIES	VAN & WAGON LINE	(AB) —	BODY		ENC				TRANSMISSION
= Van, Wag = Conv.	on $1 = 15$ 2 = 25	500	11= Van (1 12 = Van (1	127 WB)	EH0 ELF	c, EH0 = Mag , EL0 = Mag	num 5.2L Sl	ИPI	DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto.
	3 = 35	000	13 = X-Var 51 = Wago 52 = Wago	n (109 WB)		I, EL0 = 5.2L _, EM0 = Ma			DG0 = All Auto. Transmis sions.

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)



-130	1								T
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		·							
1	8220 7481	1							INSTALL KIT, CD Changer - Trunk
2	5012 349AA	1							MODULATOR, FM Changer
3	5017 217AA	1							CONTROLLER, CD Wireless
4	2011 211701	·							CONTROLLER, CD Wired, (NOT
•									SERVICED) (Not Serviced)
5	4465 117	1							ADAPTOR, A/C
6	4465 113	1							CABLE, Din
7									HARDWARE KIT, Mounting, (NOT
									SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)

SERIES LINE L = Van, Wagon 1 = 1500 X = Conv.


2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

Receiver and Adapter Kits - Trailer Tow Figure 001-282





		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	8220 7531	1							RECEIVER KIT, Trailer Tow
_	2	52020 791AB	1							HITCH, Trailer
	3	6101 844	8							SCREW AND WASHER, Hex Head,
										M12x1.75x50
	4	8220 3601	1	1, 2, 3						COVER KIT, Trailer Tow
	5									ADAPTER KIT, Ball Mount
		8220 0248	1							3/4 inch Shank - 3.50 rise and 2.75
										drop
_		8220 1148	1							1 inch Shank - 1.75 rise and 1 inch
										drop
		8220 1149	1							1 inch Shank - 3.00 rise and 2.25
										drop
_		8220 7411	1							1 inch Shank - no rise and 5.25
										drop
	_	5016 666AA	1	1, 2, 3						PIN, Hitch
	7									BALL KIT, Trailer Tow
_		8240 1102	1	1, 2, 3						1 inch x 2-1/8 inch - 1-7/8 inch ball
		8240 1103	1	1, 2, 3						1 inch x 2-1/8 inch - 2 inch ball
		8240 1218	1	1, 2, 3						1 inch x 2-1/8 inch - 2-5/16 inch
		0040 4404		4 0 0						ball
_		8240 1104	1	1, 2, 3						3/4 inch x 1-3/4 inch - 1-7/8 inch
		0040 4405		4 0 0						ball
		8240 1105	1	1, 2, 3						3/4 inch x 1-3/4 inch - 2 inch ball
		8240 1197	1	1, 2, 3						3/4 inch x 2-5/l6 inch - 2-7/8 inch
-	-8	5601 9823	1							ball ADARTER Trailor Tow Wiring 7
	-0	3001 9023	ı							ADAPTER, Trailer Tow, Wiring, 7-way to 4-way
										way 10 4-way

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 2500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB) 3 = 3500

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis

sions.



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	8220 6531	1							WIRING PACKAGE, Trailer Tow
	0154 554	1							SCREW, Self Piercing, .25-14x.625
	0154 633	1							SCREW, .164-18x.625
4	6015 756	1							STRAP, Tie, 6.9 inch
	6016 155	1							STRAP, Tie, 14.5 inch
	56038 366AB	3 1					-		CONNECTOR, 7 Way
	8220 6530	1							WIRING KIT, Trailer Tow - 7 Way
	5600 7078	1							RELAY, Electrical
						 -			
									_
_	_	_	_	_	_	_	_	_	
DGE RAM	VAN & WAGON	(AB) —							
RIES	LINE		BODY			GINE	2016		TRANSMISSION
⊧ Van, Wa	agon $1 = 15$ 2 = 25		11= Van (1 12 = Van ((197 WB)	EH. ELF	C, EH0 = Mag F, EL0 = Mag	gnum 3.9∟ S Inum 5.2L St	MPI MPI	DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto.
- Ou			14	(141 **-)	_	, ===	/Hunn O.E.E.	√II i	
	3 = 35	500	13 = X-Va	an (127 WB)	ELI	N, EL0 = 5.2L	V8 MPI CN	'G	DG0 = All Auto. Transmis
	3 = 3	500	51 = Wago	an (127 WB) on (109 WB) on (127WB)	ELI EM:	N, EL0 = 5.2L IL, EM0 = Mag	. V8 MPI CN gnum 5.9L S	∖G ∖MPI	DG0 = All Auto. Transmis sions.

Wiring Kit - Trailer Tow 4 - Way Figure 001-294

	4
3 3 3	
4	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 6533	1							WIRING PACKAGE, Trailer Tow
-2	6016 155	1							STRAP, Tie
3	8220 4602	1							BRACKET KIT, Trailer Tow
4									WIRING, Trailer Tow - 4 Way,
									Serviced in Package, (NOT
									SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon LINE 1 = 1500 X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE

TRANSMISSION EHC, EH0 = Magnum 3.9L SMPI DGG = 32RH 3 Spd. Auto. ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis

sions.

Control Package - Speed Figure 001-310



	PART	O.T./		050150	DODY	FNONE			DECODINE OF
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 6980	1							CONTROL PACKAGE, Speed
									Control
-2	6036 149AA-	4							SCREW, Pan Head
3	56021 332AB	1							SWITCH, Speed Control, Right
4	56021 333AB	1							SWITCH, Speed Control, Left
5	56045 403AD	1							CLOCKSPRING
-6	55351 174AA-	1							WIRING, Steering Wheel, Cruise
									Control
7	5072 981AA	1							COVER, Steering Wheel Back
8	6505 031AA	1							CLIP
9	6504 528	4							SCREW AND WASHER, Hex Head
10									CONTROL, Speed, Service
									Component Parts, (NOT
									SERVICED) (Not Serviced)
11	6025 867	1							CLIP, Cable to Servo Attach
12	5207 8296	1							CABLE, Speed Control
13	5503 6014	1							HOSE, Vacuum Supply, 11/32 roug
									stock
14	6502 493	2							NUT, Hex Flange Serration, M6x1
15	4669 979	1							SERVO, Speed Control
16	52078 340AB	1							BRACKET, Speed Control Servo
17	6100 557	2							BOLT AND CONED WASHER, Hex
									Head, M6x20x14

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

Group – 002 Front Suspension & Drive






GROUP 2 - Front Suspension & Drive

Illustration Title	Group-Fig. No.
Front Suspension	
Upper Control Arms and Knuckles	Fig. 002-110
Lower Control Arms, Springs, Shocks and Strut	Fig. 002-120
Front Stabilizer Bar	Fig. 002-130

Upper Control Arms and Knuckles Figure 002-110

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes;								
_	xle - Front-3500								
DJE]=A	xle - Front-4000	Lb.							
1	4167 415	2							WASHER, Control Arm, [DJB,DJE
2	52106 434AA	2							BUSHING, Control Arm, [DJB,DJE
3	4032 192	2							RETAINER, Control Arm, [DJB,DJ
4	6031 718	2							NUT, Hex Lock, .750 - 10, [DJB,D
5	6030 099	1							FITTING, Ball Joint, Zirc
6									BALL JOINT PACKAGE, Upper
									Control Arm
	2808 394	1							[DJB]
	3744 929	1							[DJE]
7									SEAL, Ball Joint
	5200 6405	1							[DJB]
	5200 6404	1							[DJE]
8	J013 7214	2							PIN, Cotter, [DJB,DJE]
9									NUT, Hex
	1671 405	2							[DJB] Knuckle Arm to Lower Ba
									Joint, Mounting
	9425 133	2							[DJE] Knuckle Arm to Lower Ba
									Joint, Mounting
10									KNUCKLE, Front
	5203 8862	1							[DJB], Right
	5203 8863	1							[DJB], Left
	5203 8860	1							[DJE], Right
	5203 8861	1							[DJE], Left
11									BOLT, Hex Head
	6030 009	2							[DJB]
	6036 207AA	2							[DJE]
12	0000 2017 21								NUT, Hex
	0273 912	2							[DJB] Upper Ball Joint to Front
	02/0 0/2	_							Knuckle, Mounting
	1671 405	2							[DJE] Upper Ball Joint to Front
	1071 400								Knuckle, Mounting
13	J013 7214	2							PIN, Cotter, [DJB,DJE]
14	3013 7214	2							ARM, Knuckle
1-	5203 8878	1							[DJB], Right
	5203 8879	1							[DJB], Right
	5203 8884	1							[DJE], Right
	5203 8885								[DJE], Right [DJE], Left
15	J2UJ 000J	1							
15									NUT, Hex Lock


11= Van (109 WB) 12 = Van (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE


TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

Upper Control Arms and Knuckles Figure 002-110



DESCRIPTION

Lower Control Arms, Springs, Shocks and Strut Figure 002-120



,	PART		1	1							
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
Note: Sale	es Codes;										
[DJB]=Axl	e - Front-3500) Lb.									
[DJE]=Axle - Front-4000Lb.											
[TW0]=All 225/245 Tires											
TYT=Tires	s - LT245/75R	16E BS	3W All Sea	son							
[Z1D] Thr	ough [Z1F] an	d [ZHD] through [ZXG] are s	hock and	spring code	s that will	be four	nd on Vehicle Identificaton Number		
sales co	ode listing										
1									SHOCK ABSORBER, Suspension		
									Front		
	52039 382AC	: 2			11 51				[71D 71F]		

1	code listing				SHOCK ABSORBER, Suspension,
,					Front
	52039 382AC	2	1	11, 51	[Z1D,Z1E]
	52106 314AC	2	1	12, 13	[Z1D,Z1E]
	52106 316AC	2	1	12	[Z1F]
	52039 383AC	2	2, 3	12, 13,	[Z2F,Z3E,Z3F]
				52, 53	-
2	6504 317	2			NUT, Hex, Shock, Mounting
3	5203 9232	2			RETAINER, Shock Absorber
					Bushing, Upper
4	5203 9187	2			BUSHING, Shock Absorber, Upper
5	5203 9223	2			BUSHING, Shock Absorber, Lower
6	5203 9233	2			RETAINER, Shock Absorber
					Bushing, Lower
7	6025 361	4			SCREW AND WASHER, Hex Head,
					Shock, Mounting
8	6033 455	4			BOLT AND CONED WASHER, Hex
					Head, .50-13x2.25, Jounce
					Bumper, Mounting
9	4112 310AB	2			BUMPER, Jounce, [DJB,DJE]
10	52039 277AB	2			STRUT, Lower Control Arm, [DJB,
					DJE]
-11	52113 063AA-	1			SHIELD, Heat
12	3898 896	2			RETAINER, Control Arm, Strut Rod
					Bushing, Front
13	5015 689AA	2			BUSHING PACKAGE, strut rod,
		-			[DJB,DJE]
14	3898 897	2			RETAINER, Control Arm, Strut Rod
					Bushing, Rear
15	6031 718	2			NUT, Hex Lock, .750 - 10, Strut Rock
					Bushing, Rear
16					WASHER, Conical, ID=.540 OD=1.0
					THK=.146, (NOT SERVICED) (No
					Serviced)


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

Lower Control Arms, Springs, Shocks and Strut Figure 002-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	6029 982	4							NUT, Control Arm Strut, Strut Rod,
									Mounting
18	0152 355	2							NUT, Hex Lock, [DJB,DJE] LCA,
									Mounting
19									NUT, Hex
	1671 405	2							[DJB] Lower Ball Joint, Mounting
	9425 133	2							[DJE] Lower Ball Joint, Mounting
20	5200 6404	1							SEAL, Ball Joint, [DJB], Lower
21									BALL JOINT PACKAGE, Lower
									Control Arm
	3837 088AC	1							[DJB]
	3683 983AB	1							[DJE]
22	J013 7214	2							PIN, Cotter
23	6030 099	1							FITTING, Ball Joint, Zirc, [DJB,DJE]
24									ARM, Lower Control, Front
	52106 142AB	1							[DJB] Complete, Right
	52106 143AB	1							[DJB] Complete, Left
	52106 104AA	1							[DJB] Arm Only, Right
	52106 105AA	1							[DJB] Arm Only, Left
	52106 124AC	1							[DJE,TW0] Complete, Right
	52106 125AC	1							[DJE,TW0] Complete, Left
	52106 146AD	1							[DJE,TYT] Complete, Right
	52106 147AD	1							[DJE,TYT] Complete, Left
25	5200 7092	1							BUSHING, Lower Control Arm, [DJB,
									DJE]
26	6031 332	2							BOLT, Hex Head, .75-16x5.00,
									Lower Control Arm, Mounting
27									WASHER, Flat, ID .842 x OD. 1.499
									x THK.160, (NOT SERVICED) (Not
									Serviced)
28									SPRING, Front Coil
	5203 9175	1							[ZHD,ZWD] Tag 9175
	5203 9176	1							[ZHE,ZWE] Tag 9176
	5203 9177	1							[ZHF,ZWF] Tag 9177
	5203 9178	1							[ZHG,ZWG] Tag 9178
	5203 9180	1							[ZHH,ZWH] Tag 9180
	5203 9270	1							[ZHJ,ZWJ] Tag 9270
	5203 9271	1							[ZHK,ZWK] Tag 9271
	52039 278AB	1							[ZJC,ZXC] Tag 9278AB
	5210 6630	1							[ZJD,ZXD] Tag 6630
	5210 6631	1							[ZJE,ZXE] Tag 6631


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.



Lower Control Arms, Springs, Shocks and Strut Figure 002-120



			SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
1 41	116 589AB	2						LINK, Sway Eliminator, Complete				
2 52	2039 336AC	1						SHAFT, Suspension, Sway				
								Eliminator				
3 52	208 8524	2						BUSHING, Sway Bar				
4 52	208 7865	2						RETAINER, Sway Bar				
5								SCREW AND WASHER, M10x1				
								50x35, (NOT SERVICED) (Not				
								Serviced)				



DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

sions.

Group – 003 Rear Axle






GROUP 3 - Rear Axle

Illustration Title	Group-Fig. No
Rear Axle	
Rear Axle Assembly	Fig. 003-110
Differential and Housing	
Differential and Housing, Corporate 8.25 [DRA]	Fig. 003-210
Differential and Housing, Corporate 9.25LD [DRB], 9.25HD [DRG]	Fig. 003-220
Differential and Housing, Dana M60/248MM [DRC], Dana M60/248MM Heavy Duty [DRD]	Fig. 003-230
Rear Axle Vent	
Rear Axle Vent	Fig. 003-310

Rear Axle Assembly Figure 003-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales	s Codes:								
	le Ratio - 3.5	5							
	le Ratio - 3.92								
	e Ratio - 4.10								
	e - Rear,Corp		.25						
	e - Rear,Corp			Outy					
[DRC]=Ax	e - Rear,.Dan	a M60/	248MM	-					
[DRD]=Axle - Rear,Dana M60/248MM Heavy Duty									
[DRG]=Axle - Rear,Corporate 9.25 Heavy Duty									
[DSA]=AxI	e - Anti-Spin	Differen	ıtial						
1									AXLE, Service Rear
:	5016 267AA	1							[DRA,DMD] Tag 52069624AC
	5016 270AA	1							[DRA,DMD,DSA] Tag 52069622AC
	5016 259AA	1							[DRB,DMD] Tag 52069976AA
;	5016 258AA	1							[DRB,DMD,DSA] Tag 52069985AA
;	5016 257AA	1							[DRB,DMH] Tag 52069984AA
	5016 255AB	1							[DRG,DMH] Tag 52069969AA
2									AXLE, Service Rear
:	5003 954AD	1							[DRC,DMF,DSA] Tag 52069499AF
:	5003 957AD	1							[DRD,DMF] Tag 52069499AF

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.


Differential and Housing, Corporate 8.25 [DRA] **Figure 003-210**

PART




Differential and Housing, Corporate 8.25 [DRA] Figure 003-210

PART




Differential and Housing, Corporate 8.25 [DRA] Figure 003-210




Differential and Housing, Corporate 9.25LD [DRB], 9.25HD [DRG] **Figure 003-220**


PART



Differential and Housing, Corporate 9.25LD [DRB], 9.25HD [DRG] Figure 003-220



Differential and Housing, Corporate 9.25LD [DRB], 9.25HD [DRG] Figure 003-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-49	3432 338	AR							SHIM, Drive Pinion Bearing, .038
50	3507 678	1							SPACER, Drive Pinion Bearing,
									Crush
51	4137 669	2							LOCK, Drive Shaft
52	3507 641	2							WASHER, Pinion Thrust, Also
									Serviced in Differential Gear
									Package, Without [DSA]
53									GEAR, Differential, Serviced in
									Differential Gear Package Only,
									(NOT SERVICED) (Not Serviced
54	4798 912AB	1							GEAR PACKAGE, Differential,
									Without [DSA]
55									GEAR, Differential, Serviced in
									Differential Gear Package Only,
									(NOT SERVICED) (Not Serviced
56	4131 294	1							WASHER PACKAGE, Side Gear
									Thrust, Also Serviced in Different
									Gear Package, Without [DSA]
57	52111 420AA	. 1							CASE, Differential, With [DSA] with
									Internal Parts

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon X = Conv.

LINE 1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB)

52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


ENGINE

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis

Differential and Housing, Dana M60/248MM [DRC], Dana M60/248MM Heavy Duty [DRD] Figure 003-230

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		es Codes;								
	[DMF]=A	xle Ratio - 4.10)							<u> </u>
		xle - Rear,.Dar								
		xle - Rear,Dan			vy Duty					
	[DSA]=A	xle - Anti-Spin		ıtial						
(1)(2)(3)(4)(5)(6)(7)(8)(11)(12) (13)	1	3507 543	2							WASHER, Pinion Gear, Without
			_							[DSA], Thrust
	2	2961 848	2							WASHER, Side Gear, Without [DSA],
		4500 050AB								Thrust CASE, Differential, With [DSA]
15	3	4506 058AB	1							Includes Items 4,21,22,27
	1	4746 982AB	1							SHIM KIT, Differential
	5	4746 605	1							BEARING, Differential
	6	4746 603	1							BEARING, Drive Pinion, Bearing and
	J	17 10 000	•							Cup, Rear
	7	J812 4026	1							SHIM KIT, Pinion Shaft
	8									HOUSING, Rear Axle
33 (34) (32)		5003 935AA	1							[DRC]-Uses Non-Flange Pinion
										Seal
(33) (34) (32) (18)		5003 935AB	1							[DRC]-Uses Flange Pinion Seal
		5003 956AA	1							[DRD]-Uses Non-Flange Pinion
										Seal
		5003 956AB	1							[DRD]-Uses Flange Pinion Seal
(0)	-9	5003 932AA-	8							STUD, Axle Housing to Backing
		5000 00444								Plate, Mounting
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	-10	5003 934AA-	8							NUT, Axle Housing to Backing Plate,
	11	2952 474	10							Mounting BOLT, Differential Cover
(22)	12	J400 4751	10							PLUG, Differential Cover
	13	5010 884AA	<u>·</u> 1							SEALANT, RTV
	14	4506 142	1							COVER, Differential
	15	5206 7508	1							BOLT, Axle Vent
	16	4746 606	1							SPACER, Drive Pinion Bearing
	17	4746 604	1							BEARING, Drive Pinion, Bearing and
29 28 27										Cup, Front
	18	4746 867	1							SLINGER, Drive Pinion
+DSA -DSA	19									SEAL, Drive Pinion
		4384 188	1							Non-Flanged
		5019 843AA	1							Flanged
	20	4746 029	1							YOKE, Axle
	21	1795 175	1							WASHER, Pinion Yoke
	DODGE RAI	W VAN & WAGON	(AB) —							
	SERIES L = Van, Wa	LINE		BODY 11= Van (10	Q M/R)	ENG		num 3.9L SN	MDI	TRANSMISSION DGG = 32RH 3 Spd. Auto.
	X = Conv.	2 = 25	500	12 = Van (12)	27 WB)	ELF,	EL0 = Magr	num 5.2L SM	ΙPΙ	DGT = 46RE 4 Spd. Auto.
		3 = 35	500	13 = X-Van 51 = Wagon		ELN, FMI	EL0 = 5.2L EM0 = Mac	V8 MPI CNG Inum 5.9L SN	∃ MPI	DG0 = All Auto. Transmis sions.
				52 = Wagon	(127WB)		, Livio – iviag	, 0.0L ON	*	3010.
				53 = X-Wag	on (127 WB))				

Differential and Housing, Dana M60/248MM [DRC], Dana M60/248MM Heavy Duty [DRD] Figure 003-230



		PART												
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
										-				
	22	1795 173	1						NUT, Pinion Yoke					
	23	4506 060	1							DISC AND PLATE KIT, Differential,				
										With [DSA]				
	24	4506 066	12							BOLT, Ring Gear, Ring Gear,				
										Mounting				
	25	4864 966	1							GEAR KIT, Ring And Pinion, [DMF]				
	-26	4506 057	1							TONE RING, Sensor				
	27	4746 024AB	1						CASE, Differential, Without [DS					
										Includes Items 4,22,26				
	28	4746 027	1							GEAR KIT, Center Differential				
	29	4506 059	1							GEAR KIT, Center Differential				
	30	4384 186	2							GASKET, Axle Shaft				
	31									SHAFT, Axle				
		5206 7540	1							Right				
		5206 7541	1							Left				
	32	5003 648AA	1							BOLT, Differential, Without [DSA]				
	33	4883 560AA	1							ROLL PIN, Differential, Without				
										[DSA]				
	34	1922 276	1							SHAFT, Differential				

DODGE RAM VAN & WAGON (AB) **SERIES**

L = Van, Wagon X = Conv.


LINE 1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto.DG0 = All Auto. Transmis



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	3417 5327	1							CLIP, Conduit Convoluted
2	HFV0 0516	<u>.</u> 1							HOSE, Fuel And Vapor, 25 Foot Ro
									5/16"
3	5206 7508	1							BOLT, Axle Vent

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

Group – 004 Parking Brake










Parking Brake Lever Figure 004-110



ITEM	PART NUMBER	OTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	БООТ	ENGINE	IKANS	I KIIVI	DESCRIPTION
1	55351 139AC	1							BRACKET, Steering Column
2	6505 456AA	3							BOLT, Park Brake Lever to Bracket,
									Mounting
3	52009 192AB	1							LEVER, Park Brake, Includes Items
									4,5,6,8
-4	4221 463	1							SWITCH, Parking Brake
5	5200 9591	1							HANDLE, Parking Brake
-6	4886 329AA-	1							SCREW, Park Brake Release
									Handle, Mounting
7	4641 780	2							STRAP, Tie
8	4019 175	1							PAD, Parking Brake Pedal
9	52009 331AB	1							CABLE, Parking Brake, Front

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

sions.

Parking Brake Cables Figure 004-120



	PART												
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
Note:Sale:	Note:Sales Codes;												
[CNG]=Co	CNG]=Compressed Natural Gas												
DRA]=Axle - Rear,Corporate 8.25													
DRB]=Axle - Rear,Corporate 9.25 Light Duty													
[DRC]=Axle - Rear, Dana M60/248MM [DRD]=Axle - Rear, Dana M60/248MM Heavy Duty													
[DRD]=Ax	le - Rear,Dana	a M60/2	248MM He	avy Duty									
[DRG]=Ax	le - Rear,Corp	orate 9	.25 Heavy	Duty									
[ELN]=Enç	gine - 5.2L V8	MPI C	ompressed	l Natural G	as								
1	2516 998	1	2, 3		12, 13,				CLIP, Parking Brake Cable				
					52, 53								
2	5200 9563	1	2, 3		12, 13,				EQUALIZER, Parking Brake Cable,				
					52, 53				[DRC,DRD,DRG]				
3									CABLE, Parking Brake Extension				
	52009 374AE	1	2, 3		12, 13,				[DRC,DRD,DRG]				
					52, 53								
	5200 9121	1	2, 3		12, 13,				[CNG,ELN], Intermediate				
					52, 53								
4	52009 331AB	1							CABLE, Parking Brake, Front				
5									CABLE, Parking Brake Extension				
	5200 8977	1	1		12, 13								
	52009 873AA	2	2, 3		12, 13,				[CNG,ELN]				
					52, 53								
6	52008 437AE	1	1		11, 12,				EQUALIZER, Parking Brake Cable,				
					13, 51				[DRA,DRB]				
7									CABLE, Parking Brake				
	52009 197AB	1	1		11, 12,				[DRA,DRB], Left Rear				
					13, 51								
	52009 221AB	1	2, 3		12, 13,				[DRC,DRD,DRG], Left Rear				
					52, 53								
8									CABLE, Parking Brake				
	52009 196AB	1	1		11, 12,				[DRA,DRB], Right Rear				
					13, 51								
	52009 216AC	1	2, 3		12, 13,				[DRC,DRD], Right Rear				
					52, 53				-				
	52009 751AC	1	2, 3		12, 13,				[DRG], Right Rear				
					52, 53				-				
9	0152 472	1							NUT, Hex Flange Lock, .312-18, Clip				
									to Axle, Mounting				


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.


Group – 005 Service Brakes




005–100 Front Brakes	005–200 Rear Brakes	005–300 Power Brake Booster	005–400 Brake Master Cylinder
005–500 Brake Lines and Hoses	005–600 Brake Pedals		
0000			

GROUP 5 - Service Brakes

Illustration Title	Group-Fig. No.
Front Brakes	
Front Brakes	Fig. 005-110
Rear Brakes	
Rear Brakes,11 Inches x 2.25 Inches	Fig. 005-210
Rear Brakes,12.125 Inches x 3.5 Inches	Fig. 005-220
Drums and Bearing,Rear Brake,12.125 Inches x 3.5 Inches	Fig. 005-230
Power Brake Booster	
Power Brake Booster	Fig. 005-310
Brake Master Cylinder	
Master Cylinder	Fig. 005-410
Hydralic Control Unit	Fig. 005-420
Brake Lines and Hoses	
Brake Lines, Front	Fig. 005-510
Brake Lines,Rear	Fig. 005-520
Brake Pedals	
Brake Pedal	Fig. 005-610





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ote: Sa	les Codes;								
	de - Front-3500	Lb.							
JE]=Ax	de - Front-4000	Lb.							
1									PAD KIT, Front Disc Brake
	5003 899AA	1	1		11, 12,				[DJB]
					13, 51				
	5003 921AA	1	2, 3		12, 13,				[DJE]
					52, 53				
2									PISTON, Brake
	4423 572	2	1		11, 12,				[DJB]
					13, 51				
	5003 912AA	2	2, 3		12, 13,				[DJE]
					52, 53				
3		_							SEAL, Caliper Piston
	4238 682	2	1		11, 12,				[DJB]
	5000 0404	•			13, 51				rs 151
	5003 910AA	2	2, 3		12, 13,				[DJE]
4					52, 53				DOOT Dueles Dieter
4	4000 004	0	4		44 40				BOOT, Brake Piston
	4238 681	2	1		11, 12,				[DJB]
	5003 911AA	2	2, 3		13, 51 12, 13,				[DJE]
	5003 911AA	2	2, 3		52, 53				[D3E]
5					JZ, JJ				SEAL, Caliper Piston
9	4238 682	2	1		11, 12,				[DJB]
	4200 002		'		13, 51				[202]
	5003 910AA	1	2, 3		12, 13,				[DJE]
	0000 0.07	•	_, 0		52, 53				[]
6					,				CAP, Bleeder
	4238 717	1	1		11, 12,				[DJB]
					13, 51				
		1	2, 3		12, 13,				[DJE]
			•		52, 53				
7									BLEEDER SCREW, Brake
	5015 248AA	1	1		11, 12,				[DJB]
					13, 51				
	3780 788	1	2, 3		12, 13,				[DJE]
					52, 53				
8									SLEEVE, Disc Brake Caliper


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.





	PART							
ITEM	NUMBER	QTY	LINE	SERIES BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 897AA	2	1	11, 12,				[DJB]
				13, 51				
	5003 920AA	2	2, 3	12, 13,				[DJE]
_				52, 53				
9	5000 00011			11 10				BUSHING, Disc Brake Caliper
	5003 896AA	2	1	11, 12,				[DJB]
		0	0.0	13, 51				ום ובו
		2	2, 3	12, 13,				[DJE]
10				52, 53				PIN, Caliper
10	5003 898AA	2	1	11, 12,				[DJB]
	3003 090AA	2	'	13, 51				[D3D]
		2	2, 3	12, 13,				[DJE]
			2, 0	52, 53				[202]
11				02, 00				CALIPER, Disc Brake
	5003 894AA	1	1	11, 12,				[DJB], Right
				13, 51				1 - 1, 3
	5003 895AA	1	1	11, 12,				[DJB], Left
				13, 51				
	5003 906AB	1	2, 3	12, 13,				[DJE], Right
				52, 53				
	5003 907AB	1	2, 3	12, 13,				[DJE], Left
				52, 53				
12								BOLT
	6504 691	4						[DJB] Adapter, Mounting
	6505 870AA	4						[DJE] Adapter, Mounting
13								ADAPTER, Disc Brake Caliper
	5003 900AA	1	1	11, 12,				[DJB], Right
				13, 51				
	5003 901AA	1	1	11, 12,				[DJB], Left
	E000 0044:	,	0.0	13, 51				(D. IE) D: 14
	5003 924AA	1	2, 3	12, 13,				[DJE], Right
	5000 CO5 A A		0.0	52, 53				[D][] -#
	5003 925AA	1	2, 3	12, 13,				[DJE], Left
1.1				52, 53				CLID Broke Anti Pottle
14	5018 404AA	1	1	11, 12,				CLIP, Brake Anti-Rattle
	3010 404AA	1	ı	13, 51				Trailing [DJB]
	5018 403AA	1	1	11, 12,				Leading [DJB]
	3010 1 03AA	'	1	13, 51				Loading [Dob]

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

AR = Use as required -= Non illustrated part # = New this model year

September 16, 2005







		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		5003 923AA	1	2, 3		12, 13,				Trailing [DJE]
_						52, 53				
		5003 922AA	1	2, 3		12, 13,				Leading [DJE]
						52, 53				
_	15									SHIELD, Brake
		52009 286AB	1	1		11, 12,				[DJB], Right
						13, 51				
		52009 287AB	1	1		11, 12,				[DJB], Left
_						13, 51				
		52009 284AB	1	2, 3		12, 13,				[DJE], Right
		50000 00545	4	0.0		52, 53				ID IE1 6
		52009 285AB	1	2, 3		12, 13,				[DJE], Left
_	16					52, 53				SEAL Wheel Bearing
	10	3699 678	2							SEAL, Wheel Bearing [DJB]
		3820 197	2							[DJE]
	17	3020 137	_							HUB AND ROTOR, Brake
-	- 17	5200 9414	2	1		11, 12,				[DJB]
		0200 0 11 1	_	•		13, 51				[505]
		52009 415AC	2	2, 3		12, 13,				[DJE]
				, -		52, 53				
_	18					<u> </u>				STUD, Hub
		5139 452AA	5	1		11, 12,				
						13, 51				
_		4746 917	8	2, 3		12, 13,				
						52, 53				
	19	5066 454AA	1	2, 3		12, 13,				CUP, Wheel Bearing, [DJE], Outer
						52, 53				
_	20	5200 9573	2	2, 3		12, 13,				BEARING, Wheel, [DJE], Outer
						52, 53				
	21									NUT, Wheel Bearing Adjusting
		6029 692	2							[DJB]
_		6029 985	2							[DJE]
	22	0500 004	0							CAP, Wheel Hub Grease
		3580 894	2	2.2		10 10				[DJB]
		5200 9590	2	2, 3		12, 13, 52, 53				[DJE]
-	23					ე∠, ევ				LOCK, Wheel Bearing Adj Nut
	23	1673 324	2							[DJB]
		6029 986	2							[DJE]
	24	5525 555	<u>~</u>							WASHER, Thrust
-										

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	0600 194	2							[DJB]
	6029 984	2							[DJE]
25	3683 974	1	1		11, 12,				BEARING PACKAGE, Wheel
					13, 51				Bearing Outer, Bearing and Cup,
									Outer
26									CUP, Wheel Bearing
	3699 677	1	1		11, 12,				[DJB], Inner
					13, 51				
	5003 826AB	1	2, 3		12, 13,				[DJE], Inner
					52, 53				
27									BEARING, Wheel
	3699 676	2							[DJB], Inner
	5200 9574	2	2, 3		12, 13,				[DJE], Inner
					52, 53				
28	6500 557	6							SCREW, 5/16'-18x5/8', Brake Shield,
									Mounting
-29									SENSOR, Anti-Lock Brake
	56028 176AD-	- 1							Right
	56028 177AD-	- 1							[DJE], Left
-30	6500 557	4							SCREW, Speed Sensor, Mounting
31									PIN, Cotter
	0120 123	2	1		11, 12,				[DJB] Wheel Bearing Adjusting Nut
					13, 51				
	J013 7214	2	2, 3		12, 13,				[DJE] Wheel Bearing Adjusting Nut
					52, 53				

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

Rear Brakes,11 Inches x 2.25 Inches Figure 005-210



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•								
	1	6028 921	2							BOLT, Hex Head, Wheel Cylinder,
-	•	0020 021								Mounting
	2	5014 223AA	1							PIN, Brake Shoe Hold Down
	3	3200 0147	2							PLUG, Brake Adjusting Hole
	4									PLATE, Brake Backing
-	-	5014 128AA	1							Right
		5014 129AA	1							Left
	5	52009 541AD								DRUM, Brake
	6	6031 635	4							NUT, Push
-	7	4773 762	1							CLIP, Park Brake Strut
	8	5003 781AA	1							SPRING, Brake Shoe Return,
										Primary
	9	J320 3313	1							SCREW, Bleeder
-	10	3492 657	2							ROD, Brake Cylinder Piston
	11									CYLINDER, Wheel
		4088 898	1							Right
		4088 899	1							Left
_	-12	5252 631	1							REPAIR KIT, Wheel Cylinder
	13	5014 224AB	2							SPRING, Brake Shoe Hold Down
	14	4773 942	1							SPRING, Parking Brake Strut
	15	5003 791AA	1							STRUT, Parking Brake
-	16	4746 586	1							SOCKET, Brake Adjusting
	17									SPRING, Auto Adjusting
		4746 582	1							Right
_		4746 583	1							Left
	18	J320 1947	1							GUIDE, Brake Adjusting Cable
	19	5003 786AA	1							PLATE, Brake Shoe Guide
	20	2953 992	1							SPRING, Brake Shoe Return,
_										Secondary
	21									LEVER, Rear Wheel Brake Adjust
		5003 788AA	1							Right
		5003 789AA	1							Left
_	22	3461 660	1							SPRING, Adjuster Cable
	23	3461 664	1							CABLE, Brake Automatic Adjuster
	24	5014 126AA	1							SHOE AND LINING KIT, drum
	25									LEVER, Park Brake Adjusting
_		5003 784AB	1							Right
		5003 785AB	1							Left
	26	J310 8202	1							RETAINER, Parking Brake Lever
	27	8350 2900	1							WASHER, Parking Brake Lever
_	28	5003 790AA	1							SPRING, Brake Auto Adjuster Lever

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)


13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

Rear Brakes,11 Inches x 2.25 Inches Figure 005-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
29	4746 585	1							WASHER, Rear Brake Adjuster
30	0152 345	8							NUT
31	5003 787AA	1							SPRING, Brake Shoe to Shoe
32									NUT, Rear Brake Auto Adjust Pivot
	2944 692	1							Right
	2944 693	1							Left
33									SCREW, Brake Adjusting
	2881 686	1							Right
	2881 687	1							Left
-34	6035 254	8							SCREW, Flat Head, .437-20x1.12,
									Brake Support to Axle
-35	6034 884	8							NUT, Hex Lock, Brake Support to
									Axle

DODGE RAM VAN & WAGON (AB) LINE

SERIES L = Van, Wagon

X = Conv.

1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB)

52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

Rear Brakes, 12.125 Inches x 3.5 Inches Figure 005-220

22	23 24	5	2 3
20			4
18			5
16			
14)	13 (12)	11 10	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sale	e Codes:								
	le - Rear,.Dar	a M60/	248ММ						
	le - Rear,.Dar le - Rear,Dana			avv Dutv					
	le - Rear,Corp								
1	ic real,our	orate s	.20 Heavy	Duty					PLATE, Brake Backing
	5010 013AA	1							[DRC,DRD], Left
	5010 012AA	1							[DRC,DRD], Right
	5010 000AA	1							[DRG], Right
	5010 001AA	1							[DRG], Left
	6028 921	2							BOLT, Hex Head, Wheel Cylinder,
_	0020 02 1	_							Mounting
3	3492 655	1							NUT, Parking Brake
_	3200 0147	1							PLUG, Brake Adjusting Hole
	3492 662	2							PIN, Brake Shoe Hold Down
	3492 664	1							GUIDE, Brake Adjusting Cable
	4383 267	1							CABLE, Brake Automatic Adjuster
	3492 671	1							PIN, Brake Adjusting Lever
9									SPRING, Auto Adjusting
	4383 274	1							Right
	4383 275	1							Left
10									LEVER, Park Brake Adjusting
	4383 276	1							Right
	4383 277	1							Left
11	5003 999AA	1							SHOE AND LINING KIT, drum
12									NUT, Brake Adjusting
	4383 270	1							Right
	4383 271	1							Left
13									SCREW, Brake Adjusting
	4383 262	1							Right
	4383 263	1							Left
14									LEVER, Park Brake
	5010 006AA	1							Right
	5010 007AA	1							Left
15	4419 698	1							BOLT, Park Brake Lever, .25-28
16	3492 670	1							WASHER, Parking Brake Lever
17	3492 656	1							SPRING, Parking Brake Lever
18	3492 668	1							SPRING, Brake Shoe Return
	3492 663	2							SPRING, Brake Shoe Hold Down
	3496 235	1							SPRING, Brake Shoe Return
	3492 657	1							ROD, Brake Cylinder Piston
22									CAM, Parking Brake Lever


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Rear Brakes, 12.125 Inches x 3.5 Inches Figure 005-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5010 010AA	1							Right
	5010 011AA	1							Left
23	5010 005AA	1							CYLINDER, Wheel, Includes Item 24
24	3766 674	1							SCREW, Bleeder
-25	5010 008AA-	1							SPRING, Parking Brake Cable

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Drums and Bearing, Rear Brake, 12.125 Inches x 3.5 Inches Figure 005-230

PART





ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-					-	-		
Note:Sale	es Codes;								
[DRC]=A	xle - Rear,.Dan	a M60/	248MM						
[DRD]=A	xle - Rear,Dana	a M60/2	248MM He	avy Duty					
[DRG]=A	xle - Rear,Corp	orate 9	.25 Heavy	Duty					
1	52009 519AC	2							DRUM, Brake, [DRG]
2	6031 635	4							NUT, Push, [DRG]
3	4797 126	1							LOCK, Wheel Bearing Adj Nut,
									[DRC,DRD]
4	5206 9306	2							NUT, Bearing Adjusting, [DRC,DRD]
5	2852 729	2							BEARING, Wheel, [DRC,DRD], Oute
6	2955 374	1							CUP, Wheel Bearing, [DRC,DRD],
									Outer
7	5003 466AA	16							BOLT, [DRC,DRD]
8									HUB, Rear Wheel
	5200 9517	2							[DRC] With Cups and Studs
	5200 9523	2							[DRD] With Cups and Studs
9	4746 915	1							STUD, Hub, [DRC,DRD]
10	52009 519AC	2							DRUM, Brake, [DRC,DRD]
11									CUP, Wheel Bearing
	2955 374	1							[DRC], Inner
	4746 918	1							[DRD], Inner
12									BEARING, Wheel
	2852 729	2							[DRC], Inner
	0927 017	2							[DRD], Inner
13									SEAL, Wheel Bearing
	4032 450	1							[DRC]
	3496 557	1							[DRD]

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon

X = Conv.

LINE 1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB)

52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

Power Brake Booster Figure 005-310

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

ENGINE

TRIM

DESCRIPTION

HOSE, Brake Vacuum

BOOSTER, Power Brake

Dash, Mounting

NUT, Hex Flange Lock, Booster to

GROMMET, Brake Booster Check

VALVE, Brake Booster Check


[EH0] [EL0,EM0]

Valve

CLAMP, Hose

TRANS

	Ingines - All 3.9L	V6 Gas	
EL0]= I	Engines - All 5.2L	8 Cylinder Gas	
EM0]=E	Engines - All 5.9L	8 Cylinder Gas	
1			
	5200 8948	1	
	52009 658AA	1	
2	4897 211AB	1	
3	6100 517	4	
4	4883 813AA	1	
5	4723 391	1	
6	2448 761	1	



DODGE RAM VAN & WAGON (AB) SERIES LINE

L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)


13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis

sions.



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4897 210AB	1							MASTER CYLINDER, Brake
2	4683 656	1							CAP, Master Cylinder Reservoir
3	4882 865	1							RESERVOIR, Brake Master Cylind
4	4723 394	2							PIN, Master Cylinder Reservoir,
									Reservoir to Master Cylinder,
									Mounting
5	4723 389	2							GROMMET, Master Cylinder
_									Reservoir, Mounting
6	4723 395	1							SEAL, Master Cylinder To Booster
-	4007 000 4 4								Mounting
7	4897 209AA	2							NUT, Master Cylinder to Booster,
									Mounting
									_

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Hydralic Control Unit Figure 005-420

PART





ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sal	es Code;								
	rakes - Power D)isc/Dri	ım Rear A	nti-l ock					
_	rakes - 4 Whee			THE LOOK					
1	6502 720	3							NUT, Hex Flange Lock, M8x1.25,
									HCU/ECU to Left Inner Apron,
									Mounting
2									CONTROL UNIT, Anti-Lock Brake
	52010 469AG	1	1		11, 12,				[BGK] Includes Items 3,7,9,10,1
					13, 51				12
	52010 470AH	1	2, 3		12, 13,				[BGK] Includes Items 3,7,9,10,1
					52, 53				12
3									MODULE, Anti-lock Brakes
	5018 806AA	1	1		11, 12,				[BGK]
					13, 51				
	5018 422AA	1	2, 3		12, 13,				[BGK]
					52, 53				
4									VALVE, Brake Pressure Limit
	5003 313AA	1	1		11, 12,				[BGJ]
					13, 51				
		1	2, 3		12, 13,				[BGJ]
					52, 53				
5									TUBE, Brake
	5003 310AA	1	1		11, 12,				[BGJ] Module Jumper
					13, 51				
		1	2, 3		12, 13,				[BGJ] Module Jumper
					52, 53				
6									MODULE, Anti-lock Brakes
	5018 420AA	1	1		11, 12,				[BGJ]
					13, 51				
	5018 421AA	1	2, 3		12, 13,				[BGJ]
					52, 53				
7									VALVE, Proportioning
	5015 428AA	1	1		11, 12,				[BGJ,BGK]
					13, 51				
	5015 429AA	1	2, 3		12, 13,				[BGJ,BGK]
					52, 53				
8									BRACKET, Anti-Lock Brake Modu
	5011 621AA	1	1		11, 12,				[BGJ]
					13, 51				

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB)


52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

AR = Use as required -= Non illustrated part # = New this model year

Hydralic Control Unit Figure 005-420





	PART								
ITEM	NUMBER	QTY	LINE	SERIES BO	DY I	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3		13,				[BGJ]
•				52,	53				DDAOKET Anti Laula Dualia Madalal
9	5000 044AA	4	4	4.4	40				BRACKET, Anti-Lock Brake Module
	5003 814AA	1	1		12, 51				[BGK]
		1	2, 3		13,				[BGK]
		· ·	2, 3		53				
10				02					HYDRAULIC CONTROL UNIT, Ant
. •									Lock Brake System
	5096 266AA	1	1	11,	12,				[BGK]
					51				•
		1	2, 3	12,	13,				[BGK]
				52,	53				
11									TUBE, Brake
	5003 307AA	1	1	11,	12,				[BGK] Module Jumper, Front
					51				
		1	2, 3		13,				[BGK] Module Jumper, Front
				52,	53				
12									TUBE, Brake
	5003 308AA	1	1		12,				[BGK] Module Jumper, Rear
			0.0		51				IDOM Madula Jurana Dana
		1	2, 3		13,				[BGK] Module Jumper, Rear
13	52009 293AC	1		52,	53				TUBE, Master Cyl to Prop Valve,
13	32009 293AC	'							[BGJ,BGK], Primary
14	52009 294AC	1							TUBE, Master Cyl to Prop Valve,
	02000 20 11 10	•							[BGJ,BGK], Secondary
15	5200 8940	2							CLIP, Brake Line, [BGJ,BGK]
16									TUBE, Brake
	52009 443AD	1							[BGJ] Brake Hose Tee to Right
									Front
	52009 445AE	1							[BGK] Brake Hose to HCU Front
									Right
17	52009 436AB	1							TUBE, Brake, [BGJ,BGK] HCU To
									Rear Union
18									TUBE, Brake
	52009 442AB	1							[BGJ] Proportioning Valve to Tee
	50000								Front Left
	52009 446AB	1							[BGK] Brake Hose to HCU Front
									Left

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

AR = Use as required -= Non illustrated part # = New this model year

PART



	·						
	les Code;):/D=	um Daar A	nti I nale			
	srakes - Power D Brakes - 4 Whee			nti-Lock			
[BGR]=L	3200 0404	1	.UCK				CLIP, Tube
2	3200 0404	'					TUBE, Brake
	52009 443AD	1					[BGJ] Left Brake Hose Tee to Rig
	02000 110/12	•					Brake Hose
	52009 445AE	1					[BGK] HCU to Right Brake Hose
3	52009 436AB	1					TUBE, Brake, [BGJ,BGK] HCU/ECL
	02000 100/12	<u> </u>					to Rear Union
4	6035 886	4					GASKET, Brake Hose To Caliper
5	6035 832	2					BOLT, Banjo
6							HOSE, Brake
	52009 450AC	1					[BGJ,BGK], Right
	52009 451AC	1					[BGJ], Left
	52009 449AC	1					[BGK], Left
7	0154 726	2					BOLT, Hex Flange Head, .312-18x.
							50, Front Brake Hose, Mounting
8							SCREW, Hex Flange Head, M8x1.
							25x25.00, (NOT SERVICED) (Not
							Serviced)
9	6031 321	2					PIN, Retainer, Brake Sensor wire,
							Mounting
10	5200 9234	3					FASTENER, Push Pin, Brake Line
							Frame Rail, Mounting
11							TUBE, Brake
	52009 447AE	1	1		11, 51		Rear Union to Rear Brake Hose
	52009 448AE	1			12, 13,		Rear Union to Rear Brake Hose
					52, 53		
12						 	TUBE, Brake
	52009 442AB	1					[BGJ] Proportioning Valve to Left
							Brake HoseTee
	52009 446AB	1					[BGK] HCU to Left Brake Hose
-13	6505 242AA-	2				 	SCREW, Front Brake Hose Anchor
							Bracket

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

PART

2 3 4 5
6


	les Codes;		05				
	Axle - Rear,Corpo			N. 16. 7			
	Axle - Rear,Corpo Axle - Rear,.Dana		-	July			
	Axle - Rear,Dana Axle - Rear,Dana			ova Duty			
	Axle - Rear,Dana						
1	5200 7914	3		Duty			CLIP, Brake Line
2	3200 7314	3					TUBE, Brake
2	52009 447AE	1	1		11, 51		Brake Tube Union to Rear Hos
	52009 448AE	_			12, 13,		Brake Tube Union to Rear Hos
	02000 110/12	•			52, 53		Diane rade emente real rick
3	6504 581	1			02, 00		NUT, M8x1.25
4	52009 840AB	1					BRACKET, Brake Hose, Mountin
5	2208 893	1					LOCK, Brake Hose
6	6501 648	1					SCREW, Hex Flange Head, M8
							25x25.00, Brake Hose Bracket
							Mounting
7							TUBE, Brake
	52009 524AB	1					[DRG], Right
	5200 9525	1					[DRA,DRB], Right
	52009 632AC	1					[DRC,DRD], Right
8							CLIP, Brake Tube
	3723 689	1					Rear Axle Cover [DRA], Moun
	4137 440	1					Rear Axle Cover [DRB,DRG]
9	6035 887	1					STUD, Axle Housing, Sensor,
							Mounting
10							TUBE, Brake
	5200 9526	1					[DRA,DRB], Left
	52009 628AB	1					[DRC,DRD,DRG], Left
11	52009 458AE	1					HOSE, Brake, Rear

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Brake Pedal Figure 005-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
'									_
1	3420 1515	1							BOLT, Hex Head, M12x1.75x145
2	6100 884	1							WASHER
3	6503 711	1							NUT, Hex Flange Lock, M12x1.75
4	4294 639	2							BUSHING, Clutch and Brake Pedal
5	52009 766AB	1							SLEEVE, Pedal Shaft
6	4294 036	1							CLIP
7	52010 169AC	1							PEDAL, Brake
8	4779 027	1							PAD, Pedal


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Group – 007 Cooling






GROUP 7 - Cooling

Illustration Title	Group-Fig. No
Radiator and Related Parts Radiator And Related Parts	Fig. 007-120
Water Pump and Related Parts Water Pump And Related Parts	Fig. 007-210
Tank, Coolant Engine Coolant Tank	Fig. 007-310
Pulleys and Related Parts Drive Pulleys	Fig. 007-410
Drive Belts	Fig. 007-520
Lines, Transmission Oil Cooler Oil Cooler Lines Auxiliary Oil Cooler	Fig. 007-610 Fig. 007-640
Grilles Grille And Related Parts	Fig. 007-710

Radiator And Related Parts Figure 007-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	HOMBER	~		1 0220		2.13.112		I	
Note:									
EH0] =	All 3.9L V-6 Eng	ines							
[EL0] = /	All 5.2L V-8 Eng	ines							
[EM0] =	All 5.9L V-8 Eng	gines							
1									RADIATOR, Engine Cooling
	52028 627AB	1				EH0			without Max Cooling
	52029 628AC	1				ELO,			without Max Cooling
						EM0			
		1				EH0			with Max Cooling
	52029 630AC	1				ELO,			with Max Cooling
						EM0			
2									CAP, Radiator
	52079 799AA	1				EH0			With [NMC]
	52079 880AA	1				EH0			Without [NMC]
	52079 799AA	1				ELO,			
2						EM0			LICCE Dedictor Inlet
3	52028 686AC	1				EH0			HOSE, Radiator Inlet
	52028 687AC	1				ELO,			
	32020 007AC	'				EMO			
4	5200 5580	2				LIVIO			CLAMP, Hose to Radiator, Inlet H
5	6034 549	2				EH0,			SCREW, Hex Head, .312-18x.94
· ·	000.0	_				ELO,			
						EM0			
6	5302 0115	1				EH0,			HOUSING, Thermostat
						EL0,			<u> </u>
						EM0			
-7	55035 944AB-	1				EH0,			NIPPLE, Heater Inlet
						ELO,			
						EM0			
8									THERMOSTAT, 195 Degrees
	5202 8185	1				EH0,			
						EL0			
		1				EM0			
9	53021 051AB	1				EH0,			GASKET, Thermostat
						ELO,			
						EM0			
10	6032 277	1							CLAMP, Radiator
11						- 1			HOSE, Radiator Outlet
	52028 685AC	1				EH0			

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

AR = Use as required -= Non illustrated part # = New this model year

Radiator And Related Parts Figure 007-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52028 689AC	1				EL0,			
						EM0			
12									DRAINCOCK, Radiator, (NOT
									SERVICED) (Not Serviced)
13									SHROUD, Fan
	5202 8583	1				EH0			
	52028 584AC	1				ELO,			
						EM0			
-14	6032 518	4							SCREW AND WASHER, Hex Head,
									.250-14x.75, Shroud attaching
15	6022 225	4							SCREW AND WASHER, Hex Head,
									.312-18x.75
16									FAN, Cooling
	5202 7999	1				EH0			
		1				ELO,			without Max Cooling
						EM0			
	5202 8440	1				EL0,			with Max Cooling
						EM0			
17									BOLT, Hex Head, .312-18x.75, (NOT
									SERVICED) (Not Serviced)
18									DRIVE, Fan
	5202 8305	1				EH0			
		1				ELO,			Without [NMC]
						EM0			
	5202 8743	1				ELO,			With [NMC]
						EM0			

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Water Pump And Related Parts Figure 007-210

PART

5 4 3	
2	
	1

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
[EH0] = I	All 3.9L V-6 Eng	gines							
[ELO] = A	II 5.2L V-8 Eng	ines							
[EMO] = 0	All 5.9L V-8 Enç	gines							
1	53021 018AD	1				EM0			PUMP, Water
2									GASKET, Water Pump
	4483 757AB	1				EM0			
		1				EH0,			
						EL0			
3	5300 8654	1				EH0,			HOSE, Water Pump Bypass
						ELO,			
						EM0			
4	53021 361AA	2				EH0,			CLAMP, Radiator
						ELO,			
						EM0			
5	5302 0185	1				EM0			NIPPLE, By-Pass
6	6034 279	2				EH0,			SCREW AND WASHER, Hex Hea
						EL0,			Lock, .375-16x1.75
						EM0			
-7	5503 6160	1				EH0,			TUBE, Water Pump Inlet
						ELO,			
						EM0			
-8	4740 906	1				EH0,			O RING, Tube Assy, Heater Retu
						EL0,			
						EM0			

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon X = Conv.

LINE 1 = 1500 BODY 11= Van (109 WB) 2 = 250012 = Van (127 WB) 3 = 350013 = X-Van (127 WB) 51 = Wagon (109 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

ENGINE

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

52 = Wagon (127WB) 53 = X-Wagon (127 WB)

3

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
lote:									
	All 3.9L V-6 En	gines							
ELF] = 5	5.2L Magnum V	/-8 SMF	PI Engine						
	۱۱۱ 5.2L V-8 Eng								
	All 5.9L V-8 En								11005 0 1 1 0
1 2	4026 148 5207 9331	1 1							HOSE, Coolant Reserve Tank CAP, Coolant Reserve Tank
3	2448 761	1				EH0,			CLAMP, Hose
9	2440 701					ELO,			CL/Will , Flosc
						EM0			
4	52028 726AA	. 1							TANK, Coolant Reserve
5									SCREW AND WASHER, Hex Flan
									Head, .25-14x.875, (NOT
									SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Drive Pulleys Figure 007-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EH0] =	All 3.9L V-6 En	gines							
EL0] =	All 5.2L V-8 Eng	gines							
EM0] =	All 5.9L V-8 En	gines							
1	5301 0222	1				EH0,			PULLEY, Crankshaft
						EL0			
-2	53021 284AA	- 1				EM0			DAMPER, Crankshaft
3	6034 256	6				EH0,			SCREW AND WASHER, Hex Head
						EL0			.312-18x.75
4	53010 158AB	1				EH0,			TENSIONER, Belt
						ELO,			
						EM0			
5	5300 8618	1				EH0,			BRACKET, Alternator
						EL0,			
						EM0			
6	5300 9508	1				EH0,			PULLEY, Idler
						ELO,			
						EM0			
7	3300 2201	1				EH0,			BUSHING, Idler Pulley
						ELO,			
						EM0			
8									SCREW, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Drive Belts Figure 007-520

ALT IDLER	TEN DLER A/C
FAN	FAN 2
MAIN DRIVE	WR TRG DRIVE PWR STRG


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
[EH0] = A	II 3.9L V-6 En	gines							
[EL0] = AI	l 5.2L V-8 En	gines							
[EM0] = A	II 5.9L V-8 En	gines							
1	5301 0306	1				EH0,			BELT, Accessory Drive, w/o Air
						ELO,			Conditioning
						EM0			
2	5301 0305	1				EH0,			BELT, Accessory Drive, w/Air
						EL0,			Conditioning
						EM0			
-3	5300 8745	1				EH0,			LABEL, Belt Routing
						ELO,			
						EM0			

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE




	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS 1	ΓRIM	DESCRIPTION
Note:									
[DGG] = 3	32RH 3 Speed	Autom	natic Transi	mission					
[DGT] = 4	46RE 4 Speed A	Autom	atic Transr	nission					
[DG0] = A	All Automatic Tr	ansmi	ssions						
[EH0] = A	All 3.9L V-6 Eng	ines							
[EL0] = A	II 5.2L V-8 Engi	ines							
[EMO] = A	All 5.9L V-8 Eng	gines							
1									TUBE AND HOSE, Oil Cooler
	52028 645AD	1					DGG		
	52028 646AD	1					DGT		
2									TUBE AND HOSE, Oil Cooler
	52028 647AE	1					DGG		
	52028 841AF	1					DGT		
3									CONNECTOR, Oil Cooler Tube, .
									Tube x .25 Thread
	5202 8629	2				EH0			Quick Connect
		2				ELO,			Quick Connect
						EM0			
4	4401 753	1					DG0		BRACKET, Oil Cooler Tube
5									CONNECTOR, Oil Cooler Tube
	5211 7844	1					DGT		Tube
		1					DGG		Tube
6	4401 753	1					DG0		BRACKET, Oil Cooler Tube
7	J400 6001	2					DG0		NUT, Hex Flange, .375-16
8	4401 752	1							BRACKET, Oil Cooler Tube
9	52028 975AA	1							CLIP, Oil Tube
10	0_0_0 0.0	•							SCREW, (NOT SERVICED) (Not
. •									Serviced)
11									VALVE, Oil Cooler Pressure
- ' '	52028 463AD	1					DGT		VALVE, On Cooler Fressure
	02020 100/10	1					DGG		
-12		'					500		NUT, Flared Tube
-12	6033 878	1					DGT		Trans Cooler Line
	0000 070	<u>'</u>					DGG		Trans Cooler Line
		1					DOG		NUT, .625-18
-13									1401, 1020-10
-13	6035 503	1					DGT		Trans Cooler Pressure Tube
-13	6035 503	1					DGT		Trans Cooler Pressure Tube
		1 1					DGG		
-13	6035 503 5016 844AB-	1 1							Trans Cooler Pressure Tube HOSE AND VALVE, Transmission Cooler Lines

Oil Cooler Lines Figure 007-610

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		3575 333	1					DG0		GROMMET, Trans Oil Cooler Line Clip at Starter
7										
6										
9										
(10)										
5										
8										
3										
5										
7										
8										
	DODGE RA SERIES L = Van, W X = Conv.	M VAN & WAGO LIN /agon 1 = 2 = 3 =	DN (AB) — E 1500 2500 3500	BODY 11= Van (12 = Van (13 = X-Van 51 = Wago 52 = Wago 5	109 WB) (127 WB) n (127 WB) on (109 WB) on (127WB) agon (127 WE	ENG EHG ELF ELN	GINE C, EH0 = Mag F, EL0 = Mag N, EL0 = 5.2L L, EM0 = Mag	gnum 3.9L S num 5.2L SI . V8 MPI CN gnum 5.9L S	SMPI MPI IG SMPI	TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

Auxiliary Oil Cooler Figure 007-640



	PART	1 '	1	1	1				
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
	All Automatic Ti		ssions						
	ll 3.9L V-6 Eng								
	II 5.2L V-8 Eng								
	All 5.9L V-8 Eng Cooler, Aux Tra	_	cion						
	52028 864AA		JUII.				DG0		COOLER, Transmission Oil
	6033 560	3					DOU		NUT AND WASHER, Hex Nut-Cone
۷.	0033 300	3							Washer, .25-20
3	52028 664AJ	1					DGT		TUBE AND HOSE, Oil Cooler
	52029 023AF						DGT		TUBE, Oil Cooler
5	52020 020	•					50.		BOLT, Header Point Square, .250-
•									20x.875, (NOT SERVICED) (Not
									Serviced)
6	6033 560	4							NUT AND WASHER, Hex Nut-Cone
									Washer, .25-20
7									SCREW, (NOT SERVICED) (Not
									Serviced)
8									CLIP, (NOT SERVICED) (Not
									Serviced)


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Grille And Related Parts Figure 007-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW, (NOT SERVICED) (Not
									Serviced)
2	55359 063AB	1							SUPPORT, Radiator
3	55347 161AC	1							REINFORCEMENT, Radiator
									Closure
4	55345 304AC	2							BRACE, Radiator
5	55359 056AA	1							SUPPORT, Radiator Grille, Right
6	55346 775AC	1							SUPPORT, Radiator Grille
-7	55359 060AA-	2							STRUT, Bracket
8	55347 164AC	1							PLATE, Access Cover
9	5534 6879	1							BRACKET, Grille
10	55346 744AB	1							SUPPORT, Radiator Grille
-11	55359 064AB-	1							REINFORCEMENT, Radiator
									Closure
12									U-NUT, (NOT SERVICED) (Not
									Serviced)
13									GRILLE, Radiator
	55076 540AD	1							
	5FC46 MSAAC	2 1							Dark Silver Metallic
14									PANEL, Fender Extentsion
	55347 244AE	1							Right
	55347 245AE	1							Left
15	6502 776	2							CLIP, Lamp
16	6034 662	2							NUT, Snap In, #10
17									SUPPORT, Radiator Closure Panel
	55346 749AE	1							Right
	55346 751AE	1							Left
-18									RETAINER, Condenser Seal, (NOT
_									SERVICED) (Not Serviced)
-19	55055 827AC-	1							SEAL, Radiator
-20	6503 221	4							PIN, Lower Seal Mounting

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Group – 008

Electrical





Group – 008

Electrical

008-900 Horns	008–1000 Battery Tray and Cables	008–1100 Lamps – Front, Rear and Courtesy	008-1200 Wiring-Engine & Related Parts
			Paiols
008-1300 Wiring-Headlamp to Dash	008–1400 Wiring–Instrument Panel	008-1500 Wiring-Body & Accessories	008–1600 Wiring Repair
			WIRING REPAIR KIT
008–1900 Spark Plugs–Cables–Coils			

GROUP 8 - Electrical	
Ilustration Title	Group-Fig. No.
Starters	
Starter & Mounting	Fig. 008-105
Alternators Alternator (Generator)	Fig. 008-205
Distributor	
Distributors	Fig. 008-305
Modules	
Modules	Fig. 008-415
Relays	
Power Distribution Center - Relays and Fuses	Fig. 008-505
Fuse Block - Relays and Fuses	Fig. 008-510
Fuse Block Module- Relays and Fuses	Fig. 008-515
Sensors	
Sensors - Engine	Fig. 008-605
Sensors - Drivetrain	Fig. 008-610
Sensors - Body	Fig. 008-615
Single Board Engine Controllers	
Single Board Engine Controllers (S.B.E.C.)	Fig. 008-715
Switches	
Switches - Instrument Panel	Fig. 008-805
Switches - Drivetrain	Fig. 008-810
Switches - Body	Fig. 008-815
Horns	
Horn	Fig. 008-910
Battery Tray and Cables	
Battery Tray and Cables	Fig. 008-1020
Lamps - Front, Rear and Courtesy	
_ampsFront End	Fig. 008-1153
_ampsRear End	Fig. 008-1155
_ampsDome-Courtesy-Reading	Fig. 008-1156
Bulbs & Sockets	Fig. 008-1195
Wiring-Engine & Related Parts	
Niring-Engine	Fig. 008-1215
Wiring-Headlamp to Dash	

Group-Fig. No.

Viring-Instrument Panel	
Viring-Instrument Panel	Fig. 008-1415
Viring-Body & Accessories	
ViringBody & Accessory	Fig. 008-1510
Viring Repair	
Connector Repair Package	Fig. 008-1610
Spark Plugs-Cables-Coils	
Spark PlugsCablesCoils	Fig. 008-1910

Illustration Title


GROUP 8 - Electrical

Starter & Mounting Figure 008-105

		1
3		2
5	Die	
4		
	6	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Hombert		Liive	<u> </u>	505.	Litonia	IIIAI	1111111	DECOMI III.
	ansmissions -		matic						
	9L V6 Gas En			<u>-</u>		_		_	
	9L 8 Cyl Gas								
1	56027 702A								STARTER
2	6035 606	1							STUD, .437-14/.437-20x2.00
3	6035 604	1	 _		 _		 _		SCREW AND WASHER, Hex Head
4		4							.437-14x1.50
4	0271 506	1							NUT, Hex, .42-20
5									WASHER PACKAGE, Starter, ID=.
									437 OD= .787 THK= .133, (NOT
_									SERVICED) (Not Serviced)
6									BRACKET, Oil Cooler Tube
	4401 752	1							
	4401 753	1					DG0		
				_		<u> </u>			
	I VAN & WAGO								
ERIES	M VAN & WAGOI LINE	E	BODY			GINE			TRANSMISSION
ERIES = Van, Wa	LINE agon 1 = 1	E 1500	11= Van (1	109 WB)	EHC	C, EH0 = Mag	jnum 3.9L SI	MPI	DGG = 32RH 3 Spd. Auto.
ERIES	LINE agon 1 = 7 2 = 2	E	11= Van (1 12 = Van ((127 WB)	EHC ELF	C, EH0 = Mag F, EL0 = Mag	num 5.2L SM	MPI	DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto.
ERIES = Van, Wa	LINE agon 1 = 7 2 = 2	E 1500 2500	11= Van (1 12 = Van (13 = X-Var 51 = Wago	109 WB) (127 WB) in (127 WB) on (109 WB) on (127WB)	EHC ELF ELN	C, EH0 = Mag	num 5.2L SM V8 MPI CNC	MPI G	DGG = 32RH 3 Spd. Auto.

Alternator (Generator) Figure 008-205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Ξ H 0 =3.9	L V6 Gas Engi	nes							
L0 =5.2	L 8 Cyl Engine	s							
ΞM0 =5.9	9L 8 Cyl Engine	es							
1									ALTERNATOR
	56029 913AA	1				EH0,			117 AMP
						EL0,			
						EM0			
	56030 914AB	1				EH0,			136 AMP
						EL0,			
						EM0			
2	6034 247	1				EH0,			BOLT, Hex Head, .375-16x.25
						ELO,			
						EM0			
3									BRACKET, Alternator
	5300 8618	1				EH0,			w/o Air
						ELO,			
						EM0			
	5300 8761	1				EH0,			w/Air
						ELO,			
4	0004.040	4				EM0			DOLT Have blood 275 46v 75
<u>4</u> 5	6034 246 6502 720	1 1							BOLT, Hex Head, .375-16x.75 NUT, Hex Flange Lock, M8x1.25
6	0302 720	1							SCREW AND WASHER, Hex Hea
O									.375-16x2.00, (NOT SERVICED)
									(Not Serviced)
-7	5300 8746	1				EH0,			BRACE, Alternator
-1	3300 07 40	ļ				ELO,			BRAGE, Alternator
						EM0			
-8	6506 929AA-	1				LIVIO			NUT, Hex Flange Lock, M8x1.25,
	2000 0207 111	•							Alternator B+ Ground to Wiring
									Harness
-9	6036 106AA-	1				ELO,			STUD, Alternator Brace to Alterna
-		•				EM0			,

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Distributors Figure 008-305

(5)

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-110 0	01.1/0.040.51	IOINEO							
	.9L V6 GAS EN 2L 8 CYL GAS								
	2L 8 CYL GAS 5.9L 8 CYL GAS								
	S.SL O CTL GA	S ENGI	INES						DISTRIBUTOR Engine
1	4740 338AB	1				EH0			DISTRIBUTOR, Engine
	4740 330AB 4740 339AB	1				ELO,			
	4740 339AB	'				EMO			
2						LIVIO			CAP, Distributor
2	5602 6702	1				EH0			CAP, Distributor
	5300 8767	<u>'</u> 1				ELO,			
	3300 8707	'				EMO			
3						LIVIO			ROTOR, Distributor
3	5300 8778	1				EH0			NOTON, Distributor
	3300 0770	<u>'</u> 1				ELO,			
		'				EMO			
4						LIVIO			SWITCH, Distributor Pick-Up
•	5602 8143	1				EH0			CVVII CIT, Distributor Flor op
	0002 0110	<u>·</u> 1				ELO,			
		·				EM0			
5	2875 923	1				EH0,			O RING, Distributor
· ·	_0.0 0_0	·				ELO,			2 1 (2, 2.0
						EM0			
-6	4343 950	1				EH0,			CLAMP, Distributor
						ELO,			,
						EM0			
-7									SCREW, Hex Head, M5x0.8x27
	5602 6706	2				EH0			
		2				ELO,			
						EMO			
-8									PIN
	6029 389	1				EH0			Distributor Shaft
		1				ELO,			Distributor Shaft
						EM0			

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

sions.

Modules Figure 008-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	Q I I	LINE	OLIVILO	БОВТ	LIVOINE	INANO	I IXIII	DEGCKII NON
Nataa.									
Notes:	\\/\!\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\								
-	Without ABS								
	With ABS								
1	56043 221AF	1							MODULE, Air Bag Control
-2	55350 909AA-	1							COVER, Air Bag Module, Contro
									Module Cover
-3	4897 875AA-	1							LABEL, Airbag
4									MODULE, Anti-lock Brakes
	5018 420AA	1	1		11, 12,				[BGJ]
					13, 51				
	5018 421AA	1	2, 3		12, 13,				[BGJ]
					52, 53				-
	5018 422AA	1	2, 3		12, 13,				[BGK]
			,		52, 53				• •
	5018 806AA	1	1		11, 12,				[BGK]
	00.0000	•	•		13, 51				[= 0.1]
5	5602 1561	1			10, 01				MODULE, Daytime Running Lan
6	56045 190AB	1							MODULE, Keyless Entry
7	56021 564AB	1							MODULE, Intermittant Wiper
8	56021 861AL	1							MODULE, Time and Alarm
-9	6504 495	3							SCREW, Tapping, Central Timer
	0001 100								Module Mounting

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


ENGINE

Power Distribution Center - Relays and Fuses Figure 008-505



Fuse Block - Relays and Fuses Figure 008-510

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BLOCK, Fuse and Relay, Service
									Instrument Panel Harness Only
									(NOT SERVICED) (Not Service
2	56049 113AB	AR							FLASHER
3	000A TM5	AR							FUSE, Mini, 5 Amp, Tan
4	00AT M10	1							FUSE, Mini, 10 AMP, Red
5	00AT M15	1							FUSE, Mini, 15 AMP, Light Blue
6	00AT M25	AR							FUSE, Mini, 25 Amp, Natural
7	4671 168	AR							RELAY, Mini
-8	4450 129	1							PULLER, Fuse



DODGE RAM VAN & WAGON (AB) **SERIES** LINE

L = Van, Wagon X = Conv.

1 = 1500 2 = 25003 = 3500 BODY 11= Van (109 WB)


12 = Van (127 WB)13 = X-Van (127 WB) 51 = Wagon (109 WB)


52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Fuse Block Module- Relays and Fuses Figure 008-515





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NOWIDER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	IKIM	DESCRIPTION
Note:									
	II Automatic Tra	ansmiss	sions						
	9L Engine								
	2L Engine								
	II 5.9L Engines								
1	5602 7872	1				EH0,			SENSOR, Air Temperature
						ELO,			
						EM0			
2	5602 9405	1				EH0,			SENSOR, Map
						EL0,			
						EM0			
-3	6504 512	2				EH0,			SCREW, Pan Head, Map Senso
						EL0,			Mounting
						EM0			
4									SENSOR KIT, Throttle Position
	5017 479AA	1				ELO,			
						EM0			
_		1				EH0			
-5		_							SCREW, Throttle Position Senso
	4778 462	2				ELO,			
						EM0			
0	FC00 7FFF	2				EH0			CEAL Inquilator Threattle Decition
-6	5600 7555	8							SEAL, Insulator, Throttle Position Sensor
7	5602 7870	1				EH0,			SENSOR, Crankshaft Position
	3002 7070					EL0,			SENSON, Clarkshart i Osition
						EMO			
8						LIVIO			SENSOR, Oxygen
Ü	56030 111AA	1				EH0,			oznosni, ozggen
		•				ELF			
		1				EML			
	56041 702AA	1				EML			With Californis Emissions
9									SENSOR, Coolant Temperature
	5600 4815	1				ELN			
		1				EH0,			
						ELO,			
						EM0			
10									SENSOR, Oxygen
	56031 110AA	1				EH0,			
						ELF			


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

AR = Use as required -= Non illustrated part # = New this model year



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EML			
	56041 698AA	. 1				EML			With Californis Emissions, Right Left
-11									SENSOR, Camshaft, Serviced in Distributor Pickup Switch, (NOT
									SERVICED) (Not Serviced)
-12	6035 652	2				EH0,			SCREW AND WASHER, Hex Hea
						ELO, EMO			.312-18x.75, Sensor Mounting


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Sensors - Drivetrain Figure 008-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56028 196AB	AR					DGT		TRANSDUCER, Pressure Sensor
2									SENSOR, Transmission Output
	4000 070	,				E. 40	DOT		Speed
	4800 879	1 1				EM0 EL0	DGT DGT		
3	56028 187AD								SENSOR, Wheel Speed
		_						_	

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

	1	2
		5
3		O

	PART								
EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4882 797	1							SENSOR, Washer Fluid Level
2	5604 1053	1							SENSOR, Battery Temperature
3	56028 187AD	1							SENSOR, Wheel Speed
-4	5602 6775	2							CLIP, Tube To Speed Sensor
5									SENSOR, Anti-Lock Brake
	56028 176AD	1							Right
	56028 177AD	1							Left
-6	5602 1260	1							CLIP, Sensor

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Single Board Engine Controllers (S.B.E.C.) Figure 008-715

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
DG0=All	Speed Automa	tic Trar	nsmission						
DGG=3 S	Speed Automat	ic Trans	smission						
DGT=4 S	peed Automati	c Trans	smission						
EH0=3.9l	_ Engine								
ELF=5.2L	SMPI 'MAGN	UM' En	igine						
ELN=5.2l	MPI CNG En	gine							
EM0=5.9	L Engine								
1									MODULE, Powertrain Control
	56040 258AB	1				ELN	DG0		With US 50 States Emissions
	56029 330AB	1	2, 3		12, 13,	EH0	DG0		With US 50 States Emissions
					52, 53				
	56029 530AA	1				EH0	DG0		Export
	56029 531AA	1				ELF	DG0		Export
	56029 532AA	1				EM0	DG0		Export
	56040 321AC	1	1		11, 12,	EH0	DG0		With US 50 States Emissions
					13, 51				
	56040 322AB	1				ELF	DG0		With US 50 States Emissions
	56040 323AA	1				ELF	DG0		Califonia
	56040 325AB	1				EM0	DG0		Federal
	56040 326AB	1				EM0	DG0		Califonia
2									SCREW, SCREW (M4.8x1.59x50.
									00), (NOT SERVICED) (Not
									Serviced)

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Switches - Instrument Panel Figure 008-805



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56021 889AA	1							SWITCH, Headlamp
2	4565 339	1							KNOB AND SHAFT, Headlamp
									Switch
-3	5011 277AA-	1							BEZEL, Headlamp Switch
4	5066 184AA	1							SWITCH, Horn
5	56049 111AB	1							SWITCH, Multifunction
-6	6032 452	2							SCREW, Self Piercing, .164-15x.625,
									Multi-Function Switch Mounting
7									SWITCH, Ignition
	56045 112AB	1					DGG		
		1					DGT		
8	5018 975AA	1					DGT		SWITCH KIT, Overdrive Lockout
9									CONTROL, A/C And Heater
	55055 459AF	1							Without Rear Air
	55055 465AF	1							With Rear Air and Heated Back
									Glass
	55055 466AF	1							With Rear Air without Heated Back
									Glass
10	5011 214AA	1							SWITCH, Blower Control
11									SWITCH, Passenger Airbag Disarm,
									(NOT REQUIRED)
12	4221 463	1							SWITCH, Parking Brake
13	5083 344AA	1							SWITCH PACKAGE, Stop Lamp
14	56045 582AB	1							BRACKET, Stop Lamp Switch
15									SWITCH, Speed Control
	56021 332AB	1							Right
	56021 333AB	1							Left
16	56045 403AE	1							CLOCKSPRING
17	4565 022	1							SWITCH AND LAMP, Glove Box

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Switches - Drivetrain Figure 008-810

1 2	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
[DGG] = 3	2RH 3 Speed	Autom	atic Transr	nission					
[DGT] = 4	6RE 4 Speed	Automa	atic Transn	nission					
[EH0] = 3.	9L Gas Engin	ne							
	2L Gas Engin								
	2L Compress		ıral Gas Er	ngine					
	9L Gas Engin					ELN			SENDING LINIT Of Processes
	5603 1005 4868 672AA	1 1				ELN EH0,			SENDING UNIT, Oil Pressure SWITCH, Oil Pressure
۷.	.555 UI ZAA	•				ELO,			55, 5 1005dio
						EM0			_
3									SWITCH, Neutral, Safety, Back Up
	56045 489AA						DGG		
		1				EM0	DGT		
		1				EL0	DGT		
									_
									_

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


2 = 25003 = 3500

BODY

11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4373 666	1							SWITCH, Seat
2	5600 6897	1							SWITCH, 2 Gang
3	56021 311AB	1							SWITCH, Mirror
-4	55350 802AB	- 1							KNOB, Power Mirror Switch
5	4685 445	2							SWITCH, Reading Lamp
6	4565 004AB	1							SWITCH, Courtesy Lamp
7	56045 010AA	3							SWITCH, 1 Gang, Left Front Door
									Lock and Right Front Window and
									Door Lock
8									SWITCH, Central Locking
	56045 446AB	1							Right
	56045 447AB	1							Left
-9									BRACKET, Switch
	55350 798AA	- 1							Window & Door Lock Support,
									Right
	55350 799AA	- 1							Window & Door Lock Support, Lef

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE


EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

sions.

Horn Figure 008-910

	P	ART								
ITEN	1 NU	MBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-									
1	56020	085AB	3 1							HORN, Low Note
-2	5602	0086	1							HORN AND BRACKET, High Note
3	6501	979	2							SCREW AND WASHER, Hex Head,
										M6x1x17



DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Battery Tray and Cables Figure 008-1020



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55346 961AE	1							TRAY, Battery
2									SCREW, M8x1.25x30, (NOT
									SERVICED) (Not Serviced)
3	5604 1053	1							SENSOR, Battery Temperature
4	5534 5407	1							STRAP, Battery
5	3420 1416	2							NUT, Hex Flange, M8x1.25
6	55359 006AE	1							SUPPORT, Battery Tray
7	6032 925	1							BOLT, J, .25-20x9.72
8	6036 152AA	1							STUD, .250-20x9.75
9	5534 5407	1							STRAP, Battery
10	6031 096	2							NUT, Wiper Crank Arm
11	56003 795AF	1							WIRING, Battery Negative
12	56021 622AJ	1							WIRING, Battery Positive
13									NUT, Hex, .312-18, (NOT
									SERVICED) (Not Serviced)
-14	6101 802	1							NUT, Battery Terminal
-15	6506 464AA-	1							SCREW, Square Head, M6x1x20
									Battery Terminal
16									BATTERY, Storage
	4713 921	1							[BCE]
	4713 923	1							[BCQ]

DODGE RAM VAN & WAGON (AB) LINE


SERIES L = Van, Wagon X = Conv.

1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Lamps--Front End Figure 008-1153




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5602 1441	1							LAMP, Underhood
-2	4897 446AA-	1							LENS, Lamp Module
-3	L000 0561	1							BULB, 561, Underhood Lamp
4									SCREW, Self Piercing, .25-14x.625,
									(NOT SERVICED) (Not Serviced)
5									HEADLAMP
	55076 524AC	1							Right
	55076 525AC	1							Left
-6									HOUSING, Headlamp
	55076 562AB-	· 1							Right
	55076 563AB-	· 1							Left
-7	L0009 004LL-	1							BULB, Headlamp
-8	4857 156AA-	1							VENT, Headlamp
9									SCREW AND NUT, Headlamp, M6.
									3x1.81x40.00, (NOT SERVICED)
									(Not Serviced)
10									LAMP, Park and Turn Signal
	55076 526AC	1							Right
	55076 527AC	1							Left
11									SCREW, Hex Head, .164-18x.625,
									(NOT SERVICED) (Not Serviced)
12	6502 776	2							CLIP, Lamp

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Tail Stop Backup
	4882 684	1							Right
	4882 685	1							Left
2									WIRING, Taillamp
	56021 602AF	1							Right
	56021 603AF	1							Left
3	6506 935AA	8							SCREW, M4.2x1.41
4									LAMP, High Mounted Stop, Service
									in Components, (NOT SERVICED)
									(Not Serviced)
-5	4399 678	1							LENS, High Mounted Stop Lamp
-6	55077 061AB-	· 1							COVER, High Mounted Stop Lamp
-7	4741 032	1							WIRING, High Mounted Stop Lamp
-8	L000 0912	2							BULB, 912
9									LAMP, License, Serviced in
									Components, (NOT SERVICED)
									(Not Serviced)
-10	4357 065	2							LENS, License Lamp, for Bumpers
									with Step Pads
-11									WIRING, License Lamp
	56045 547AA-	4							
	56021 667AD-	· 1							Extension License Lamp Step
									Bumper
-12	4362 133	4							SOCKET AND CABLE, License
									Lamp
-13	L000 0168	1							BULB, 168
14	55054 896AE	1							LAMP, License Plate, for Bumpers
									with Step Cap
-15	3620 734	1							LENS AND GASKET, License Lamp
-16	5600 7554	8							TERMINAL, Female, License Step
									Bumper

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB) 2 = 25003 = 3500

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Lamps--Dome-Courtesy-Reading Figure 008-1156



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	3593 541	2			11, 12,				BEZEL, Dome Lamp
					13				
2									LENS, Dome Lamp
	3488 936	2			11, 12,				[LDB] Front & Rear
					13				
	4762 566	1							[LCD] Rear
-3	L000 0567	2							BULB, 567
4	5534 5970	2			11, 12,				BRACKET, Dome Lamp
					13				
5									SCREW, Pan Head Tapping, .164-
									18x.500, [.164-18x.500], (NOT
									SERVICED) (Not Serviced)
6									HEADLINER, Front, (NOT
									SERVICED) (Not Serviced)
7	JV76 TL2	1							LAMP, Dome, Front or Rear
8	L000 0579	1							BULB, 579, Front or Rear
-9	4685 445	2							SWITCH, Reading Lamp
-10									WIRING, Dome Lamp
	56020 042AK-	· 1							w/Cargo Lamp, w/o Power Locks
	56020 549AC-	- 1							w/Map/Dome Lamp
	56020 576AK-	· 1							w/Map/Dome Lamp, Illuminated
									Visor, w/o Power Locks
	56045 525AD-	- 1			11, 12,				w/Power Locks, Cargo Lamps
					13				
	56045 526AD-	- 1							w/Power Locks, Map/Dome Lamp,
									Illuminated Visor
11	4565 022	1							SWITCH AND LAMP, Glove Box
-12	JV74 TL2	1							LAMP, Dome And Reading




DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI sions.




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	L0009 004LL	1							BULB, Headlamp
-2	L000 921E	1							BULB, 921
-3	L000 0168	1							BULB, 168
-4	L000 3157	1							BULB, 3157
-5	L000 0579	1							BULB, 579
-6	L000 0567	2							BULB, 567
-7	L000 0561	1							BULB, 561, Under Hood Lamp
-8									BULB, 578
	L000 0578	1							Dome Lamp
		1							Cargo Lamp
-9	5011 220AA-	1							BULB, Heater and A/C Control
-10	L000 0194	1							BULB, 194

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB) 2 = 25003 = 3500

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Wiring-Engine Figure 008-1215



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				<u> </u>	1 202:				
DG0-Auto	omatic Transm	nieeinn							
EH0=3.9L		11551011							
	. Magnum Eng	aine							
	MPI (CNG) C		ss Natural	Gas					
EM0=5.9L									
1									WIRING, Engine, Transmission
						10	7.00		Wiring Included
,	56021 007AQ					EM0	DG0		
	56021 808AK	<u>1</u> (1				ELF ELN	DG0 DG0		
	56021 808AK 56021 939AP					ELN EH0	DG0 DG0		
	56021 939AP 56045 873AD					EM0	DG0 DG0		California Emissions
	500 15 5.	•				—			Odmorna Emission
	I VAN & WAGON								
SERIES ₋ = Van, Wag	LINE gon 1 = 15		BODY 11= Van (1	109 WB)		GINE C, EH0 = Mag	anum 3.9L S	SMPI	TRANSMISSION DGG = 32RH 3 Spd. Auto.
ζ = Conv.	2 = 25	500	12 = Van ((127 WB)	ELF	F, EL0 = Magi	num 5.2L SN	MPI	DGT = 46RE 4 Spd. Auto.
	3 = 35	500	51 = Wago	n (127 WB) on (109 WB)	EM	N, EL0 = 5.2Ľ IL, EM0 = Mag	. V8 MPI رامر anum 5.9L ۲	∖G SMPI	DG0 = All Auto. Transmis sions.
			52 = Wago	on (127WB) agon (127 WE		- , -	3		
			53 = A-vva	gon (121 VVL	3)				

Wiring-Headlamp / Dash Figure 008-1315

(1		

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EH0=3.9L	_ Engine								
ELF=5.2L	_ Magnum Engi	jine							
∃LN=5.2l	L MPI (CNG) C	Compres	ss Natural	Gas					
EM0=5.9l	L Engine								
1									WIRING, Headlamp to Dash
	56021 011AY	′ 1				EH0,			Federal Emissions, without Trailer
						ELF			Tow
		1				EM0			Federal Emissions, without Trailer
									Tow
	56021 012AY	′ 1				EM0			California Emissions, without
									Trailer Tow
		1				EH0,			California Emissions, without
						ELF,			Trailer Tow
						EM0			
	56021 847AY	′ 1				EM0			Federal Emissions, with Trailer
									Tow
		1				EH0,			Federal Emissions, with Trailer
						ELF			Tow
	56045 872AD) 1				EM0			California Emissions, with Trailer
									Tow
		1				EH0,			
						ELF,			
						EM0			
	56045 888AP					ELN			Compressed Natural Gas
-2	56045 201AB-								BRACKET, Power Distribution Center
-3	56021 637AF-	- AR							COVER, Power Distribution Center
-4	6503 124	2							SCREW, Hex Head Tapping,
									M6x1x20, PDC Mounting Bracket

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY


11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Wiring-Instrument Panel Figure 008-1415

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	'								
1									WIRING, Instrument Panel
	56021 024AP	1							without Power Windows, Locks,
									Security, Infinity
	56021 025AP	1							with Infinity
	56021 026AP	1							with Power Windows, Locks
	56021 936AP	1							with Security
-2	56049 113AB-	AR							FLASHER
-3	56045 651AA-	· 1							WIRING, Instrument Panel Jumper
									Standard Radio/Speaker Jumper



DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

sions.

Wiring--Body & Accessory Figure 008-1510

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

ENGINE


	-			· · · · · · · · · · · · · · · · · · ·			
	FUO 0 01	l Fasias					
	EH0=3.9I						
		L Magnum Engir		a Natural Cas			
		L MPI (CNG) Co	ompres	s Naturai Gas			
	EIVIU=5.9	L Engine					MIDINO De de
	1	50000 5444 1					WIRING, Body
		56020 544AJ					6 way Power Seat
(18)		56021 032AJ	1				with Van Conversion Apperance
							Group without Air Conditioning Rear with Heater
$\binom{7}{2}$	-		1				with Rear Air Conditioning / Heater
(19)			'				Prep Group & without Van
							Conversion Apperance Group
(7)		56021 076AJ	1				Base
	-	56051 033AA					With Rear Heat/Air Conditioning
	2	00001 0007 11 1	•				WIRING, Underbody
	_	56021 013AH	1	1	11, 51	EH0,	······································
					, -	ELF,	
1996						EM0	
		56021 014AH	1		12, 52	EH0,	without Trailer Tow
						ELF,	
						EM0	
		56021 015AH	1		13, 53	EH0,	
						ELF,	
						EM0	
		56045 596AC			12, 52	ELN	
$\begin{array}{c c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & &$		56045 597AC			13, 53	ELN	
		56045 559AB	1		12, 52	EH0,	with Trailer Tow
						ELF,	
						EM0	
	3	50004 040416			10 50		WIRING, Rear Body
$I^{A}(1)$		56021 019AK			13, 53		with Power Door Locks
		56021 027AK		1	11, 51		with Power Door Locks
		56021 029AK 56021 030AK			12, 52		without Power Door Locks with Power Door Locks
	-4	56021 030AR 56021 340AB-			12, 32		WIRING, Electric Back Light, Body
	- 4 5	5600 6611	1				WIRING, Electric Back Light, Body WIRING, Electric Back Light Feed
$\begin{array}{c} 11 \\ 12 \\ 12 \\ 12 \\ 12 \\ 12 \\ 12 \\ 12 $	6	5600 6612	1				WIRING, Electric Backlight Ground
	7	56045 141AB	1				WIRING, Dome Lamp, Wiring
	,	00010111110	•				Headliner
	8						WIRING, Dome Lamp
	· ·	56020 549AC	1				Rear Dome Lamp
(2)							· · · · · · · · · · · · · · · · · · ·
15)							
		M VAN & WAGON ((AB) —	PODY		NAIT	TDANICALICCION
	SERIES L = Van, Wa	LINE agon 1 = 150	00	BODY 11= Van (109 WB)	ENG EHC	GINE C, EH0 = Magnum 3.9L SMPI	TRANSMISSION DGG = 32RH 3 Spd. Auto.
	X = Conv.	2 = 250	00	12 = Van (127 WB)	ELF	, EL0 = Magnum 5.2L SMPI	DGT = 46RE 4 Spd. Auto.
		3 = 350	UU	13 = X-Van (127 WB) 51 = Wagon (109 WB)	ELN EML	, EL0 = 5.2L V8 MPI CNG -, EM0 = Magnum 5.9L SMPI	DG0 = All Auto. Transmis sions.
				52 = Wagon (127WB)		3	
				53 = X-Wagon (127 WB)			

TRIM

DESCRIPTION

TRANS

Wiring--Body & Accessory Figure 008-1510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56021 938AD	1			11, 12,				Rear Dome Lamp
					13				
	56020 042AK	1							Front Dome Lamp
	56020 576AK	1							Front Dome Lamp with Lighted
									Visor
	56045 525AD	1			11, 12,				Front Dome Lamp with Power
	500.45 500.4B				13				Locks
	56045 526AD	1							Front Dome Lamp with Power
									Locks
9	EC024 00CAE	4							WIRING, Door
	56021 006AE	1							with Power Windows & Locks, Le
	56021 020AD	2							without Power Windows, Locks & Mirrors (Base Model), Right And
									Left
	56021 021AE	1							with Power Mirrors, Left
	56021 023AD	1							with Power Windows & Locks,
	30021 023AD	'							Right
10	56021 996AC	1				EH0,			WIRING, Jumper, Fuel Tank
	00021 000/10	•				ELF,			viikiivo, campor, r dor rame
						EM0			
11									WIRING, License Lamp
	56021 667AD	1							Extension Bumper
	56045 547AA	4							Step Bumber
12									SOCKET, License Lamp, (NOT
									SERVICED) (Not Serviced)
-13	56021 998AC-	· 1							WIRING, Anti-lock Brake
-14	56019 977AD-	. 2							WIRING, Speaker Jumper
15									WIRING, Trailer Tow
	56017 650AE	1							without Heavy Duty Trailer Tow
	56045 795AA	1							With Heavy Duty Trailer Tow
-16	56021 659AB-	· 1							WIRING, Underhood Lamp
17									WIRING, Power Door Lock
	56020 460AC	1							with Single Door
	56020 461AC	1							with Dual Door
18	56045 631AB	1							WIRING, Illuminated Visor
19	56021 311AB	1							SWITCH, Mirror
-20	5601 9823	1							ADAPTER, Trailer Tow
-21	56018 900AK-	· 1							WIRING, Door, Side Door
-22	6031 490	2							GROMMET, Sliding Door Harness

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

AR = Use as required -= Non illustrated part # = New this model year



Wiring--Body & Accessory Figure 008-1510



-23	NUMBER	QTY	LINE					I	
-23				SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-23									
	56045 145AC	- 1				EH0,			WIRING, Fuel Tank Jumper
						ELF,			
0.4	50045 74545					EM0			WIDING I O'L D '
-24	56045 715AB	- 1							WIRING, Jumper, Side Pretensione TERMINAL
-25	4362 012	2							Sliding Door Electric Lock (Door
	4302 012	2							Side)
	5602 1043	2							Rear Door Electric Lock (Door
	3002 1043	_							Side)
-26	6015 327	1							CLIP, Wiring, Retractor to Cover
									, 3 ,

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis


sions.

Connector Repair Package Figure 008-1610

		PART							
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS TR	M DESCRIPTION
	-1	5013 930AD	- 1						WIRING PACKAGE, Underhood
		3010 300/KB	•						Connector Repair, For Electrical
									Connector Repair Information visit
									the World Wide Web at http://dto. vftis.com/mopar/disclaimer.asp
	-2	56045 541A	A- 1						CLIP, Wiring, Electrical Line to Front
	-3	56045 330A	A- 1						Floor RETAINER, Wiring Harness, CHMSL
		2010.070							Harness
	-4 -5	6016 076 4856 502	1 1						TIE STRAP, Rear A/C STRAP, Tie
	-								
For Electrical Connector Repair Information visit									
the World Wide Web at									_
the world wide we									
http://dto.vftis.com/mopar/disclaimer.asp									
	SERIES	AM VAN & WAGON LINE		BODY	100 11/2)	ENG	GINE	6.61.5	TRANSMISSION
	L = Van, W X = Conv.	2 = 2	2500	11= Van (1 12 = Van (127 WB)	ELF	F. EL0 = Magi	gnum 3.9L SMPI num 5.2L SMPI	DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto.
		3 = 3	OUC	51 = Wago	n (127 WB) on (109 WB)	EMI	v, ELU = 5.2L L, EM0 = Ма	V8 MPI CNG gnum 5.9L SMPI	DG0 = All Auto. Transmis sions.
				52 = wago 53 = X-Wa	on (127WB) ugon (127 WB))			
	AD Hee	as required -	Non il	luctrotod no.	4 4 Nov.	اماء سمطما			September 16, 2005

Spark Plugs--Cables--Coils Figure 008-1910





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
					<u> </u>			•	
OTE:									
ales Co									
	ll 3.9L V-6 Engir								
_	II 5.2L V-8 Engir								
	II 5.9L V-8 Engi								
1	4728 037AD	1				EH0			CABLE PACKAGE, Ignition
2	4728 038AE	1				ELO,			CABLE PACKAGE, Ignition
•						EM0			ODARK BLUG
3	00000 401 0					FILE			SPARK PLUG
	SP0RC 12LC4					EH0			
		8				ELO, EMO			
4						⊏IVIU			SEPERATOR, Ignition Cable
4	5602 7089	2				EH0,			3 Wire
	3002 /009	2				EHO, ELO,			3 WIIE
						ELU, EMO			
	5602 8186	1				EHO,			1 Wire
	3002 0100	1				EL0,			1 44116
						EM0			
	56041 333AA	2				EH0			5 Wire
5	30011 000/1/1	_				_110			CABLE, Ignition Coil
	56028 396AA	1				EH0			
	56028 398AA	1				ELO,			
	32222 333.01	-				EM0			
6									CABLE, Ignition
	56028 256AA	1				EH0			[#2]
	56028 257AA	1				EH0			[#3]
	56028 258AA	1				EH0			[#4]
	56028 259AA	1				EH0			[#5]
	56028 277AB	1				EH0			[#6]
	5101 907AA	1				EH0			[#1]
7									CABLE, Ignition
	56028 256AA	3				EL0,			[#1, 2,4]
						EM0			
	56028 279AA	1				ELO,			[#3]
						EM0			
	56028 280AA	2				EL0,			[#5,7]
						EM0			
	56028 404AA	1				ELO,			[#8]
						EM0			

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis
sions.

AR = Use as required -= Non illustrated part # = New this model year

Spark Plugs--Cables--Coils Figure 008-1910



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56028 255AA	1				ELO,			[#6]
						EM0			
8	56028 172AB	1				EH0,			COIL, Ignition
						ELO,			
						EM0			
9	5602 6891	1				EH0,			BRACKET, Ignition Coil
						ELO,			
						EM0			
10									SHIELD, Ignition Cable
	5602 6885	1				EH0			Plugs 1 & 3
		1				ELO,			Plugs 1 & 3
						EM0			
	56028 466AA	1				ELO,			Plugs 5 & 7
						EM0			



DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

11= Van (109 WB) 12 = Van (127 WB) 2 = 25003 = 3500

BODY


13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Group – 08A

Instrument Panel and Radios and Consoles






GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Litle	Group-Fig. No
Instrument Panel	Fig. 08A-110
Instrument Panel Cluster Instrument Cluster	Fig. 08A-210
Radio, Antenna, and Speakers	
Radio	Fig. 08A-310
Speakers	Fig. 08A-320
Antenna	Fig. 08A-330
Consoles	
Console	Fig. 084-410


Instrument Panel Figure 08A-110

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY ENGI	IE TRANS	TRIM	DESCRIPTION
		•	•		•	•	•	•	
	1								PANEL, Instrument
		5EW19 XDV	AH 1						[DV] Without Glovebox &
									Reinforcement (Cosmetic Repair
		==\A(4.0.\/ T \.4							Only)
000 4		5EW19 XTM	AH 1						[T5] Without Glovebox &
									Reinforcement (Cosmetic Repair Only)
		RW38 1DVA	F 1						[DV] With Glovebox, Reinforcement
		1000 1007							& without Airbag
No. of the second secon		RW38 1TMA	F 1						[T5] With Glovebox, Reinforcement
									& without Airbag
(8)	2								GLOVE BOX, Instrument Panel
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		5EW10 1DV							[DV]
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		5EW10 1TM	AG 1						[T5]
	3	RW53 1DVA	D 1						LATCH, Glovebox Door
(10)		RW53 1DVA							[DV] [T5]
		5011 173AB							BIN, Glove box
	5								LABEL, Air Bag Warning
		4595 748AA	1						English
		4595 749AA	1						Bilingual
	6								END CAP, Instrument Panel
		5EW34 DX9							Right
	7	5EW35 DX9/	AK 1						With Fuse Access Door, Left AIR BAG, Passenger
		5EZ68 XDVA	\F 1						[DV]
		5EZ68 XTM							[T5]
	8								COVER, Instrument Panel
(6) (16) (7)		5EW07 XDV	AD 1						[DV]
		5EW07 XTM	AD 1						[T5]
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9	4372 399	1						COVER, Radio Opening, Without
	40								Radio
	10								SCREW, Hex Flange Head Tapping, M6.3 x 1.81 x 20.00, M6.3x1.
									81x20.00, (NOT SERVICED) (Not
(10) (18) (9)									Serviced)
	11								COVER, Steering Column
		5EW09 XDV							[DV]
(12)		5EW09 XTM							[T5]
		55055 875AE							LINER, Steering Column Cover
	13	5GK09 1X8A	AA 1						BEZEL, Cluster
$\begin{array}{c} 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 $									
	DODGE RAM	VAN & WAGON	N (AB) —	DODY.					TRANSMISSION
18)	SERIES L = Van, Wag	LINE gon 1 = 1	500	BODY 11= Van (10	09 WB)	ENGINE EHC, EH0 :	Magnum 3.9L S	SMPI	TRANSMISSION DGG = 32RH 3 Spd. Auto.
	X = Conv.	2 = 2 3 = 3	2500	12 = Van (1 13 = X-Van	27 WB)	ELF, EL0 =	Magnum 5.2L S 5.2L V8 MPI CN	MPI	DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis
(13)		J = J	,,,,,,	51 = Wagor	n (109 WB)	EML, EMO	Magnum 5.9L	SMPI	sions.
				52 = Wagor 53 = X-Wag	n (127WB) gon (127 WB)				
					, ,/				

Instrument Panel Figure 08A-110



Instrument Cluster Figure 08A-210



Sales Code [JCB]=120 [JDC]=200 1 5 2 6 3 4 5 5	es: MPH Cluster KPH Cluster 6045 667AF 6045 668AG 6101 946	1 1 4				CLUSTER With [JDC] With [JCB] SCREW, Tapping INDICATOR, Gear Selector, Service w/Cluster, (NOT SERVICED) (Not Serviced) LENS, Cluster
[JDC]=200 1 5 5 2 6 3 4 5 5	MPH Cluster KPH Cluster 66045 667AF 66045 668AG 6101 946	1 4				With [JDC] With [JCB] SCREW, Tapping INDICATOR, Gear Selector, Service w/Cluster, (NOT SERVICED) (Not Serviced)
[JCB]=120 [JDC]=200 1 5 5 2 6 3 4 5	MPH Cluster KPH Cluster 66045 667AF 66045 668AG 6101 946	1 4				With [JDC] With [JCB] SCREW, Tapping INDICATOR, Gear Selector, Service w/Cluster, (NOT SERVICED) (Not Serviced)
[JDC]=200 1 5 5 2 6 3 4 5 5	KPH Cluster 6045 667AF 6045 668AG 101 946 5011 250AA	1 4				With [JDC] With [JCB] SCREW, Tapping INDICATOR, Gear Selector, Service w/Cluster, (NOT SERVICED) (Not Serviced)
1 5 5 5 3 4 5 5	6045 667AF 6045 668AG 6101 946 6011 250AA	1 4				With [JDC] With [JCB] SCREW, Tapping INDICATOR, Gear Selector, Service w/Cluster, (NOT SERVICED) (Not Serviced)
5 5 2 6 3 4 5 5	6045 668AG 101 946 5011 250AA	1 4				With [JDC] With [JCB] SCREW, Tapping INDICATOR, Gear Selector, Service w/Cluster, (NOT SERVICED) (Not Serviced)
5 2 6 3 4 5 5	6045 668AG 101 946 5011 250AA	1 4				With [JCB] SCREW, Tapping INDICATOR, Gear Selector, Service w/Cluster, (NOT SERVICED) (Not Serviced)
2 6 3 4 5 5	5101 946 5011 250AA	4				SCREW, Tapping INDICATOR, Gear Selector, Service w/Cluster, (NOT SERVICED) (Not Serviced)
3 4 5 5	5011 250AA					INDICATOR, Gear Selector, Services w/Cluster, (NOT SERVICED) (Not Serviced)
4 5 5		1				w/Cluster, (NOT SERVICED) (Not Serviced)
5		1				Serviced)
5		1				
5						
	:019 761 A A					KNOB, Odometer Reset, Serviced v
	019 761 \ \					Cluster Assembly, (NOT
	010 761 4 4					SERVICED) (Not Serviced)
6 5	OTO / OTAA	6				LAMP, Bulb And Socket
-7 4	723 769	1				SOCKET, Warning Lamp

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Radio Figure 08A-310

1 RAS	2 RAZ
3 RBN	4 RBA
7 RCE	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co		.							
	M / FM Radio (to.					
	M / FM Radio \ M / FM Radio \				Midline				
	M / FM Radio \				iidiii ie				
	nfinity] Radio S		or anger						
1	56038 933AB	-							RADIO, AM/FM Cassette, [RAS]
2	4704 383AH	1							RADIO, AM/FM with CD and
3	4704 386AD	1							Cassette, [RAZ] RADIO, AM/FM Cassette with CD Control, With [RBN]
4	4704 392AD	1							RADIO, AM/FM Cassette with CD
-5	4704 373AE-	1							Control, With [RBA] RADIO, AM/FM with CD and
-6	6102 152AA-	2							Equalizer, [RBR]
-0	6102 152AA-								SCREW, Tapping Hex Flange Head M6.3x1.81x20.00, For Radio
									Mounting
7	56043 012AE	1							AMPLIFIER, Radio, With [RCE]
-8									SCREW, M4.8x1.59x11, Amplifier
									Mounting, (NOT SERVICED) (Not
									Serviced)
-9									STRAP, Ground, Strap In Engine
									Compartment [04469228], (NOT
-10	4274 258	1							SERVICED) (Not Serviced) TAPE, Radio Connector, Foam

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE


EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

sions.

Speakers Figure 08A-320

PART



2 560 3 610 4 5 603 6 421 7 560 560 560 8	ty] Speaker aker Syster aker Syster 43 100AA 43 013AB 11 946 44 715 6 823	n				SPEAKER, Instrument Panel, With [RCE] SPEAKER, 3.5", With [RCG] Or [RCD] SCREW, Tapping SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced) CLIP, Speaker
Sales Codes: [RCE] =[Infinit [RCD]=4 Spea [RCG]=6 Spea 1 560 2 560 3 610 4 5 603 6 421 7 560 560 560 8	ty] Speaker aker Syster aker Syster 43 100AA 43 013AB 11 946 44 715 6 823	2 2 2				[RCE] SPEAKER, 3.5", With [RCG] Or [RCD] SCREW, Tapping SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
[RCE] =[Infinit [RCD]=4 Spea [RCG]=6 Spea 1 560 2 560 3 610 4 5 603 6 421 7 560 560 560 8	ty] Speaker aker Syster aker Syster 43 100AA 43 013AB 11 946 44 715 6 823	2 2 2				[RCE] SPEAKER, 3.5", With [RCG] Or [RCD] SCREW, Tapping SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
[RCD]=4 Spea [RCG]=6 Spea 1 560 2 560 3 610 4 5 603 6 421 7 560 560 560 8	aker Syster aker Syster 143 100AA 143 013AB 11 946 14 715 6 823	2 2 2				[RCE] SPEAKER, 3.5", With [RCG] Or [RCD] SCREW, Tapping SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
[RCG]=6 Spea 1 560 2 560 3 610 4 5 603 6 421 7 560 560 560 8	aker Syster 43 100AA 43 013AB 11 946 44 715 6 823	2 2 2				[RCE] SPEAKER, 3.5", With [RCG] Or [RCD] SCREW, Tapping SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
1 560- 2 560- 3 610 4 5 603- 6 421- 7 560- 560- 560- 8	43 100AA 43 013AB 11 946 4 715 6 823	2 2 2 8				[RCE] SPEAKER, 3.5", With [RCG] Or [RCD] SCREW, Tapping SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
2 560 3 610 4 5 603 6 421 7 560 560 560 8	143 013AB 11 946 14 715 6 823	2 2 8				[RCE] SPEAKER, 3.5", With [RCG] Or [RCD] SCREW, Tapping SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
3 610 4 5 603 6 421 7 560 560 560 8	91 946 94 715 6 823	2				SPEAKER, 3.5", With [RCG] Or [RCD] SCREW, Tapping SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
3 610 4 5 603 6 421 7 560 560 560 8	91 946 94 715 6 823	2				[RCD] SCREW, Tapping SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
5 603 6 421 7 560 560 560 8	6 823	8				SCREW, Tapping SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
5 603 6 421 7 560 560 560 8	6 823	8				SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
5 603 6 421 7 560 560 560 8	6 823					SERVICED) (Not Serviced)
6 4210 7 560 560 560 560 8	6 823					
6 4210 7 560 560 560 560 8	6 823					CLIP, Speaker
7 560- 560- 560- 560- 8		2				
560- 560- 560- 560- 8						BRACKET, Speaker
560- 560- 560- 8						SPEAKER, 6"X9"
560- 560- 8	43 017AC	2				With [RCE], Rear
560 ₄	43 119AA	2				With [RCG] Or [RCD], Rear
8	43 015AB	2				With [RCG] Or [RCD], Front Doo
	4 3016	2				With [RCE], Front Door
D40						GRILLE, Speaker
D49	96 XDV	2				With [DV] Trim Code, Rear
D49	96 XT5	2				With [T5] Trim Code, Rear
508	6 135AA	2				Crew Van Package
9 015	4 552	8				SCREW, Hex Head, .190-16x.625
10						SCREW, .164-18x.500, (NOT
				 		SERVICED) (Not Serviced)
11						NUT, (NOT SERVICED) (Not
						Serviced)


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Antenna Figure 08A-330



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4685 574AE	1							MAST, Antenna
	5600 6828	1							CAP NUT, Antenna
	5601 9980	1							ADAPTER, Antenna
	5600 6990	1							PLUG, Sealing, Antenna Hole w/o
									Radio and Antenna
5	56043 008AC	1							BODY AND CABLE, Antenna
-									
									_

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

sions.

Console Figure 08A-410

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						-	-	-	
1									HOUSING, Engine Cover
	5GH09 XDVA	D 1							With [DV] Trim Code
	5GH09 XTMA	D 1							With [TM] Trim Code
2	6028 931	4							SCREW, Hex Flange Head Lock,
									.375-16x1.25
3	6028 589	4							NUT, Plastic Snap-In, For .312
									Screw
4	4080 464AC	4							BRACKET, Engine Housing Hold
									Down
5	55055 599AE	1							SEAL, Engine Housing
6									SCREW, Tapping, .19-16x.75, (NOT
									SERVICED) (Not Serviced)
7									BRACKET, Audio Equipment, (NOT
									REQUIRED)
8									BIN, Storage
	SM69 XDVAB	1							With [DV] Trim Code
	SM69 XTMAE	3 1							With [TM] Trim Code
9									CONSOLE, Forward
	RX30 XDVAA	. 1							With [DV] Trim Code
	RX30 XTMAA	. 1							With [TM] Trim Code
10	5011 279AA	1							LATCH, Engine Housing
11	55350 806AB	1							SHIELD, Heat, External
-12	5FU92 JX8AE	3- 1							ASH RECEIVER, Black
-13	5011 278AA-	1							MAT, Console Cup Holder
-14	52107 763AA	- 1							CLIP, Wiring, Shift Cable


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Group – 009 Engine Mounting






GROUP 9 - Engine Mounting

Illustration Title	Group-Fig. No.
Engine Mounting	
Engine Mounting, Front, 3.9L (EHC)	Fig. 009-110
Engine Mounting, Rear, 3.9L (EHC)	Fig. 009-115
Engine Mounting, Front, 5.2L (ELF), 5.2L CNG (ELN), 5.9L (EML)	Fig. 009-120
Engine Mounting, Rear, 5.2L (ELF), 5.2L CNG (ELN), 5.9L (EML)	Fig. 009-125

Engine Mounting, Front, 3.9L (EHC) Figure 009-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
[EH0] = A	II 3.9L Engine	S							
1	52021 319AB	1				EH0			INSULATOR, Engine Mount
2	6034 161	5				EH0			SCREW AND WASHER, Hex Head,
									.375-16x1.00
3									BRACKET, Engine Mount
	5201 9626	1				EH0			Right
	5201 9627	1				EH0			Left
4	6025 022	2							NUT AND WASHER, Hex Nut-Coned
									Washer, .500-13
5	6029 286	2				EH0			STUD, Brake Support, .50-13x1.50

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Engine Mounting, Rear, 3.9L (EHC) Figure 009-115

	4
7 8	9
3	5

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
[DGG] =	3 Speed Auton	natic Tr	ansmissior	1 32RH					
[EH0] =	All 3.9L Engine	s							
[EL0] = i	All 5.2L Engines	6							
[EM0] =	All 5.9L Engine	s							
1	5201 9760	1							SUPPORT, Engine Mount
2	5201 9615	1				EH0,			INSULATOR, Engine Mount
						ELO,			
						EM0			
3									SCREW, M10x1.50x35.00, (NOT
									SERVICED) (Not Serviced)
4									BOLT, Hex Head
	3420 2606	1				EH0,			
						ELO,			
						EM0			
	6505 107AA	8							
5	6101 448	2							NUT AND WASHER, Hex Nut-Cone
									Washer, M10 x 1.5
6	52103 215AC	1				EH0	DGG		BRACKET, Transmission Mount
7	6033 358	2				EH0	DGG		SCREW AND WASHER, Hex Head
									Locking, .437-14x1.25
8	6100 055	1							NUT AND WASHER, Hex Nut-Cone
									Washer, M12 x 1.75
9	6028 606	1				EH0	DGG		SCREW AND WASHER, Hex Head
									Lock, .312-18x1.00

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon LINE 1 = 1500


X = Conv.2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

ENGINE

Engine Mounting, Front, 5.2L (ELF), 5.2L CNG (ELN), 5.9L (EML) Figure 009-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-							-
NOTE:									
[EL0] = A	II 5.2L Engines	3							
[EM0] = 1	All 5.9L Engine	s							
1	5201 9626	1				ELO,			BRACKET, Engine Mount
						EM0			-
2	52019 716AB	1				EL0,			INSULATOR, Engine Mount
						EM0			
3	6034 161	6				ELO,			SCREW AND WASHER, Hex Head,
						EM0			.375-16x1.00
4	6025 022	2							NUT AND WASHER, Hex Nut-Coned
									Washer, .500-13
5	6029 286	2				ELO,			STUD, Brake Support, .50-13x1.50
						EM0			
6	52020 287AA	1				EL0,			SHIELD, Engine Mount
						EM0			-

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB)

52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

ENGINE

Engine Mounting, Rear, 5.2L (ELF), 5.2L CNG (ELN), 5.9L (EML) Figure 009-125

Gal C	4
	6
3	3
2	1
	5

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
[DGT] = 4	Speed Autom	natic Tra	ansmission	46RE					
[EHO] = A	II 3.9L Engines	s							
[EL0] = A	II 5.2L Engines	}							
[EM0] = A	All 5.9L Engine	s							
1	5201 9760	1							SUPPORT, Engine Mount
2									SCREW, M10x1.50x35, (NOT
									SERVICED) (Not Serviced)
3	5201 9615	1				EH0,			INSULATOR, Engine Mount
						ELO,			
						EM0			
4									BOLT, Hex Head
	3420 2606	1				EH0,			
						ELO,			
						EM0			
	6505 107AA	8							
5	6101 448	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M10 x 1.5
6	52103 216AC	1				ELO,	DGT		BRACKET, Engine Mount
						EM0			
7	6033 358	3				ELO,	DGT		SCREW AND WASHER, Hex Head
						EM0			Locking, .437-14x1.25
8	6100 055	1							NUT AND WASHER, Hex Nut-Coned
									Washer, M12 x 1.75

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

Group – 3.9L


Engine 3.9L Six Cylinder



3.9L-200 Cylinder Head 3.9L-300 Cylinder Block 3.9L-400 Crankshaft, Piston and Torque Converter 3.9L-600 Timing Belt and Cover 3.9L-700 Engine Oiling 3.9L-800 Manifolds 3.9L-900 Crankcase Ventilation

GROUP 3.9L - Engine 3.9L Six Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head	
Cylinder Head, 3.9L (EHC)	Fig. 3.9L-210
Cylinder Block	
Cylinder Block, 3.9L (EHC)	Fig. 3.9L-310
Crankshaft, Piston and Torque Converter	
Crankshaft, Piston and Torque Converter, 3.9L (EHC)	Fig. 3.9L-410
Camshafts & Valves	
Camshafts and Valves, 3.9L (EHC)	Fig. 3.9L-510
Timing Belt and Cover	
Timing Belt and Cover, 3.9L (EHC)	Fig. 3.9L-610
Engine Oiling	
Engine Oiling, 3.9L (EHC)	Fig. 3.9L-710
Manifolds	
Manifold, Intake and Exhaust, 3.9L (EHC)	Fig. 3.9L-810
Crankcase Ventilation	
Crankcase Ventilation, 3.9L (EHC)	Fig. 3.9L-910



	PART											
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
Note;												
[EHO] = A	II 3.9L Engines	S										
[EL0] = A	II 5.2L Engines	6										
[EMO] = A	II 5.9L Engine	S										
Upper En	gine Gasket S	et 4897	384AC									
1	4648 831AA	1				EH0,			CAP, Oil Filler			
						ELO,						
						EM0						
2									COVER, Cylinder Head			
	5302 0336	1				EH0			W/OIL FILL HOLE			
	5302 0609	1				EH0			W/O OIL FILL HOLE			
3	5300 6699	2				EH0			GASKET, Valve Cover			
4	5302 1135	2				EH0			HEAD, Cylinder			
5	5302 0489	2				EH0			GASKET, Cylinder Head			
6	4556 020	1				EH0			PLUG, Core, 1.25 Diameter			
7	6035 878AA	12				EH0			STUD			
8	6035 877AA	3				EH0			SCREW AND WASHER, Hex Head			
									.25-20x.875			
9	5302 0419	6				EH0			SHIELD, Heat			
10									BOLT, Cylinder Head			
	6034 690	8				EH0			[.500-13X2.00]			
	6034 691	8				EH0			[.500-13X4.50]			
11 6033 560		4							NUT AND WASHER, Hex Nut-Cone			
									Washer, .25-20			
12	5302 0202	1				EH0			TUBE, Oil Filler			
13	5302 0491	1				EH0,			CLIP, Oil Filler Tube			
						ELO,						
						EM0						
14									SCREW, [.25-20x1.25], (NOT			
									SERVICED) (Not Serviced)			
15	5302 0203	1				EH0,			GROMMET, Oil Filler Tube			
						ELO,						
						EM0						
-16	4897 384AC-	1				EH0			GASKET PACKAGE, Engine			


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Cylinder Block, 3.9L (EHC) Figure 3.9L-310



Note:							
EH0] =	All 3.9L Engines	;					
EL0] =	All 5.2L Engines						
EM0] =	All 5.9L Engines	3					
ower E	ingine Gasket Se	et 4720	651AB				
1	4713 599	1			EH0		BLOCK, Short, Contains: Crank,
							Rods, Pistons, Rings, Cam
							Bearings
2	3830 603	1			EH0		BEARING, Camshaft, #1
3	4556 020	1			EH0		PLUG, Core, 1.25 Diameter
-4	4556 022	7			EH0		PLUG, Core, 1.625 Diameter
-5	4556 023	AR			EH0,		PLUG, Core, 1.695 Diameter
					EL0,		
					EM0		
6	3751 818	2			EH0		PLUG, Pipe
-7	5300 9518	1			EH0		PLUG, Cylinder Block Oil Hole
8	1122 532	2			EH0		DOWEL, Block To Clutch Housing
9	0141 215	4			EH0		DOWEL, .312 x .500
10	4798 276AC	1					HEATER PACKAGE, Engine Bloc
11							O RING, Engine Block Heater
	6501 445	AR					1-11/32 Diameter, 11/64 Width
4.5	6501 446	1					1-11/32 Diameter, 9/64 Width
12	56026 856AB	1					CORD, Engine Block Heater
13	6008 144	1			5 110		CLIP, Engine Heater Cord
-14	4720 651AC-	1			EH0		GASKET PACKAGE, Engine

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Crankshaft, Piston and Torque Converter, 3.9L (EHC) Figure 3.9L-410

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY EN	NGINE	TRANS	TRIM	DESCRIPTION
	IILW	NOWIDER	Q I I	LINE	3LIVIE3	BOD1 LI	NOINE	IKANS	TIXIM	DESCRIPTION
	Noto									
	Note;	Il Automatic T	_							
	[DG0] = All Automatic Transmissions									
	[EH0] = All 3.9L Engines [EL0] = All 5.2L Engines									
		II 5.9L Engines								
	1	II O.OL LIIGIIIO	<u> </u>							PIN, Piston, Serviced in Piston
	į.	5300 5779	3			Е	EH0			, ,
			4				EL0			
	2									PISTON PIN AND ROD
		4778 861AB	3			Е	EH0			[#1,3,5 B Size, 3.90925]
	4	4778 862AB	3			E	EH0			[#2,4.6 B Size 3.90925]
	4	4778 863AB	3			E	EH0			[1,3,5, C Size 3,90975]
		4778 864AB	3				EH0			[#2,4,6,, C Size 3,90975]
		4778 865AB	3				EH0			[#1,3,5, D Size 3.91025]
		4778 866AB	3				EH0			[#2,4,6, D Size 3.91025]
(24) (26) (27) (4)	3 4	4720 653	1			E	EH0			RING PACKAGE, Piston, Standard
										Size Complete Engine
	4									ROD, Connecting, Serviced in
										Piston (NOT SERVICED) (Not
	5									Serviced) BEARING, Connecting Rod, STD.
		4397 658	3			F	EH0			[#1,3,5]
	_	4557 050	3				EH0			[#1,3,3] [#2,4,6]
	6 4	4397 659	AR				EH0			BEARING, Connecting Rod, .001"
	· ·		,			_				U/S
(25) (28) (11) (10) (9) (8)	7									BOLT, Connecting Rod
Υ Υ Υ Υ	(6033 441	6			E	EH0			[#1,3,5]
			6			E	EH0			[#2,4,6]
	8 4	4397 778	2			E	EH0			BEARING PACKAGE, Crankshaft,
										Standard Size
16 (17 (23)	9 4	4397 780	1			E	EL0			BEARING PACKAGE, Crankshaft,
										.001 Undersize
	104	4720 595AC	1				EH0,			BEARING KIT, Crankshaft, Standard
	44	4700 50040	4.0				EL0			DEADING KIT Openhalasi 004
	11 4	4720 596AC	AR				EH0, EL0			BEARING KIT, Crankshaft, .001 undersize
	12	4397 783	AR				EH0			BEARING PACKAGE, Crankshaft,
(13-1)(6) - (15)	12	4397 703	AIX				LIIO			.001 Undersize
	13	4397 701	1			F	EH0			BEARING PACKAGE, Crankshaft,
	.0		•			_				Standard Size, [#4]
										5.50. (a
(21)——										
	DODGE RAM SERIES	VAN & WAGON LINE	(AB) —	BODY		ENGINE				TRANSMISSION
	L = Van, Wag	on 1 = 15		11= Van (10	9 WB)	EHC, EH	H0 = Magn	num 3.9L SN	ΛΡΙ	DGG = 32RH 3 Spd. Auto.
	X = Conv.	2 = 25 3 = 35		12 = Van (12 13 = X-Van		ELF, EL(ELN. EL	.∪ = Magnu .0 = 5.2L V	um 5.2L SMI /8 MPI CNG	원)	DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis
		2 00	-	51 = Wagon	(109 WB)	EML, EM	M0 = Magn	num 5.9L SN	ИΡΙ	sions.
				52 = Wagon 53 = X-Wag	(127WB) on (127 WB)					

Crankshaft, Piston and Torque Converter, 3.9L (EHC) Figure 3.9L-410



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	14	4397 702	AR				EH0			BEARING PACKAGE, Crankshaft,
										.001 Undersize
	15	5302 0601	1				EH0	DG0		CRANKSHAFT
	16	6036 207AA	1				EH0,			BOLT, Hex Head
							ELO,			
							EM0			
	17	5302 0229	1				EH0,			DAMPER, Crankshaft
							EL0			
	18									CAP, Serviced in Block, (NOT
										SERVICED) (Not Serviced)
	19	6036 297AA	6				EH0			NUT, Hex, .375-24
	20	6027 264	6				EH0			SCREW, Socket Hex Head, .50-
_										13x3.25, [#1,2,3,]
	21	6033 300	2				EH0			SCREW, Cap, .50-13x2.80
	22	4778 228	1				EH0			SEAL PACKAGE, Crankshaft
	23	6035 462	6				EH0,	DG0		BOLT, Flexplate
_							ELO,			
							EM0			
	24	5211 8256	1				EH0	DG0		PLATE, Torque Converter Drive
	25	1949 765	4					DG0		SCREW, Hex Head Header Point,
_										.312-24x.44
	26									WASHER, Sealing, Serviced With
										Crankshaft, (NOT SERVICED) (Not
										Serviced)
_	27	2121 196	1				EH0	DG0		GEAR, Ring
	28	4736 593AB	1				EH0	DG0		CONVERTER PACKAGE, Torque

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)


13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

ENGINE

Camshafts and Valves, 3.9L (EHC) Figure 3.9L-510

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Noto:									
Note;	All 3.9L Engine								
_	5.2L Magnum V		no						
-	All 5.2L Engines	•	iie						
-	All 5.9L Engine								
1	5300 8282	12				EH0			ROCKER ARM, Valve
2	5300 8283	12				EH0			PIVOT, Rocker Arm
3	6036 154AA	12				EH0			BOLT, Hex Flange Head, .312-18x1
									72
4	5300 8633	6				EH0			RETAINER, Rocker Arm Pivot
5	3300 3521	24				EH0			LOCK, Valve Spring Retainer
6	3300 4626	12				EH0			RETAINER, Valve Spring
7	5302 1056	12				EH0			SPRING, Valve
8	5300 9886	6				EH0			SEAL, Valve Guide
-9	3300 3016	AR				EH0,			SEAL, Valve Guide, .015" Oversize
						EL0			
10	5300 9887	6				EH0			SEAL, Valve Guide
-11	3300 2733	AR				EH0,			SEAL, Valve Guide, .015" Oversize
						EL0			
12	5300 6723	6				EH0			VALVE, Intake, Standard
-13	5300 9287	AR				EH0,			VALVE, Intake, .003" O/S
						ELF			
-14	5300 9285	AR				EH0,			VALVE, Intake, .015" O/S
						ELF			
15	5300 6724	6				EH0			VALVE, Exhaust, Standard
-16	5300 9291	AR				EH0,			VALVE, Exhaust, .003" O/S
						EL0			
17	2863 071	1				EH0			PLUG, Camshaft
18	3830 603	1				EH0			BEARING, Camshaft, #1, [#1]
-19	4179 776	1				EH0			BEARING, Camshaft, #2, [#2]
-20	4179 778	1				EH0			BEARING, Camshaft, #3 or #4, [#3c
									4]
-21	1632 526	1				EH0			BEARING, Camshaft, #4 or #5, [#4
									or 5]
22	4713 439	12				EH0			TAPPET PACKAGE, Valve
23	0431 787	1				EH0,			KEY, Camshaft Sprocket
						EL0			
24	5302 0282	1				EH0			CAMSHAFT, Engine
25	5300 6722	12				EH0			PUSH ROD, Valve
26	4387 226	1				EH0			RETAINER, Tappet Yoke Aligning


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

Camshafts and Valves, 3.9L (EHC) Figure 3.9L-510



DESCRIPTION

Timing Belt and Cover, 3.9L (EHC) Figure 3.9L-610




	PART							1	
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
[EH0] = <i>i</i>	All 3.9L Engines	S							
	All 5.2L Engine								
[EM0] =	All 5.9L Engine	S							
1	4897 297AA	1				EH0,			SEAL PACKAGE, Timing Case
						EL0			Cover
2	5302 1057	1				EH0,			GASKET, Chain Case Cover
						EL0			
3	4897 723AA	1				EH0,			COVER PACKAGE, Engine Tim
						EL0			
4	53021 195AA					EH0			TENSIONER, Chain
5	1947 953	3				EH0,			SCREW AND WASHER, Hex He
						EL0,			
						EM0			
6	6029 411	1				EH0,			KEY, Crankshaft Sprocket
						EL0			
7	6029 411	1				EH0,			KEY, Crankshaft Sprocket
						EL0			
8	8350 7095	1				EH0,			CHAIN PACKAGE, Timing
						ELO,			
						EM0			
9	6034 321	1				EH0,			SCREW AND WASHER, Hex He
						ELO,			Coned, Header, .437-14x1.375
4.0	0004 470					EM0			DOLT 11 11 1 075 10 005
10	6034 479	1				EH0,			BOLT, Hex Head, .375-16x2.25
						ELO,			
44	0004 450	4				EM0			OTUD 075 40× 075 40×0 00
11	6034 452	1				EH0,			STUD, .375-16x.375-16x2.38
						EL0, EM0			
10	6024 452	2							CTUD 275 16v 275 16v1 02
12	6034 453	2				EH0,			STUD, .375-16x.375-16x1.63
						ELO, EMO			
13	6034 366	1				EH0,			SCREW, Timing Case Cover Oil
13	0034 300	I				EHO, ELO			Hole

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Engine Oiling, 3.9L (EHC) Figure 3.9L-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
[EH0] = <i>i</i>	All 3.9L Engine	s							
[ELO] = A	All 5.2L Engines	3							
[EMO] =	All 5.9L Engine	s							
1	4071 043	1				EH0,			COVER, Engine Oil Pump
						EL0			
2	3837 648	1				EH0,			SHAFT AND ROTOR PACKAGE, O
						EL0			Pump
3	4315 436	1				EH0,			PICKUP, Engine Oil
						EL0			
4	5300 9295	1				EH0,			PUMP, Engine Oil
						EL0			
5	0179 842	2				EH0,			SCREW, Hex Head Header Point,
						ELO,			.375-16x1.375
_						EM0			
6	1737 725	1				EH0			BUSHING, Oil Pump and Distibutor
7	5302 0546	1				EH0,			SHAFT, Oil Pump
						ELO,			
	0400 000					EM0			DIN 0 "
8	0108 636	1				EH0,			PIN, Cotter
	0040.000					EL0			DUINOED OF Deserve Bellet Velo
9	2843 208	1				EH0,			PLUNGER, Oil Pressure Relief Valve
40	2402 472	4				EL0			CDDING Oil Drassura Balist Value
10	2402 473	1				EH0, EL0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EH0,			CAP, Oil Pressure Relief Valve
11	2000 273	'				EHO, ELO			CAP, Oil Plessule Relief Valve
12	0220 480	5				EHO,			SCREW, Hex Head Header Point,
12	0220 400	3				ELO			.25-20x.75
13	5300 5646	1				EH0			GASKET, Oil Pan
14	6034 549	14				EH0			SCREW, Hex Head, .312-18x.94
15	5302 0911	1				EH0			PAN, Engine Oil
16	53020 461AB					EH0,			GASKET, Oil Filter Adapter
		<u> </u>				ELO,			Critical II, Carriago Property
						EM0			
17	6035 417	1				EH0,			PLUG, Oil Drain
						EL0			•
18	5302 0931	1				EH0			INDICATOR, Engine Oil Level
19	5302 0442	1				EH0			TUBE, Engine Oil Indicator

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

Engine Oiling, 3.9L (EHC) Figure 3.9L-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	5281 090	1				EH0,			FILTER, Engine Oil
						EL0,			
						EM0			
21	5300 7563	1				EH0,			CONNECTOR, Oil Filter
						ELO,			
						EM0			
22	5302 1053	1				EH0,			PLATE, Oil Filter Adapter
						ELO,			
						EM0			

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

Manifold, Intake and Exhaust, 3.9L (EHC) Figure 3.9L-810



1754	PART	ОТУ	LINE	OFFICE	BODY	FNOINE	TDANO	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
	All 3.9L Engine	 S							
	All 5.2L Engine								
	All 5.9L Engine								
1	4897 382AC	1				EH0			GASKET PACKAGE, Intake Manifo
2	5139 846AA	1				EH0			MANIFOLD, Intake
3	6035 967AA	12				EH0,			SCREW AND WASHER, Hex Head
						ELO,			,
						EM0			
4	5017 207AA	1				EH0			GASKET, Intake Manifold Pan
5	6034 643	4				EH0,			STUD, .312-18/.312-24x2.25
						ELO,			,
						EM0			
6	6034 806	4				EH0			SCREW AND WASHER, Hex Head
									.312-18x3.125
7	53030 872AB	1				EH0			MANIFOLD, Exhaust
8	53010 185AB	1				EH0			MANIFOLD, Exhaust
9	6025 011	4							NUT AND WASHER, Hex Nut-Cone
									Washer, .375-16
10	0115 729	4				EH0,			NUT, Hex, .312 x 24
						ELO,			
						EM0			
11	6034 479	1				EH0,			BOLT, Hex Head, .375-16x2.25
						ELO,			
						EM0			
12	4004 001	4							RETAINER, Exhaust Pipe to
									Manifold
13	6034 583	14				EH0			SCREW AND WASHER, Hex Head
									.25-20x.892
14	5300 6600	1				EH0			PAN, Intake Manifold
15	5301 0091	4				EH0,			CLAMP, Exhaust Manifold
						ELO,			
						EM0			

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Crankcase Ventilation, 3.9L (EHC) Figure 3.9L-910

	4	
5		
(6)		
	3	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
[EH0] = A	All 3.9L Engine	s							
[ELF] = 5	.2L Magnum V	'-8 SMF	PI Engine						
[EL0] = A	II 5.2L Engines	3							
[EM0] = I	All 5.9L Engine	s							
1	53032 686AB	1				EH0,			HOSE, Crankcase Vent
						ELF,			
						EM0			
2	5303 0254	1				EH0,			FILTER, Crankcase Vent
						ELO,			
						EM0			
3	2946 079	1				EH0,			GROMMET, Crankcase Vent
						EL0			
4	53008 675AD	1				EH0,			TUBE, PCV Valve
						ELO,			
						EM0			
5	5303 1134	1				EH0			VALVE, Crankcase Vent
6	5303 0017	1				EH0,			GROMMET, Crankcase Vent
						ELO,			
						EM0			

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Group – 5.2L

Engine 5.2L Eight Cylinder




5.2L-200 Cylinder Head 5.2L-300 Cylinder Block 5.2L-400 Crankshaft, Piston and Torque Converter 5.2L-600 Timing Belt and Cover 5.2L-700 Engine Oiling 5.2L-800 Manifolds 5.2L-900 Crankcase Ventilation

GROUP 5.2L - Engine 5.2L Eight Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head	
Cylinder Head, 5.2L (ELF)	Fig. 5.2L-210
Cylinder Block	
Cylinder Block, 5.2L (ELF)	Fig. 5.2L-310
Crankshaft, Piston and Torque Converter	
Crankshaft, Piston and Torque Converter, 5.2L (ELF)	Fig. 5.2L-410
Camshafts & Valves	
Camshafts and Valves, 5.2L (ELF)	Fig. 5.2L-510
Timing Belt and Cover	
Timing Belt and Cover, 5.2L (ELF)	Fig. 5.2L-610
Engine Oiling	
Engine Oiling, 5.2L (ELF)	Fig. 5.2L-710
Manifolds	
Manifold, Intake and Exhaust, 5.2L (ELF)	Fig. 5.2L-810
Crankcase Ventilation	
Crankcase Ventilation, 5.2L (ELF)	Fig. 5.2L-910

Cylinder Head, 5.2L (ELF) Figure 5.2L-210



Engines gnum V-8 S Engines Engines asket Set 48 331AA 1 340AC 1 612AC 1 6695 2 137 2 098AC 2	SMPI Engine 4897385AC 1 1 2 2 2 4 14	SERIES	BODY	EHO, ELO, EMO ELO, EMO ELO, EMO ELO, EMO ELO,	TRANS	TRIM	CAP, Oil Filler COVER, Cylinder Head With/Oil Fill Hole Without/Oil Fill Hole GASKET, Valve Cover
gnum V-8 S Engines Engines asket Set 48 331AA 1 340AC 1 612AC 1 6695 2 137 2 098AC 2	4897385AC 1 1 1 2 2 2 4			ELO, EMO ELO, EMO ELO, EMO ELO, EMO ELF			COVER, Cylinder Head With/Oil Fill Hole Without/Oil Fill Hole
gnum V-8 S Engines Engines asket Set 48 331AA 1 340AC 1 612AC 1 6695 2 137 2 098AC 2	4897385AC 1 1 1 2 2 2 4			ELO, EMO ELO, EMO ELO, EMO ELO, EMO ELF			COVER, Cylinder Head With/Oil Fill Hole Without/Oil Fill Hole
Engines Engines Esket Set 48 331AA 1 340AC 1 612AC 1 6695 2 098AC 2 098AC 2	4897385AC 1 1 1 2 2 2 4			ELO, EMO ELO, EMO ELO, EMO ELO, EMO ELF			COVER, Cylinder Head With/Oil Fill Hole Without/Oil Fill Hole
Engines asket Set 48 331AA 1 340AC 1 612AC 1 6695 2 098AC 2 020 4	1 1 1 2 2 2 2 4			ELO, EMO ELO, EMO ELO, EMO ELO, EMO ELF			COVER, Cylinder Head With/Oil Fill Hole Without/Oil Fill Hole
340AC 1 612AC 1 6695 2 137 2 098AC 2	1 1 1 2 2 2 2 4			ELO, EMO ELO, EMO ELO, EMO ELO, EMO ELF			COVER, Cylinder Head With/Oil Fill Hole Without/Oil Fill Hole
340AC 1 612AC 1 6695 2 137 2 098AC 2	1 1 1 2 2 2 2 4			ELO, EMO ELO, EMO ELO, EMO ELO, EMO ELF			COVER, Cylinder Head With/Oil Fill Hole Without/Oil Fill Hole
340AC 1 612AC 1 6695 2 1137 2 098AC 2 020 4	1 1 2 2 2 2 4			ELO, EMO ELO, EMO ELO, EMO ELO, EMO ELF			COVER, Cylinder Head With/Oil Fill Hole Without/Oil Fill Hole
612AC 1 6695 2 1137 2 098AC 2 020 4	1 2 2 2 4			EMO ELO, EMO ELO, EMO ELO, EMO ELO, EMO			With/Oil Fill Hole Without/Oil Fill Hole
612AC 1 6695 2 1137 2 098AC 2 020 4	1 2 2 2 4			ELO, EMO ELO, EMO ELO, EMO ELF			With/Oil Fill Hole Without/Oil Fill Hole
612AC 1 6695 2 1137 2 098AC 2 020 4	1 2 2 2 4			EMO ELO, EMO ELO, EMO ELF			Without/Oil Fill Hole
6695 2 1137 2 098AC 2 020 4	2 2 2 4			ELO, EMO ELO, EMO ELF			
6695 2 1137 2 098AC 2 020 4	2 2 2 4			EMO ELO, EMO ELF			
137 2 098AC 2 020 4	2 2 4			ELO, EMO ELF			GASKET, Valve Cover
137 2 098AC 2 020 4	2 2 4			EM0 ELF			GASKET, Valve Cover
098AC 2 020 4	2 4			ELF			
098AC 2 020 4	2 4						
)20 4	4						HEAD, Cylinder
				EM0			GASKET, Cylinder Head
				ELF EL0,			PLUG, Core, 1.25 Diameter STUD
	17			EMO			3100
377AA 5	5			ELO,			SCREW AND WASHER, Hex Hea
				EM0			.25-20x.875
708 1	1			EH0,			STUD, Double Ended, .25-20x1.81
				ELO,			
				EM0			
)419 8	8			ELO,			SHIELD, Heat
				EM0			
200	10						BOLT, Cylinder Head
590 10	10						[.50x13x2.00]
201 10	10						[.50x4 .625]
91 10	10						[.50x4 .625]
143AA 1	1						TUBE, Oil Filler
	•						
)491 1	1			EH0,			CLIP, Oil Filler Tube
				ELO,			
				EM0			
							SCREW, [.25-20x1.25], (NOT SERVICED) (Not Serviced)
>	91 143AA	91 10 143AA 1	91 10 143AA 1	91 10 143AA 1	EM0 91 10 EL0, EM0 143AA 1 EL0, EM0 491 1 EH0, EL0,	EM0 91 10 EL0, EM0 143AA 1 EL0, EM0 491 1 EH0, EL0,	EM0 EL0, EM0 143AA 1 EL0, EM0 491 1 EH0, EH0,


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


Cylinder Head, 5.2L (ELF) Figure 5.2L-210



DESCRIPTION

Cylinder Block, 5.2L (ELF) Figure 5.2L-310





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
_	All 3.9L Engines								
_	.2L Magnum V		PI Engine						
-	II 5.2L Engines								
	All 5.9L Engines								
	igine Gasket Se		740AB			5 1.0			DI COLC OL L. C. L.
1	4713 602	1				EL0			BLOCK, Short, Contains: Crank, Rods, Pistons, Rings, Cam Bearings
2	3830 603	1				EL0			BEARING, Camshaft, #1
3	4556 020	4				ELF			PLUG, Core, 1.25 Diameter
-4	4556 022	9				EL0			PLUG, Core, 1.625 Diameter
-5	4556 023	AR				EH0,			PLUG, Core, 1.695 Diameter
						EL0,			
						EM0			
6	3751 818	2				EL0			PLUG, Pipe
-7	5300 9518	1				EL0			PLUG, Cylinder Block Oil Hole
8	1122 532	2				EL0			DOWEL, Block To Clutch Housing
9	0141 215	4				EL0			DOWEL, .312 x .500
10 11	4798 276AC	1							HEATER PACKAGE, Engine Block O RING, Engine Block Heater
	6501 445	AR							1-11/32 Diameter, 11/64 Width
	6501 446	1							1-11/32 Diameter, 9/64 Width
12	56026 856AB	1							CORD, Engine Block Heater
13	00020 0002	·							CLIP, Engine Heater Cord, (NOT
									SERVICED) (Not Serviced)
14	5302 0465	1				EL0			PLUG, Cylinder Block
-15	4720 740AC-	1				EL0			GASKET PACKAGE, Engine

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


BODY 2 = 25003 = 3500

11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

Crankshaft, Piston and Torque Converter, 5.2L (ELF) Figure 5.2L-410

PART



Note:				
[DG0] =	All Automatic T	ransmissions		
[EH0] =	All 3.9L Engines	3		
[EL0] =	All 5.2L Engines	3		
[EM0] =	All 5.9L Engine	S		
1				PIN, Piston, Serviced in Piston, (NOT
				SERVICED) (Not Serviced)
2				PISTON PIN AND ROD
	4778 855AB	4	EL0	[#1,3,5,7, B Size 3.90925]
	4778 856AB	4	EL0	[#2,4,6,8, B Size 3.90925]
	4778 857AB	4	EL0	[#1,3,5,7,C Size 3.90975]
	4778 858AB	4	EL0	[#2,4,6,8, C Size 3,90975]
	4778 859AB	4	EL0	[#1,3,5,7, D Size 3,91025]
	4778 860AB	4	EL0	[#2,4,6,8, D Size 3.91025]
3	4720 727	4	EL0	RING PACKAGE, Piston
4				ROD, Connecting, Serviced in
				Piston, (NOT SERVICED) (Not
				Serviced)
5	2421 305	4	EL0	BEARING, Connecting Rod, STD.
6	2421 306	AR	EL0	BEARING, Connecting Rod, .001"
				U/S
7	6033 441	8	EL0	BOLT, Connecting Rod
8	4397 778	1	EL0	BEARING PACKAGE, Crankshaft,
				Standard Size
9	4397 780	1	EL0	BEARING PACKAGE, Crankshaft,
				.001 Undersize
10	4397 777	2	EL0	BEARING PACKAGE, Crankshaft,
				Standard Size
11	4397 783	AR	EL0	BEARING PACKAGE, Crankshaft,
				.001 Undersize, [#2,4]
12	4720 595AC	1	EH0,	BEARING KIT, Crankshaft, Standard,
			EL0	[#3]
13	4720 596AC	AR	EH0,	BEARING KIT, Crankshaft, .001
			EL0	undersize, [#3]
14	4397 701	1	EL0	BEARING PACKAGE, Crankshaft,
				Standard Size, [#5]
15	4397 702	AR	EL0	BEARING PACKAGE, Crankshaft,
				.001 Undersize, [#5]
16	5012 963AA	AR	EL0	BEARING PACKAGE, Crankshaft,
				.001 Undersize

TRIM

DESCRIPTION

TRANS

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)


13 = X-Van (127 WB) 51 = Wagon (109 WB)

52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

ENGINE

Crankshaft, Piston and Torque Converter, 5.2L (ELF) Figure 5.2L-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	5003 379AA	2				EL0			BEARING PACKAGE, Crankshaft,
									Standard Size
18	5302 0603	1				EL0	DG0		CRANKSHAFT
19	6036 207AA	1				EH0,			BOLT, Hex Head
						ELO,			
						EM0			
20	5302 0229	1				EH0,			DAMPER, Crankshaft
						EL0			
21									CAP, Serviced in Block, (NOT
									SERVICED) (Not Serviced)
22	6036 297AA	8				EL0			NUT, Hex, .375-24
23	6027 264	8				EL0			SCREW, Socket Hex Head, .50-
									13x3.25
-24	6033 300	2				EL0			SCREW, Cap, .50-13x2.80
25	4778 228	1				EL0			SEAL PACKAGE, Crankshaft
26	6035 462	6				EH0,	DG0		BOLT, Flexplate
						ELO,			
						EM0			
27	5211 8255	1				EL0	DG0		PLATE, Torque Converter Drive
28	1949 765	4					DG0		SCREW, Hex Head Header Point,
									.312-24x.44
29	3515 203	1				EL0	DG0		GEAR, Ring
30									WASHER, Sealing, (NOT
									SERVICED) (Not Serviced)
31	4736 595AB	1				EL0	DG0		CONVERTER PACKAGE, Torque

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 2500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 3 = 3500


52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

ENGINE



Camshafts and Valves, 5.2L (ELF) Figure 5.2L-510



	PART							1	
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
Note;									
[EH0] =	All 3.9L Engine	s							
[ELF] = \$	5.2L Magnum V	/-8 SMF	PI Engine						
$[EL0] = \lambda$	All 5.2L Engines	6							
[EM0] =	All 5.9L Engine	s							
1	5300 8282	16				EL0,			ROCKER ARM, Valve
						EM0			
2	5300 8283	16				ELO,			PIVOT, Rocker Arm
						EM0			
3	6036 154AA	16				EL0,			BOLT, Hex Flange Head, .312-18x
						EM0			72
4	5300 8633	8				ELO,			RETAINER, Rocker Arm Pivot
						EM0			
5	3300 3521	32				EL0,			LOCK, Valve Spring Retainer
						EM0			
6	3300 4626	16				ELO,			RETAINER, Valve Spring
						EM0			
7	5302 1056	16				EL0,			SPRING, Valve
						EM0			
8	5300 9886	8				ELF,			SEAL, Valve Guide, Intake
						EM0			·
-9	3300 3016	AR				EH0,			SEAL, Valve Guide, .015" Oversize
						EL0			·
10	5300 9887	8				ELF,			SEAL, Valve Guide, Exhaust
						EM0			
-11	3300 2733	AR				EH0,			SEAL, Valve Guide, .015" Oversize
						EL0			·
12	5300 6723	8				ELF,			VALVE, Intake, Standard
						EM0			· · · · ·
-13	5300 9287	AR				EH0,			VALVE, Intake, .003" O/S
						ELF			, ,
-14	5300 9285	AR				EH0,			VALVE, Intake, .015" O/S
						ELF			,,
15	5300 6724	8				EL0,			VALVE, Exhaust, Standard
		-				EM0			,,
-16	5300 9291	AR				EH0,			VALVE, Exhaust, .003" O/S
						EL0			,,
17	2863 071	1				EL0			PLUG, Camshaft
18	3830 603	1				EL0			BEARING, Camshaft, #1
-19	4179 776	1				EL0			BEARING, Camshaft, #2

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

Camshafts and Valves, 5.2L (ELF) Figure 5.2L-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-20	4179 777	1				EL0			BEARING, Camshaft, #3
-21	4179 778	1				EL0			BEARING, Camshaft, #3 or #4
-22	1632 526	1				EL0			BEARING, Camshaft, #4 or #5
23	4713 439	16				EL0			TAPPET PACKAGE, Valve
24	0431 787	1				EH0,			KEY, Camshaft Sprocket
						EL0			
25	5302 0283	1				EL0			CAMSHAFT, Engine
26	5300 6722	16				ELO,			PUSH ROD, Valve
						EM0			
27	4323 207	1				EL0,			RETAINER, Tappet Yoke Aligning
						EM0			
28	4483 045	8				ELO,			YOKE, Tappet Aligning
						EM0			
29	1947 953	3				EH0,			SCREW AND WASHER, Hex Head
						ELO,			
						EM0			

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon X = Conv.

LINE 1 = 1500


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB)

52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Timing Belt and Cover, 5.2L (ELF) Figure 5.2L-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
[EH0] =	All 3.9L Engine	s							
$[EL0] = \lambda$	All 5.2L Engine	S							
[EM0] =	All 5.9L Engine	es							
1	4897 297AA	1				EH0,			SEAL PACKAGE, Timing Case
						EL0			Cover
2	5302 1057	1				EH0,			GASKET, Chain Case Cover
						EL0			
3	4897 723AA	1				EH0,			COVER PACKAGE, Engine Timing
						EL0			
4	3671 649	1				ELO,			TAB, Timing Chain Oil
						EM0			
5	4315 764	1				ELO,			PLATE, Camshaft Thrust
						EM0			
6	1947 953	3				EH0,			SCREW AND WASHER, Hex Head
						ELO,			
						EM0			
7	6029 411	1				EH0,			KEY, Crankshaft Sprocket
						EL0			
8	6029 411	1				EH0,			KEY, Crankshaft Sprocket
						EL0			
9	8350 7095	1				EH0,			CHAIN PACKAGE, Timing
						ELO,			
						EM0			
10	6034 321	1				EH0,			SCREW AND WASHER, Hex Head
						ELO,			Coned, Header, .437-14x1.375
						EM0			
11	6034 479	1				EH0,			BOLT, Hex Head, .375-16x2.25
						ELO,			
						EM0			
12	6034 452	1				EH0,			STUD, .375-16x.375-16x2.38
						ELO,			
						EM0			
13	6034 453	2				EH0,			STUD, .375-16x.375-16x1.63
						ELO,			
	0004 555					EM0			0005144 77 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
14	6034 366	1				EH0,			SCREW, Timing Case Cover Oil
						EL0			Hole

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


2 = 2500

BODY 11= Van (109 WB) 12 = Van (127 WB) 3 = 3500

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Engine Oiling, 5.2L (ELF) Figure 5.2L-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
[EH0] =	All 3.9L Engines	3							
$[EL0] = \lambda$	All 5.2L Engines								
[EM0] =	All 5.9L Engines	3							
1	4071 043	1				EH0,			COVER, Engine Oil Pump
						EL0			
2	3837 648	1				EH0,			SHAFT AND ROTOR PACKAGE, O
						EL0			Pump
3	4315 436	1				EH0,			PICKUP, Engine Oil
						EL0			
4	5300 9295	1				EH0,			PUMP, Engine Oil
						EL0			
5	0179 842	2				EH0,			SCREW, Hex Head Header Point,
						ELO,			.375-16x1.375
						EM0			
6	1737 725	1				EL0			BUSHING, Oil Pump and Distibutor
7	5302 0546	1				EH0,			SHAFT, Oil Pump
						ELO,			
						EM0			
8	0108 636	1				EH0,			PIN, Cotter
						EL0			
9	2843 208	1				EH0,			PLUNGER, Oil Pressure Relief Valv
						EL0			
10	2402 473	1				EH0,			SPRING, Oil Pressure Relief Valve
						EL0			
11	2806 273	1				EH0,			CAP, Oil Pressure Relief Valve
						EL0			
12	0220 480	5				EH0,			SCREW, Hex Head Header Point,
						EL0			.25-20x.75
13	5300 5650	1				EL0			GASKET, Oil Pan
14	6034 549	18				ELO,			SCREW, Hex Head, .312-18x.94
						EM0			
15	5302 0916	1				EL0			PAN, Engine Oil
16	6035 417	1				EH0,			PLUG, Oil Drain
						EL0			
17	53020 933AC	1				ELO,			INDICATOR, Engine Oil Level
						EM0			
18	53021 142AB	1				ELO,			TUBE, Engine Oil Indicator
						EM0			

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY

11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Engine Oiling, 5.2L (ELF) Figure 5.2L-710



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	19	5281 090	1				EH0,			FILTER, Engine Oil
							EL0,			
							EM0			
	20	5300 7563	1				EH0,			CONNECTOR, Oil Filter
							ELO,			
							EM0			
	21	5302 1053	1				EH0,			PLATE, Oil Filter Adapter
							ELO,			
							EM0			
	22	53020 461AB	1				EH0,			GASKET, Oil Filter Adapter
							ELO,			
							EM0			
_										

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

BODY 11= Van (109 WB) 12 = Van (127 WB) 2 = 25003 = 3500

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

Manifold, Intake and Exhaust, 5.2L (ELF) Figure 5.2L-810



	PART		1						
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
	All 3.9L Engine								
_	All 5.2L Engines								
[EM0] =	All 5.9L Engine	s							
1	4897 383AC	1				EL0,			GASKET PACKAGE, Intake Manif
						EM0			
2	4897 490AC	1				ELO,			MANIFOLD, Intake
						EM0			
3	6035 967AA	12				EH0,			SCREW AND WASHER, Hex Hea
						ELO,			
						EM0			
4	5017 208AA	1				ELO,			GASKET, Intake Manifold Pan
				_		EM0			
5	6034 643	4				EH0,			STUD, .312-18/.312-24x2.25
						ELO,			
						EM0			
6	6034 806	8				ELO,			SCREW AND WASHER, Hex Hea
						EM0			.312-18x3.125
7	5303 0873	1				EL0			MANIFOLD, Exhaust
8	5301 0189	1				EL0			MANIFOLD, Exhaust
9	6025 011	4							NUT AND WASHER, Hex Nut-Cor
									Washer, .375-16
10	0115 729	4				EH0,			NUT, Hex, .312 x 24
						ELO,			
						EM0			
11	6035 375	4							BOLT, Hex Head, .375-16x2.50
12	4004 001	4							RETAINER, Exhaust Pipe to
									Manifold
13	6034 583	15				ELO,			SCREW AND WASHER, Hex Hea
						EM0			.25-20x.892
14	5300 6617	1				ELO,			PAN, Intake Manifold
						EM0			
15	5301 0091	4				EH0,			CLAMP, Exhaust Manifold
						EL0,			
						EM0			

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Crankcase Ventilation, 5.2L (ELF) Figure 5.2L-910



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
EH0] = /	All 3.9L Engine	S							
[ELF] = 5	5.2L Magnum V	'-8 SMF	PI Engine						
EL0] = A	All 5.2L Engines	3							
EM0] = 0	All 5.9L Engine	s							
1	53032 686AB	1				EH0,			HOSE, Crankcase Vent
						ELF,			
						EM0			
2	5303 1135	1				EL0,			VALVE, Crankcase Vent
						EM0			
3	5303 0017	1				EH0,			GROMMET, Crankcase Vent
						ELO,			
						EM0			
4	53008 675AD	1				EH0,			TUBE, PCV Valve
						ELO,			
						EM0			
5	5303 0254	1				EH0,			FILTER, Crankcase Vent
						ELO,			
						EM0			
6	2946 079	1				EH0,			GROMMET, Crankcase Vent
						ELO			

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


BODY 2 = 25003 = 3500

11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Group – 5.9L

Engine 5.9L Eight Cylinder




5.9L-200 Cylinder Head 5.9L-300 Cylinder Block 5.9L-400 Crankshaft, Pistion and Torque Converter 5.9L-600 Timing Belt and Cover 5.9L-700 Engine Oiling 5.9L-800 Manifolds 5.9L-900 Crankcase Ventilation

GROUP 5.9L - Engine 5.9L Eight Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head	
Cylinder Head, 5.9L (EML)	Fig. 5.9L-210
Cylinder Block	
Cylinder Block, 5.9L (EML)	Fig. 5.9L-310
Crankshaft, Pistion and Torque Converter	
Crankshaft, Pistion and Torque Converter, 5.9L (EML)	Fig. 5.9L-410
Camshafts & Valves	
Camshafts and Valves, 5.9L (EML)	Fig. 5.9L-510
Timing Belt and Cover	
Timing Belt and Cover, 5.9L (EML)	Fig. 5.9L-610
Engine Oiling	
Engine Oiling, 5.9L (EML)	Fig. 5.9L-710
Manifolds	
Manifold, Intake and Exhaust, 5.9L (EML)	Fig. 5.9L-810
Crankcase Ventilation	
Crankcase Ventilation, 5.9L (EML)	Fig. 5.9L-910

Cylinder Head, 5.9L (EML) Figure 5.9L-210



ITENA	PART	OTV		OFFICE	DODY	FNOINE	TRANG	TD184	DECORIDATION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;	A II O O I E								
_	All 3.9L Engines								
	All 5.2L Engines								
_	All 5.9L Engines		20645						
	ngine Gasket Se		386AE			FUO			CAD Oil Filler
1	4648 831AA	1				EH0,			CAP, Oil Filler
						ELO,			
2						EM0			COVER Cylinder Heed
2	F2020 240AC	1				FI 0			COVER, Cylinder Head
	53020 340AC	1				ELO,			[With/Oil Fill Hole]
	E2020 642AC	4				EM0			[Without/Oil Fill Hole]
	53020 612AC	1				ELO, EMO			[without/Oil Fill Hole]
	F200 660F	2							GASKET, Valve Cover
3	5300 6695	2				ELO, EMO			GASKET, valve Cover
4	5302 1139	2				EM0			HEAD, Cylinder
4 5	5302 1139 53021 098AC	2 2				EM0			GASKET, Cylinder Head
6	4556 020	4				EM0			PLUG, Core, 1.25 Diameter
7	6035 878AA	14				ELO,			STUD
,	0033 878AA	14				EMO			3100
-8	6035 877AA-	5				ELO,			SCREW AND WASHER, Hex Head
-0	0000 011AA					EM0			.25-20x.875
-9	6035 708	1				EH0,			STUD, Double Ended, .25-20x1.81
3	0000 700	'				ELO,			CTOD, Double Lilided, .20 20x1.01
						EM0			
10	5302 0419	8				ELO,			SHIELD, Heat
.0	0002 0110	Ū				EM0			5. H212, 1.16d.
11						2.110			BOLT, Cylinder Head
	6034 690	10				ELO,			[.50x13x2.00]
						EM0			[
	6034 691	10				ELO,			[.50x4 .625]
						EM0			[,
12	53021 143AA	1				ELO,			TUBE, Oil Filler
		· ·				EM0			
13	5302 0491	1				EH0,			CLIP, Oil Filler Tube
		·				ELO,			,
						EM0			
14									SCREW, [.25-20x1.25], (NOT
									SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

Cylinder Head, 5.9L (EML) Figure 5.9L-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	5302 0203	1				EH0,			GROMMET, Oil Filler Tube
						ELO,			
						EM0			
-16	4897 386AE-	1				EM0			GASKET PACKAGE, Engine Upper
-17	4723 561	2				ELO,			GASKET PACKAGE, Engine
						EM0			

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

Cylinder Block, 5.9L (EML) **Figure 5.9L-310**

ITEM


PART


NUMBER

QTY

LINE

SERIES





			1	1	I I			
Note;								
[EM0] =	All 5.9L Engines	3						
Lower E	Ingine Gasket Se	et 4746	6001AB					
1	4899 205AC	1				EM0		BLOCK, Short, Contains: Crank,
								Rods, Pistons, Rings, Cam
								Bearings
2	3830 603	1				EM0		BEARING, Camshaft, #1
3	4556 020	2				EM0		PLUG, Core, 1.25 Diameter
-4	4556 022	8				EM0		PLUG, Core, 1.625 Diameter
5	3751 818	2				EM0		PLUG, Pipe
-6	5300 9518	1				EM0		PLUG, Cylinder Block Oil Hole
-7	6036 097AA-	4				EM0		PLUG
8	1122 532	2				EM0		DOWEL, Block To Clutch Housin
9	0141 215	4				EM0		DOWEL, .312 x .500
10	4798 276AC	1						HEATER PACKAGE, Engine Blo
11								O RING, Engine Block Heater
	6501 445	AR						1-11/32 Diameter, 11/64 Width
	6501 446	1						1-11/32 Diameter, 9/64 Width
12	56026 856AB	1						CORD, Engine Block Heater
13								CLIP, Engine Heater Cord, (NOT
								SERVICED) (Not Serviced)
-14	4746 001AB-	1				EM0		GASKET PACKAGE, Engine
-15	4746 001AC-	1				EM0		GASKET PACKAGE, Engine

BODY ENGINE TRANS TRIM

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB)

52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

DESCRIPTION

Crankshaft, Pistion and Torque Converter, 5.9L (EML) Figure 5.9L-410




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
[DG0] =	All Automatic Tr	ansmis	sions						
[EHO] = A	All 3.9L Engines	3							
[ELO] = A	All 5.2L Engines								
[EM0] =	All 5.9L Engines	6							
1									PIN, Piston, Serviced in Piston, (NO
									SERVICED) (Not Serviced)
2									PISTON PIN AND ROD, B-Size
	4778 871AD	4				EM0			[#1,3,5,7 Size 3.99975]
	4778 872AD	4				EM0			[#2,4,6,8 Size 3.99975]
-3									PISTON PIN AND ROD, C-Size
	4778 873AD-	4				EM0			[#1,3,5,7 Size 4.00025]
	4778 874AD-	4				EM0			[#2,4,6,8 Size 4.00025]
-4									PISTON PIN AND ROD, D-Size
	4778 875AD-	4				EM0			[#1,3,5,7 Size 4.00075]
	4778 876AD-	4				EM0			[#2,4,6,8 Size 4.00075]
5	4740 259	1				EM0			RING, Piston
6									ROD, Connecting, Serviced in
									Piston, (NOT SERVICED) (Not
									Serviced)
7	2421 305	4				EM0			BEARING, Connecting Rod, STD.
8	6033 441	8				EM0			BOLT, Connecting Rod
9	4026 487	3				EM0			BEARING PACKAGE, Crankshaft,
									Standard Size, [#1,2,4]
10	4713 030AC	1				EM0			BEARING KIT, Crankshaft, Standar
									[#3]
11	3780 100	1				EM0			BEARING PACKAGE, Crankshaft,
									Standard Size, [#5]
12	4026 491	3				EM0			BEARING PACKAGE, Crankshaft,
									.010 Undersize
13	3744 839	3				EM0			BEARING, Crankshaft
14	4790 759AB	1				EM0	DG0		CRANKSHAFT AND KEY
15	6036 207AA	1				EH0,			BOLT, Hex Head
						EL0,			
						EM0			
16	53021 284AA	1				EM0			DAMPER, Crankshaft
17									CAP, Serviced in Block, (NOT
									SERVICED) (Not Serviced)
18	6036 297AA	8				EM0			NUT, Hex, .375-24
19	6027 264	10				EM0			SCREW, Socket Hex Head, .50-
-		-							13x3.25

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Crankshaft, Pistion and Torque Converter, 5.9L (EML) Figure 5.9L-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	4798 216AC	1				EM0			SEAL PACKAGE, Crankshaft
21	6035 462	6				EH0,	DG0		BOLT, Flexplate
						ELO,			
						EM0			
22	4863 841	1				EM0	DG0		PLATE, Torque Converter Drive
23	1949 765	4					DG0		SCREW, Hex Head Header Point,
									.312-24x.44
24	3515 203	1				EM0	DG0		GEAR, Ring
25									WASHER, Sealing, (NOT
									SERVICED) (Not Serviced)
26	2421 309	4				EM0			BEARING, Connecting Rod, .010"
									U/S
27	4736 591AB	1				EM0	DG0		CONVERTER PACKAGE, Torque

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Camshafts and Valves, 5.9L (EML) Figure 5.9L-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
[EH0] =	All 3.9L Engine	s							
[EL0] = /	All 5.2L Engines	5							
[ELF] = \$	5.2L Magnum V	/-8 Engi	ine						
[EM0] =	All 5.9L Engine	s							
1	5300 8282	16				EL0,			ROCKER ARM, Valve
						EM0			
2	5300 8283	16				ELO,			PIVOT, Rocker Arm
						EM0			
3	6036 154AA	16				ELO,			BOLT, Hex Flange Head, .312-18x1
						EM0			72
4	5300 8633	8				ELO,			RETAINER, Rocker Arm Pivot
						EM0			
5	3300 3521	32				ELO,			LOCK, Valve Spring Retainer
						EM0			
6	3300 4626	16				ELO,			RETAINER, Valve Spring
						EM0			
7	5302 1056	16				ELO,			SPRING, Valve
						EM0			
8	5300 9886	8				ELF,			SEAL, Valve Guide
						EM0			
9	5300 9886	8				ELF,			SEAL, Valve Guide
		_				EM0			
10	5300 6723	8				ELF,			VALVE, Intake, Standard
						EM0			
11	5300 6724	8				ELO,			VALVE, Exhaust, Standard
						EM0			5,112
12	2863 071	1				EM0			PLUG, Camshaft
13	3830 603	1				EM0			BEARING, Camshaft, #1
-14	4179 776	1				EM0			BEARING, Camshaft, #2
-15	4179 777	1				EM0			BEARING, Camshaft, #3
-16	4179 778	1				EM0			BEARING, Camshaft, #3 or #4
-17	1632 526	1				EM0			BEARING, Camshaft, #4 or #5
18	4713 439	16				EM0			TAPPET PACKAGE, Valve
19	0431 787	1				EM0			KEY, Camshaft Sprocket
20	5302 1101	1				EM0			CAMSHAFT, Engine
21	5300 6722	16				ELO,			PUSH ROD, Valve
00	4222 227					EM0			DETAINED Tage of Malas Alle
22	4323 207	1				ELO,			RETAINER, Tappet Yoke Aligning
						EM0			

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 2500

3 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Camshafts and Valves, 5.9L (EML) Figure 5.9L-510



9L-510									
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23	4483 045	8				ELO,			YOKE, Tappet Aligning
24	1947 953	3				EM0 EH0, EL0,			SCREW AND WASHER, Hex Head
						EM0			

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon X = Conv.


LINE 1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Timing Belt and Cover, 5.9L (EML) Figure 5.9L-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
	All Automatic T		ssions						
	All 3.9L Engines								
_	All 5.2L Engines								
	All 5.9L Engine								
1	4897 297AA	1				EM0			SEAL PACKAGE, Timing Case
									Cover
2	53021 057AB	1				EM0			GASKET, Chain Case Cover
3	4897 723AA	1				EM0			COVER PACKAGE, Engine Timing
4	3671 649	1				ELO,			TAB, Timing Chain Oil
						EM0			
5	4315 764	1				ELO,			PLATE, Camshaft Thrust
						EM0			
6	1947 953	3				EH0,			SCREW AND WASHER, Hex Hea
						ELO,			
						EM0			
7	6029 411	1				EM0	DG0		KEY, Crankshaft Sprocket
8	0431 787	1				EM0			KEY, Camshaft Sprocket
9	8350 7095	1				EH0,			CHAIN PACKAGE, Timing
						ELO,			
						EM0			
10	6034 321	1				EH0,			SCREW AND WASHER, Hex Hea
						ELO,			Coned, Header, .437-14x1.375
						EMO			,
11	6034 479	1				EH0,			BOLT, Hex Head, .375-16x2.25
						ELO,			•
						EM0			
12	6034 452	1				EH0,			STUD, .375-16x.375-16x2.38
		·				ELO,			0.02, 10.0 10.00.0
						EM0			
13	6034 453	2				EH0,			STUD, .375-16x.375-16x1.63
.0	0001 100	_				ELO,			2.22, .0.0 10.0.0 10.1.00
						EM0			

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Engine Oiling, 5.9L (EML) Figure 5.9L-710



PART								
NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
All 3.9L Engines	 S							
-								
_								
4071 043	1				EM0			COVER, Engine Oil Pump
3837 648	1				EM0			SHAFT AND ROTOR PACKAGE, Oil
								Pump
4315 436	1				EM0			PICKUP, Engine Oil
5300 9295	1				EM0			PUMP, Engine Oil
0179 842	2				EH0,			SCREW, Hex Head Header Point,
					ELO,			.375-16x1.375
					EMO			
1737 725	1				EM0			BUSHING, Oil Pump and Distibutor
5302 0546	1				EH0,			SHAFT, Oil Pump
					ELO,			·
					EM0			
0108 636	1				EM0			PIN, Cotter
2843 208	1				EM0			PLUNGER, Oil Pressure Relief Valve
2402 473	1				EM0			SPRING, Oil Pressure Relief Valve
2806 273	1				EM0			CAP, Oil Pressure Relief Valve
0220 480	5				EM0			SCREW, Hex Head Header Point,
								.25-20x.75
5300 8610	1				EM0			GASKET, Oil Pan
6034 549	18				ELO,			SCREW, Hex Head, .312-18x.94
					EM0			
53020 914AB	1				EM0			PAN, Engine Oil
6035 417	1				EM0			PLUG, Oil Drain
53020 933AC	1				ELO,			INDICATOR, Engine Oil Level
					EM0			
53021 142AB	1				EL0,			TUBE, Engine Oil Indicator
					EM0			
5281 090	1				EH0,			FILTER, Engine Oil
					ELO,			
					EM0			
5300 7563	1				EH0,			CONNECTOR, Oil Filter
					ELO,			
					EM0			
5302 1053	1				EH0,			PLATE, Oil Filter Adapter
					ELO,			
					EM0			
•	All 3.9L Engines All 5.2L Engines All 5.9L Engines 4071 043 3837 648 4315 436 5300 9295 0179 842 1737 725 5302 0546 0108 636 2843 208 2402 473 2806 273 0220 480 5300 8610 6034 549 53020 914AB 6035 417 53020 933AC 53021 142AB 5281 090 5300 7563	All 3.9L Engines All 5.2L Engines All 5.9L Engines 4071 043	All 3.9L Engines All 5.2L Engines All 5.9L Engines 4071 043	All 3.9L Engines All 5.2L Engines All 5.9L Engines 4071 043	All 3.9L Engines All 5.2L Engines All 5.9L Engines 4071 043	All 3.9L Engines All 5.2L Engines All 5.9L Engines 4071 043	All 3.9L Engines All 5.2L Engines All 5.9L Engines 4071 043	All 3.9L Engines All 5.2L Engines All 5.9L Engines All 5.


X = Conv.

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

Engine Oiling, 5.9L (EML) Figure 5.9L-710



DODGE RAM VAN & WAGON (AB)

SERIES

L = Van, Wagon X = Conv.

LINE BODY 1 = 1500 11= Van (109 WB) 2 = 250012 = Van (127 WB) 3 = 3500

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB) **ENGINE** EHC, EH0 = Magnum 3.9L SMPI


ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis

sions.

DESCRIPTION

Manifold, Intake and Exhaust, 5.9L (EML) Figure 5.9L-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•							•	
Note;									
	All 3.9L Engine:	S							
	All 5.2L Engines								
[EM0] =	All 5.9L Engine	s							
1	4897 383AC	1				ELO,			GASKET PACKAGE, Intake Manifold
						EM0			
2	4897 490AC	1				ELO,			MANIFOLD, Intake
						EM0			
3	6035 967AA	12				EH0,			SCREW AND WASHER, Hex Head
						ELO,			
						EM0			
4	5017 208AA	1				ELO,			GASKET, Intake Manifold Pan
						EM0			
5	6034 643	4				EH0,			STUD, .312-18/.312-24x2.25
						ELO,			
						EM0			
6	6034 806	8				EL0,			SCREW AND WASHER, Hex Head,
						EM0			.312-18x3.125
7	5303 0873	1				EM0			MANIFOLD, Exhaust
8	5301 0189	1				EM0			MANIFOLD, Exhaust
9	6025 011	4							NUT AND WASHER, Hex Nut-Coned
									Washer, .375-16
10	0115 729	4				EH0,			NUT, Hex, .312 x 24
						ELO,			
						EM0			
11	6035 375	4							BOLT, Hex Head, .375-16x2.50
12	5300 6617	1				ELO,			PAN, Intake Manifold
						EM0			
13	4004 001	4							RETAINER, Exhaust Pipe to
									Manifold
14									PLUG, 3/8-18, (NOT SERVICED)
									(Not Serviced)
15	5301 0091	4				EH0,			CLAMP, Exhaust Manifold
						ELO,			
						EM0			
16	6034 583	15				ELO,			SCREW AND WASHER, Hex Head,
						EM0			.25-20x.892

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Crankcase Ventilation, 5.9L (EML) Figure 5.9L-910

3	5

I	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
[EH0] = A	II 3.9L Engines	3							
[ELF] = 5.3	2L Magnum V	8 SMP	l Engine						
[EL0] = Al	I 5.2L Engines	;							
[EM0] = A	II 5.9L Engine	s							
1	53032 686AB	1				EH0,			HOSE, Crankcase Vent
						ELF,			
						EM0			
2	5303 1135	1				ELO,			VALVE, Crankcase Vent
						EM0			
3	5303 0017	1				EH0,			GROMMET, Crankcase Vent
						ELO,			
						EM0			
4	53008 675AD	1				EH0,			TUBE, PCV Valve
						ELO,			
						EM0			
5	5303 0254	1				EH0,			FILTER, Crankcase Vent
			_	_		EL0,	_		
						EM0			
6	2946 079	1				EM0			GROMMET, Crankcase Vent

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Group – 5.2LCNG

Engine 5.2L Eight Cylinder (Compressed Natural Gas)




5.2LCNG-200 Cylinder Head 5.2LCNG-300 Cylinder Block 5.2LCNG-400 Crankshaft and Piston 5.2LCNG-500 Camshafts & Valves 5.2LCNG-600 Timing Belt and Cover 5.2LCNG-700 Engine Oiling 5.2LCNG-800 Manifolds 5.2LCNG-900 Crankcase Ventilation

GROUP 5.2LCNG - Engine 5.2L Eight Cylinder (Compressed Natural Gas)

Illustration Title	Group-Fig. No.
Cylinder Head Cylinder Head, 5.2L CNG (ELN)	Fig. 5.2LCNG-210
Cylinder Block Cylinder Block, 5.2L CNG (ELN)	Fig. 5.2LCNG-310
Crankshaft and Piston Crankshaft, Piston and Torque Converter, 5.2L CNG (ELN)	Fig. 5.2LCNG-410
Camshafts & Valves Camshaft and Valves, 5.2L CNG (ELN)	Fig. 5.2LCNG-510
Timing Belt and Cover Timing Cover, 5.2L CNG (ELN)	Fig. 5.2LCNG-610
Engine Oiling Engine Oiling, 5.2L CNG (ELN)	Fig. 5.2LCNG-710
Manifolds Manifold, Intake and Exhaust, 5.2L CNG (ELN)	Fig. 5.2LCNG-810
Crankcase Ventilation Crankcase Ventilation, 5.2L CNG (ELN)	Fig. 5.2LCNG-910

Cylinder Head, 5.2L CNG (ELN) Figure 5.2LCNG-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•				•	
Note;									
EH0] =	All 3.9L Engines	3							
[EL0] =	All 5.2L Engines	;							
	5.2L V-8 CNG								
	Not Applicable F		1						
	All 5.9L Engines								
	ngine Gasket Se		'385AC						
1	4648 831AA	1				EH0,			CAP, Oil Filler
						ELO,			
						EM0			00/55 0 11 1 11 1
2	50000 04040					EL 0			COVER, Cylinder Head
	53020 340AC	1				ELO,			With Oil Fill Hole
	53020 612AC					EM0 EL0,			Without Oil Fill Holo
	53020 612AC	1				ELU, EMO			Without Oil Fill Hole
3	5300 6695	2				ELO,			GASKET, Valve Cover
3	3300 0093	2				EMO			GASKET, Valve Cover
4	5302 1138	2				ELN			HEAD, Cylinder
5	5302 0490	2				ELO			GASKET, Cylinder Head
6	4556 020	4				ELN			PLUG, Core, 1.25 Diameter
7	6035 878AA	14				ELO,			STUD
-						EM0			
-8	6035 877AA-	5				ELO,			SCREW AND WASHER, Hex He
						EMO			.25-20x.875
-9	6035 708	1				EH0,			STUD, Double Ended, .25-20x1.8
						ELO,			
						EM0			
10	5302 0419	8				ELO,			SHIELD, Heat
						EM0			
11									BOLT, Cylinder Head
	6034 690	10				ELO,			[.50-13x2.00]
						EM0			
	6034 691	10				EL0,			[.50x4.625]
						EM0			
12	53021 143AA	1				ELO,			TUBE, Oil Filler
						EM0			
13	5302 0491	1				EH0,			CLIP, Oil Filler Tube
						ELO,			
						EM0			00DEW 105 00 4 053 (NOT
14									SCREW, [.25-20x1.25], (NOT
									SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

Cylinder Head, 5.2L CNG (ELN) Figure 5.2LCNG-210



PART								
NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
302 0203	1				EH0,			GROMMET, Oil Filler Tube
					EL0,			
					EM0			
897 385AC-	2				EL0			GASKET PACKAGE, Engine
723 561	2				EL0			GASKET PACKAGE, Engine
	NUMBER 302 0203 897 385AC-	NUMBER QTY 302 0203 1 897 385AC- 2	NUMBER QTY LINE 302 0203 1 897 385AC- 2	NUMBER QTY LINE SERIES 302 0203 1 897 385AC- 2	NUMBER QTY LINE SERIES BODY 302 0203 1 897 385AC- 2	NUMBER QTY LINE SERIES BODY ENGINE 302 0203 1 EH0, EL0, EM0 897 385AC- 2 EL0	NUMBER QTY LINE SERIES BODY ENGINE TRANS 302 0203 1	NUMBER QTY LINE SERIES BODY ENGINE TRANS TRIM 302 0203 1

DODGE RAM VAN & WAGON (AB) -SERIES LINE

SERIES L = Van, Wagon X = Conv.


1 = 1500 2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI DG0 = All Auto. Transmis

Cylinder Block, 5.2L CNG (ELN) Figure 5.2LCNG-310





	PART												
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
Note;													
	[EH0] = All 3.9L Engines												
[EL0] = A	II 5.2L Engines	;											
[EMO] = A	II 5.9L Engines	S											
Lower En	gine Gasket S	et 4720	740AB										
1	4713 602	1				EL0			BLOCK, Short				
2	3830 603	1				EL0			BEARING, Camshaft, #1				
3	4556 020	1				EL0			PLUG, Core, 1.25 Diameter				
-4	4556 022	9				EL0			PLUG, Core, 1.625 Diameter				
-5	4556 023	AR				EH0,			PLUG, Core, 1.695 Diameter				
						ELO,							
						EM0							
6	3751 818	2				EL0			PLUG, Pipe				
-7	5300 9518	1				EL0			PLUG, Cylinder Block Oil Hole				
-8	6036 097AA-	4				EL0			PLUG				
9	1122 532	2				EL0			DOWEL, Block To Clutch Housing				
10	0141 215	4				EL0			DOWEL, .312 x .500				
11	4798 276AC	1							HEATER PACKAGE, Engine Block				
12									O RING, Engine Block Heater				
	6501 445	AR							1-11/32 Diameter, 11/64 Width				
	6501 446	1							1-11/32 Diameter, 9/64 Width				
13	56026 856AB	1							CORD, Engine Block Heater				
14									CLIP, Engine Heater Cord, (NOT				
									SERVICED) (Not Serviced)				
15	5302 0465	1				EL0			PLUG, Cylinder Block				
-16	4720 740AC-	1				EL0			GASKET PACKAGE, Engine				

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB)

52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

EHC, EH0 = Magnum 3.9L SMPI

ENGINE

Crankshaft, Piston and Torque Converter, 5.2L CNG (ELN) Figure 5.2LCNG-410

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
[DGO] =	All Automatic T	ransmi	ssions						
[EH0] =	All 3.9L Engine	S							
[EL0] =	All 5.2L Engines	6							
[EM0] =	All 5.9L Engine	s							
1									PIN, Piston, Serviced in Piston, (NC
									SERVICED) (Not Serviced)
2									PISTON PIN AND ROD
	4778 855AB	4				EL0			[#1,3,5,7 B Size 3.90925]
	4778 856AB	4				EL0			[#2,4,6,8 B Size 3.90925]
	4778 857AB	4				EL0			[#1,3,5,7, C Size3,90975]
	4778 858AB	4				EL0			[#2,4,6,8, C Size3,90975]
	4778 859AB	4				EL0			[#1,3,5,7, D Size3,91025]
	4778 860AB	4				EL0			[#2,4,6,8, D Size3,91025]
3	4720 727	4				EL0			RING PACKAGE, Piston, Complete
									Package For Eight Pistons.
4									ROD, Connecting, Serviced in
									Piston, (NOT SERVICED) (Not
									Serviced)
5	2421 305	4				EL0			BEARING, Connecting Rod, STD.
6	2421 306	AR				EL0			BEARING, Connecting Rod, .001"
									U/S
7	6033 441	8				EL0			BOLT, Connecting Rod
8	4397 778	1				EL0			BEARING PACKAGE, Crankshaft,
									Standard Size
9	4397 780	1				EL0			BEARING PACKAGE, Crankshaft,
· ·		·							.001 Undersize
10	4397 777	2				EL0			BEARING PACKAGE, Crankshaft,
. •		_							Standard Size
11	4397 781	2				EL0			BEARING PACKAGE, Crankshaft,
• •	1001 701	_							.001 Undersize
12	4720 595AC	1				EH0,			BEARING KIT, Crankshaft, Standar
12	4720 000/10	•				ELO			DETAINING THE CHARGING HAIR, CHARGAI
13	4720 596AC	AR				EH0,			BEARING KIT, Crankshaft, .001
13	+120 030AC	ΔI				ELO,			undersize
14	4397 701	1				EL0			BEARING PACKAGE, Crankshaft,
14	-1 001 101	'				LLU			Standard Size, [#5]
15	4397 702	AR				EL0			BEARING PACKAGE, Crankshaft,
15	4391 102	AK				⊏LU			· · · · · · · · · · · · · · · · · · ·
40	E002 270 A A	_				EL O			.001 Undersize, [#5]
16	5003 379AA	2				EL0			BEARING PACKAGE, Crankshaft,
									Standard Size

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB)

52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Crankshaft, Piston and Torque Converter, 5.2L CNG (ELN) Figure 5.2LCNG-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	5302 0603	1				EL0	DG0		CRANKSHAFT
18	6036 207AA	1				EH0,			BOLT, Hex Head
						ELO,			
						EM0			
19	5302 0229	1				EH0,			DAMPER, Crankshaft
						EL0			
20									CAP, Serviced in Block, (NOT
									SERVICED) (Not Serviced)
21	6036 297AA	8				EL0			NUT, Hex, .375-24
22	6027 264	8				EL0			SCREW, Socket Hex Head, .50-
									13x3.25
-23	6033 300	2				EL0			SCREW, Cap, .50-13x2.80
24	4778 228	1				EL0			SEAL PACKAGE, Crankshaft
25	6035 462	6				EH0,	DG0		BOLT, Flexplate
						ELO,			
						EM0			
26	5211 8255	1				EL0	DG0		PLATE, Torque Converter Drive
27	1949 765	4					DG0		SCREW, Hex Head Header Point,
									.312-24x.44
28									WASHER, Sealing, (NOT
									SERVICED) (Not Serviced)
29	2421 309	4				EL0			BEARING, Connecting Rod, .010"
									U/S
30	4736 595AB	1				EL0	DG0		CONVERTER PACKAGE, Torque

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

BODY 11= Van (109 WB) 12 = Van (127 WB) 2 = 250013 = X-Van (127 WB) 51 = Wagon (109 WB) 3 = 3500


52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis

AR = Use as required -= Non illustrated part # = New this model year

Camshaft and Valves, 5.2L CNG (ELN) Figure 5.2LCNG-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
N. .									
Note:	All 3.9L Engine								
	5.2L V-8 CNG	5							
	Not Applicable	For 200	11						
	All 5.2L Engine:		, ı						
	All 5.9L Engine								
1	5300 8282	16				ELO,			ROCKER ARM, Valve
·	0000 0202	. •				EM0			,
2	5300 8283	16				ELO,			PIVOT, Rocker Arm
						EM0			·
3	6036 154AA	16				ELO,			BOLT, Hex Flange Head, .312-18x
						EM0			72
4	5300 8633	8				ELO,			RETAINER, Rocker Arm Pivot
						EM0			
5	3300 3521	32				ELO,			LOCK, Valve Spring Retainer
						EM0			
6	3300 4626	16				EL0,			RETAINER, Valve Spring
						EM0			
7	5302 1056	16				ELO,			SPRING, Valve
						EM0			
8	5300 9887	16				ELN			SEAL, Valve Guide
-9	3300 2733	AR				EH0,			SEAL, Valve Guide, .015" Oversize
						EL0			
10	5302 0319	8				ELN			VALVE, Intake, Standard
11	5300 6724	8				ELO,			VALVE, Exhaust, Standard
40	5000 0004	4.5				EM0			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
-12	5300 9291	AR				EH0,			VALVE, Exhaust, .003" O/S
10	2062 074	4				EL0			DILIC Complet
13 14	2863 071 3830 603	<u>1</u> 1				EL0 EL0			PLUG, Camshaft BEARING, Camshaft, #1
-15	4179 776	1				EL0			BEARING, Camshaft, #2
-15 -16	4179 770	1				EL0			BEARING, Camshaft, #3
-17	4179 778	1				EL0			BEARING, Camshaft, #3 or #4
-18	1632 526	1				EL0			BEARING, Camshaft, #4 or #5
19	4713 439	16				EL0			TAPPET PACKAGE, Valve
20	0431 787	1				EHO,			KEY, Camshaft Sprocket
20	0.01.707	'				ELO,			TET, Camonan Oprochet
21	5302 0283	1				EL0			CAMSHAFT, Engine
22	5300 6722	16				ELO,			PUSH ROD, Valve
		-				EM0			- ,

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Camshaft and Valves, 5.2L CNG (ELN) Figure 5.2LCNG-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23	4323 207	1				ELO,			RETAINER, Tappet Yoke Aligning
						EM0			
24	4483 045	8				ELO,			YOKE, Tappet Aligning
						EM0			
25	1947 953	3				EH0,			SCREW AND WASHER, Hex Head
						EL0,			
						EM0			

DODGE RAM VAN & WAGON (AB) SERIES LINE

SERIES L = Van, Wagon X = Conv.


1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Timing Cover, 5.2L CNG (ELN) Figure 5.2LCNG-610



17514	PART	OTV		OFFICE	BODY	ENGINE	TDANG		DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:	All 3.9L Engines								
_	All 5.2L Engines								
_	All 5.9L Engines								
[LIVIO] = 1	4897 297AA	1				EH0,			SEAL PACKAGE, Timing Case
<u>'</u>	4007 207701	<u>'</u>				EL0			Cover
2	53021 057AB	1				EM0			GASKET, Chain Case Cover
3	4897 723AA	1				EHO,			COVER PACKAGE, Engine Timin
J	4007 720701	•				EL0			OOVERT MORNOE, Engine Timin
4	3671 649	1				ELO,			TAB, Timing Chain Oil
•	007.1.0.10	•				EM0			77.2, Timing Chair Cil
5	4315 764	1				ELO,			PLATE, Camshaft Thrust
· ·						EM0			, _ a
6	1947 953	3				ELO,			SCREW AND WASHER, Hex Hea
ŭ	1011 000	Ü				EM0			CONCENT AND TO CONCENT, NOX NO.
7	6029 411	1				EH0,			KEY, Crankshaft Sprocket
		-				EL0			
8	0431 787	1				EH0,			KEY, Camshaft Sprocket
						EL0			,
9	8350 7095	1				EH0,			CHAIN PACKAGE, Timing
						ELO,			, 3
						EM0			
10	6034 321	1				EH0,			SCREW AND WASHER, Hex Hea
						ELO,			Coned, Header, .437-14x1.375
						EM0			
11	6034 479	1				EH0,			BOLT, Hex Head, .375-16x2.25
						ELO,			
						EM0			
12	6034 452	1				EH0,			STUD, .375-16x.375-16x2.38
						EL0,			
						EM0			
13	6034 453	2				EH0,			STUD, .375-16x.375-16x1.63
						ELO,			
						EM0			


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Engine Oiling, 5.2L CNG (ELN) Figure 5.2LCNG-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
[EHO] = A	All 3.9L Engines	3							
[EL0] = A	II 5.2L Engines								
[EMO] = A	All 5.9L Engines	3							
1	4071 043	1				EM0			COVER, Engine Oil Pump
2	3837 648	1				EM0			SHAFT AND ROTOR PACKAGE, (
									Pump
3	4315 436	1				EM0			PICKUP, Engine Oil
4	5300 9295	1				EM0			PUMP, Engine Oil
5	0179 842	2				EH0,			SCREW, Hex Head Header Point,
						ELO,			.375-16x1.375
						EM0			
6	1737 725	1				EM0			BUSHING, Oil Pump and Distibuto
7	5302 0546	1				EH0,			SHAFT, Oil Pump
						ELO,			
						EM0			
8	0108 636	1				EH0,			PIN, Cotter
						EL0			
9	2843 208	1				EM0			PLUNGER, Oil Pressure Relief Val
10	2402 473	1				EM0			SPRING, Oil Pressure Relief Valve
11	2806 273	1				EM0			CAP, Oil Pressure Relief Valve
12	0220 480	5				EM0			SCREW, Hex Head Header Point,
40	5000 5050					5 1.0			.25-20x.75
13	5300 5650	1				EL0			GASKET, Oil Pan
14	6034 549	18				ELO,			SCREW, Hex Head, .312-18x.94
4.5	50000 04 4 A D					EM0			DAN Fasins Oil
15	53020 914AB	1				EM0			PAN, Engine Oil
16	6035 417	1				EM0			PLUG, Oil Drain
17	53020 933AC	1				ELO,			INDICATOR, Engine Oil Level
40	50004 440AD					EM0			TUDE E : O'LL II /
18	53021 142AB	1				ELO,			TUBE, Engine Oil Indicator
40	5004.000					EM0			EU TED E : 0"
19	5281 090	1				EH0,			FILTER, Engine Oil
						ELO,			
00	F200 7F22	4				EM0			CONNECTOR OF Files
20	5300 7563	1				EH0,			CONNECTOR, Oil Filter
						ELO,			

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


2 = 2500

BODY 3 = 3500


11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB) EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Engine Oiling, 5.2L CNG (ELN) Figure 5.2LCNG-710



Manifold, Intake and Exhaust, 5.2L CNG (ELN) Figure 5.2LCNG-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
[EH0] = /	All 3.9L Engine	S							
[EL0] = A	All 5.2L Engines	5							
[EMO] = 0	All 5.9L Engine	s							
1	4897 383AC	1				EL0,			GASKET PACKAGE, Intake Manifold
						EM0			
2	4897 490AC	1				ELO,			MANIFOLD, Intake
						EM0			
3	6035 967AA	12				EH0,			SCREW AND WASHER, Hex Head
						ELO,			
						EM0			
4	5017 208AA	1				ELO,			GASKET, Intake Manifold Pan
						EM0			
5	6034 643	4				EH0,			STUD, .312-18/.312-24x2.25
						ELO,			
						EM0			
6	6034 806	8				EL0,			SCREW AND WASHER, Hex Head,
						EM0			.312-18x3.125
7	5303 0873	1				EM0			MANIFOLD, Exhaust
8	5301 0189	1				EM0			MANIFOLD, Exhaust
9	6025 011	4							NUT AND WASHER, Hex Nut-Coned
									Washer, .375-16
10	0115 729	4				EH0,			NUT, Hex, .312 x 24
						ELO,			
	0005.075					EM0			DOLT 11 11 1 075 40 0 50
11	6035 375	4							BOLT, Hex Head, .375-16x2.50
12	4004 001	4							RETAINER, Exhaust Pipe to
40	0004 500	4.5				5 1.0			Manifold
13	6034 583	15				ELO,			SCREW AND WASHER, Hex Head,
4.4	5000 0047					EM0			.25-20x.892
14	5300 6617	1				ELO,			PAN, Intake Manifold
45	5004 0004	4				EM0			OLAMB Followst Marrifold
15	5301 0091	4				EH0,			CLAMP, Exhaust Manifold
						ELO,			
						EM0			

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Crankcase Ventilation, 5.2L CNG (ELN) Figure 5.2LCNG-910



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
N	ote;									
[E	H0] = A	II 3.9L Engine	s							
[E	LN] = 5	2L V-8 CNG	Engine							
[E	LP] = N	ot Applicable	For 200	1						
[E	L0] = Al	l 5.2L Engines	5							
[E	M0] = A	II 5.9L Engine	:S							
	1	53032 686AB	1				ELN			HOSE, Crankcase Vent
	2	5303 1135	1				ELO,			VALVE, Crankcase Vent
							EM0			
	3	5303 0017	1				EH0,			GROMMET, Crankcase Vent
							ELO,			
							EM0			
	4	53008 675AD	1				EH0,			TUBE, PCV Valve
							ELO,			
							EM0			
	5	5303 0254	1				EH0,			FILTER, Crankcase Vent
							EL0,			
							EM0			
	6	2946 079	1				EM0			GROMMET, Crankcase Vent


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Group – 011 Exhaust






GROUP 11 - Exhaust

Illustration Title	Group-Fig. No
Exhaust System	
Exhaust System, 3.9L (EHC), 5.2L (ELF), 5.2L CNG (ELN), 5.9L (EML)	Fig. 011-110
Heat Shields	
Heat Shields, 3.9L (EHC), 5.2L (ELF), 5.2L CNG (ELN), 5.9L (EML)	Fig. 011-210

Exhaust System, 3.9L (EHC), 5.2L (ELF), 5.2L CNG (ELN), 5.9L (EML) Figure 011-110



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			-						
NOTE:									
[DG0] = .	All Automatic Ti	ransmis	ssions						
[EHO] = A	All 3.9L Engines	3							
[ELO] = A	All 5.2L Engines	;							
[EMO] = I	All 5.9L Engine:	S							
1	6035 375	4							BOLT, Hex Head, .375-16x2.50
2	4004 001	4							RETAINER, Exhaust Pipe to
									Manifold
3	6025 011	4							NUT AND WASHER, Hex Nut-Cor
									Washer, .375-16
4									CONVERTER, Catalytic
	52103 346AE	1				EH0	DG0		
	52103 348AB	1				EM0	DG0		California
	52103 347AE	1				ELF	DG0		
	52103 347AF	1				EM0	DG0		Federal=Export
_	52103 470AF	1				ELN			Exhaust w/Pipes
5	5202 2017	1				EH0			MUFFLER, Exhaust
	5202 2017	1				ELO,			
	5202 2009	ı				EMO			
6	4004 445	1				LIVIO			CLAMP, Exhaust
7	5201 7607	2							INSULATOR, Exhaust
8	3201 7007	_							BRACKET, Muffler
O	52103 047AB	1	1		11, 51				Brotoker, Mainer
	52103 048AB	1	·		12, 13,				
		<u> </u>			52, 53				
9	6102 153AA	2	1		11, 51				SCREW, Tapping, M8x20
10					,				SCREW, [.312-18x.750], (NOT
									SERVICED) (Not Serviced)
11	6504 581	1							NUT, M8x1.25
12	5210 3001	1							BRACKET, Tailpipe
13	5210 3063	1							INSULATOR, Exhaust
14									NUT, [M8x1.25], (NOT SERVICED
									(Not Serviced)
15	6503 200	1							SCREW AND WASHER, Hex Hea
									M8x1.25x50
16									TAILPIPE, Exhaust
	52020 075AC		1		11, 51				
	52103 311AA	1			12, 13,				
					52, 53				


2 = 2500

BODY 11= Van (109 WB) 12 = Van (127 WB)


13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


Exhaust System, 3.9L (EHC), 5.2L (ELF), 5.2L CNG (ELN), 5.9L (EML) Figure 011-110



Heat Shields, 3.9L (EHC), 5.2L (ELF), 5.2L CNG (ELN), 5.9L (EML) Figure 011-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
	II 3.9L Engine								
[EL0] = Al	I 5.2L Engines	3							
[EM0] = A	II 5.9L Engine	s							
1									SHIELD, Heat
	55347 448AB	1	1		11, 51	EH0,			
						ELO,			
						EM0			
	55347 449AB	1			12, 13,	EH0,			
					52, 53	ELO,			
						EM0			
2	55347 453AD	1							SHIELD, Heat
3	55347 450AD	1							SHIELD, Heat
	6102 132AA	6							SCREW, Hex Head, M6x1x20
-5									SHIELD, Heat
	55347 445AB	- 1				EH0,			
						EL0,			
						EM0			
	55347 446AB	- 1				EH0,			[Engine Opening To Floor Front
						ELO,			Right]
						EM0			
	55347 447AD	- 1				EH0,			[Engine Opening To Floor Front
						ELO,			Left]
						EM0			



DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Group – 013

Frames and Bumpers







GROUP 13 - Frames and Bumpers

Illustration Title	Group-Fig. No
Frames	
Frame	Fig. 013-110
Front Bumper and Fascia	
Bumper, Front	Fig. 013-230
Rear Bumper and Fascia	
Bumper, Rear	Fig. 013-320
Trailer Tow	
Rear Hitch	Fig. 013-610

Frame Figure 013-110



Frame Figure 013-110



2	8 4 8
7 10 9 1	5

	PART			1					
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BUMPER, Front
	55076 934AB	1							Bright
	5GA48 MSAAI	B 1							Painted
2	5507 6500	1							COVER, Bumper, Also comes with
									Item #1
-3	6501 925	4							PIN, Splash Shield, Cover to Bumper
4									SUPPORT, Bumper
	55076 872AA	1							Right
	55076 873AA	1							Left
5									BRACKET, Bumper
	5507 6504	1							Right
	5507 6505	1							Left
6	5507 6497	2							SHIELD, Bumper
7	6504 122	2							BOLT, m12x1.75x35.00
8	6100 055	1							NUT AND WASHER, Hex Nut-Coned
									Washer, M12 x 1.75
9	6027 958	2							NUT, Snap In, .25
10									SCREW, 06024043, (NOT
									SERVICED) (Not Serviced)
-11	55055 827AC-	- 1							SEAL, Radiator, Filler Front Bumper
									Cover

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


ENGINE

PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
\mathcal{M}	Sales Cod	les: Rear Painted								
5		tear Bright W	ith Step	Pads						
		Rear Bright W								
7 (16)		6033 841	8	·						SCREW AND WASHER, Hex Flange
										Head, .437-14x1.30
	2									NUT, (NOT SERVICED) (Not
	3									Serviced) SCREW, (NOT SERVICED) (Not
										Serviced)
	4	6027 958	2							NUT, Snap In, .25
	5									BRACKET, Rear Bumper Side
		55234 804AE								Right
6) 5		55234 805AE	≣ 1							Left
	6									WASHER, Flat, .531x1.09, (NOT SERVICED) (Not Serviced)
(8)	7									BUMPER, Rear
$ \begin{pmatrix} 1 \end{pmatrix} $ $ \begin{pmatrix} 8 \end{pmatrix} $		55234 668AE	3 1							[MKE]
		5CP00 MSAA	AB 1							[MBC], Paint as Required
(3)	8	5523 4681	1							COVER, Bumper
	9									SCREW, (NOT SERVICED) (Not Serviced)
	10	6031 614	2							BOLT, Round Head, .437-14x1.12,
	-									Bumper Support, Attaching
	11									NUT, (NOT SERVICED) (Not
	40									Serviced)
	12	6033 841	8							SCREW AND WASHER, Hex Flange Head, .437-14x1.30
	13	6030 846	6							BOLT, Hex Head, .50-13x1.75
		6030 846	6							BOLT, Hex Head, .50-13x1.75
(15)		5507 6393	1							BUMPER, Step, [MBF]
	16	5507 6396	1							STEP PAD, Rear Bumper, Step
	17									Bumper, Step Bumper BRACKET, Rear Bumper
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		5507 6398	1							Right
		5507 6399	1							Left
(9)										
(13)										
	DODGE 54**	VAN 0 14/4 001	L (AD)							
	SERIES	VAN & WAGON LINE		BODY		ENG	EINE			TRANSMISSION
	L = Van, Wag X = Conv.	2 = 2	500	11= Van (1 12 = Van (127 WB)	EHC ELF	c, EH0 = Mag , EL0 = Magr	gnum 3.9L SI num 5.2L SM	MPI 1PI	DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto.
(10)		3 = 3	500	13 = X-Var	n (127 WB) on (109 WB)	ELN	, EL0 = 5.2L ., EM0 = Mag	V8 MPI CNO	G	DG0 = All Auto.
				52 = Wagg	n (127WB)		., ∟iviU - ivia(gridili J.JL S	ivii I	SIONS.
				53 = X-Wa	gon (127 WB)					

Rear Hitch Figure 013-610

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52020 791AB	1							HITCH, Trailer
2	6101 844	8							SCREW AND WASHER, Hex Head,
									M12x1.75x50



DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500 BODY


11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


ENGINE

Group – 014
Fuel





Group – 014




GROUP 14 - Fuel

illustration little	Group-Fig. No
Tank, Fuel	
Fuel Tank, 3.9L (EHC), 5.2L (ELF), 5.9L (EML)	Fig. 014-110
Fuel Cylinder, Side, 5.2 L CNG (ELN)	Fig. 014-120
Fuel Cylinder, Rear, 5.2L CNG (ELN)	Fig. 014-125
Fuel Cylinder Heat Shields, 5.2L CNG (ELN)	Fig. 014-130
Fuel Cylinder Valves, 5.2L CNG (ELN)	Fig. 014-135
Fuel Tank Filler Tube	
Fuel Tank Filler Tube, 3.9L (EHC), 5.2L (ELF), 5.9L (EML)	Fig. 014-210
Fuel Cylinder Filler Tube, 5.2L CNG, (ELN)	Fig. 014-220
Fuel Lines	
Fuel Lines, Front, 3.9L (EHC), 5.2L (ELF), 5.9L (EML)	Fig. 014-310
Fuel Lines, Rear, 3.9L (EHC), 5.2L (ELF), 5.9L (EML)	Fig. 014-315
Fuel Lines, Front, 5.2L CNG (ELN)	Fig. 014-320
Fuel Linea, Boar, 5-21, CNC (FLN)	Fig. 014-325
Fuel Lines, Rear, 5.2L CNG (ELN)	Fig. 014-330
Fuel Rail	
Fuel Rail, 3.9L (EHC), 5.2L (ELF), 5.9L (EML)	Fig. 014-410
Fuel Rail, 5.2L CNG (ELN)	Fig. 014-420
Fuel Pump and Sending Unit	
Fuel Module, 3.9L (EHC), 5.2L (ELF), 5.9L (EML)	Fig. 014-510
Throttle Body	
Throttle Body, 3.9L (EHC), 5.2L (ELF), 5.9L (EML)	Fig. 014-610
Throttle Controls	
Throttle Controls, 3.9L (EHC), 5.2L (ELF), 5.9L (EML)	Fig. 014-710
Air Cleaner	
Air Cleaner, 3.9L (EHC), 5.2L (ELF), 5.2L CNG (ELN), 5.9L (EML)	Fig. 014-810
Air Intake System	
Air Intake System, 3.9L (EHC), 5.2L (ELF), 5.2L CNG (ELN), 5.9L (EML)	Fig. 014-910
Speed Control	
Speed Control	Fig. 014-1010
Accelerator Pedal	J
Accelerator Pedal	Fig. 014-1110
, 1000,014,01	9. 0

Fuel Tank, 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Figure 014-110

PART




ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE:	All O OL Faraira								
_	All 3.9L Engine		N ===:==						
-	5.2L Magnum V		21 Engine						
_	All 5.9L Engine	S							TANK Fuel
1	52102 795AA	1				- FHO			TANK, Fuel 31 Gallon
	52102 /95AA	'				EH0, ELF,			31 Gallon
	52127 928AG	1				EM0 EH0,			35 Gallon
	52121 920AG	1				ELF,			35 Gallon
						ELF, EMO			
2	52102 189AB	2				EMO,			J BOLT, Fuel Tank Support
2	JZ 10Z 109AD	2				EHU, ELF,			J DOLI, Fuel Talik Support
						EM0			
3	6506 443AA	2				EHO,			NUT, Nylock Hex, M10x1.5
3	0300 443AA	2				ELF,			NOT, NYIOCK FIEX, INTOX 1.5
						EMO			
4	52102 181AB	1				EH0,			STRAP, Fuel Tank, Front
7	02102 10171B	•				ELF,			OTTO II , I del Talik, I Tolik
						EMO			
5	52102 182AB	1				EH0,			STRAP, Fuel Tank, Rear
	02.102.102/13	•				ELF,			orrow, radi ram, radi
						EM0			
6	5210 2188	1				EH0,			SLEEVE, Fuel Filler Vent Hose
· ·	02.0 2.00	·				ELF,			
						EM0			
7	4490 411	1				EH0,			LABEL, Unleaded Fuel Only
						ELF,			,
						EMO			
8									SHIELD, Fuel Tank
	52102 334AC	1				EH0,			35 Gallon
						ELF,			
						EM0			
	52102 639AA	1				EH0,			31 Gallon
						ELF,			
						EM0			

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Fuel Cylinder, Side, 5.2 L CNG (ELN) Figure 014-120




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
ELN] =	5.2L V-8 MPI CI	NG En	gine						
1	53015 145AB	1	2, 3		12, 13,	ELN			CYLINDER, Compressed Natural
					52, 53				Gas, Side, Left
2	53015 146AB	1	2, 3		12, 13,	ELN			CYLINDER, Compressed Natural
					52, 53				Gas, Side, Right
3	53015 200AB	1	2, 3		12, 13,	ELN			BRACKET, Fuel Cylinder
					52, 53				
4	53015 205AB	1	2, 3		12, 13,	ELN			BRACKET, Fuel Cylinder
					52, 53				
5	53015 210AB	2	2, 3		12, 13,	ELN			BRACKET, Fuel Cylinder
					52, 53				
6	53015 207AA	2	2, 3		12, 13,	ELN			BRACKET, Fuel Cylinder
					52, 53				<u> </u>
-7	53015 202AA-	2	2, 3		12, 13,	ELN			ISOLATOR
					52, 53				
8	6505 291AA	4	2, 3		12, 13,	ELN			NUT AND WASHER, Hex, M12x1.75
			,		52, 53				
9	53015 355AA	2	2, 3		12, 13,	ELN			BRACKET, Fuel Cylinder
			,		52, 53				, ,
10	6505 291AA	2	2, 3		12, 13,	ELN			NUT AND WASHER, Hex, M12x1.75
			,		52, 53				,
11					. ,				SCREW, M12x1.75x45.00, (NOT
									SERVICED) (Not Serviced)
-12	CAA0 8220	2	2, 3		12, 13,	ELN			BRACKET PACKAGE, Fuel Cylinder
			, _		52, 53				Side

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Fuel Cylinder, Rear, 5.2L CNG (ELN) Figure 014-125



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
[ELN] = 5.2	L V-8 MPI C	NG En	gine						
1 5	3015 147AB	2	2, 3		12, 13,	ELN			CYLINDER, Compressed Natural
					52, 53				Gas, Rear
2 5	3015 212AA	1	2, 3		12, 13,	ELN			BRACKET, Fuel Cylinder
					52, 53				
3 5	3015 229AB	2	2, 3		12, 13,	ELN			BRACKET, Fuel Cylinder
					52, 53				
4 5	3015 214AB	2	2, 3		12, 13,	ELN			BRACKET, Fuel Cylinder
					52, 53				_
5									SCREW, M12x1.75x45.00, (NOT
									SERVICED) (Not Serviced)
66	505 291AA	4	2, 3		12, 13,	ELN			NUT AND WASHER, Hex, M12x1.75
					52, 53				_
7									SCREW AND WASHER, Hex Head,
									M12x1.75x40, M12x1.75x45.00,
									(NOT SERVICED) (Not Serviced)


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Fuel Cylinder Heat Shields, 5.2L CNG (ELN) Figure 014-130



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
[ELN] = 5	5.2L V-8 MPI C	NG Eng	gine						
1	53015 423AB	1	2, 3		12, 13,	ELN			SHIELD, Fuel Cylinder
					52, 53				
2	4279 279	2	2, 3		12, 13,	ELN			GROMMET, Fuel Tank Filler Tube
					52, 53				
3									SCREW, [M8x1.25x20.00], (NOT
									SERVICED) (Not Serviced)
4	3420 1888	2	2, 3		12, 13,	ELN			SCREW, Hex Head
					52, 53				
5	53015 217AB	1	2, 3		12, 13,	ELN			SHIELD, Fuel Cylinder, Rear
					52, 53				
6	6503 543	8	2, 3		12, 13,	ELN			BOLT AND CONED WASHER, Hex
					52, 53				Head, M8x1.25x25
7	6502 655	2							SCREW, Hex Head, M6x1x15
-8	53015 216AB	- 1	2, 3		12, 13,	ELN			SHIELD, Fuel Cylinder
					52, 53				
-9	53015 887AA	- 1	2, 3	·	12, 13,	ELN	·		SHIELD, Fuel Cylinder
					52, 53				
-10	53015 888AA	- 1	2, 3		12, 13,	ELN			SHIELD, Fuel Cylinder
					52, 53				
									·

DODGE RAM VAN & WAGON (AB) LINE

SERIES L = Van, Wagon X = Conv.


1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB)


52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Fuel Cylinder Valves, 5.2L CNG (ELN) Figure 014-135



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
[ELN] = 5	5.2L V-8 MPI CI	NG En	gine						
1	53015 501AB	1	2, 3		12, 13,	ELN			VALVE, CNG Cylinder
					52, 53				
-2	53015 148AA-	. 1	2, 3		12, 13,	ELN			VALVE, CNG Cylinder
					52, 53				
3	52127 826AB	5	2, 3		12, 13,	ELN			FITTING, Connector, .25 Male
					52, 53				
4	52127 709AB	1	2, 3		12, 13,	ELN			FITTING, Connector, .375 Male
					52, 53				
5	53015 440AA	1	2, 3		12, 13,	ELN			SENSOR, Fuel Pressure
					52, 53				



DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY

11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Fuel Tank Filler Tube, 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Figure 014-210

4	
5 0	3

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
_	All 3.9L Engine								
_	5.2L Magnum V		PI Engine						
	All 5.9L Engine								
1	52102 464AA	1				EH0,			CAP, Fuel Filler
						ELF,			
						EM0			
2									TUBE, Fuel Filler
	52102 437AK	1				EH0,			31 Gallon
						ELF,			
						EM0			
	52127 944AK	1				EH0,			35 Gallon
						ELF,			
						EM0			
3									SCREW, (NOT SERVICED) (Not
									Serviced)
4	6505 339AA	1				EH0,			CLAMP
						ELF,			
						EM0			
5	6505 322AA	1				EH0,			CLAMP, Hose
						ELF,			
						EM0			
-6	4682 676	1				EH0,			TETHER, Fuel Filler Cap
						ELF,			
						EM0			
-7	5086 655AA-	1				EH0,			SEAL, Fuel Cap
						ELF,			
						EM0			

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon

LINE 1 = 1500 X = Conv.2 = 2500


3 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Fuel Cylinder Filler Tube, 5.2L CNG, (ELN) Figure 014-220

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-L							<u> </u>	
Note;									
[ELN] = 5	5.2L V-8 MPI C	NG En	gine						
1	53015 218AA	1	2, 3		12, 13,	ELN			HOUSING, Fuel Filler
					52, 53				
2									SCREW, [.190-16x1.00], (NOT
									SERVICED) (Not Serviced)
3	53015 418AA	1	2, 3		12, 13,	ELN			RECEPTACLE, Fuel Filler
					52, 53				
4	53015 419AA	1	2, 3		12, 13,	ELN			CAP, Fuel Filler
					52, 53				
5	53015 343AA	1	2, 3		12, 13,	ELN			TUBE, Fuel
					52, 53				



DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Fuel Lines, Front, 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Figure 014-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
	II 3.9L Engine	s							
	0.02 211gii10 .2L Magnum \		ine						
	I 5.9L Engines	_							
	.9L LD Magnu								
1	52128 125AF	1				EH0,			BUNDLE, Fuel Line
						ELF,			
						EM0			
2	52102 380AD	1				EH0,			TUBE, Fuel Vapor
						ELF,			
3						EM0			CLIP Fuel Line
	52102 578AA	. 1				EH0,			CLIP, Fuel Line Fuel Line To Underbody
	02 102 01 0AA	. 1				ELF,			. del Ellie 10 Oliderbody
						EM0			
	5212 7788	1				EH0,			Secondary Latch
						ELF,			•
						EM0			
DODGE RAM SERIES	VAN & WAGON LINE	(AB) —	BODY		FNO	 SINE			TRANSMISSION
_ = Van, Wa	gon 1 = 15		11= Van (1	109 WB)	EHC	c, EH0 = Mag	gnum 3.9L S	MPI	DGG = 32RH 3 Spd. Auto.
X = Conv.	2 = 25 3 = 35		12 = Van (13 = X-Var	(127 WB) n (127 WB)	ELF ELN	, EL0 = Mag , EL0 = 5.2L	num 5.2L SN . V8 MPI CN	viPI G	DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis
			51 = Wago 52 = Wago	on (109 WB) on (127WB) igon (127 WE	EML	., EM0 = Ma	gnum 5.9L S	SMPI	sions.

Fuel Lines, Rear, 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Figure 014-315

6	

TEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
. L.W.	NOMBER	1 411	LIIVE	OLIVIEO	ВОВТ	LIVOINE	IKANO	TIXIIVI	DESCRIPTION
DTE:									
	II 3.9L Engine								
	2L Magnum \ II 5.9L Engine		ne						
1									BUNDLE, Fuel Line
	52013 064A <i>F</i>	1				EH0, ELF,			32 Gallon
						EM0			
	52121 042A	A 1				EH0,			35 Gallon
						ELF, EM0			
						LIVIO			

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Fuel Lines, Front, 5.2L CNG (ELN) Figure 014-320

3			3
---	--	--	---

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	Q.I.I	LINE	OLIVIED		LIVOINE	TRAITO	1111111	DEGGINI NON
Note;									
[ELN] =	5.2L V-8 MPI C	NG En	gine						
1	53015 353AA	1	2, 3		12, 13,	ELN			HOSE, Fuel
					52, 53				
2	0179 150	2	2, 3		12, 13,	ELN			CLIP
					52, 53				
3	6505 815AA	1							SCREW
4									SCREW, [.375-16x.750], (NOT
									SERVICED) (Not Serviced)
5	53015 441AA	1	2, 3		12, 13,	ELN			BRACKET, Fuel Hose
					52, 53				
6	3420 1888	2							SCREW, Hex Head
7	4682 752	1	2, 3		12, 13,	ELN			CLIP, Fuel Tube
					52, 53				
8	6503 929	1	2, 3		12, 13,	ELN			SCREW AND WASHER, Coned
					52, 53				Pilot, M6x1x30
9	6101 736	1	2, 3		12, 13,	ELN			NUT AND WASHER, Hex, M6x1
					52, 53				

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon X = Conv.

LINE 1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Fuel Regulator Coolant Hose, 5.2L CNG (ELN) Figure 014-325

		11)	
		(10)	
	3	(2) (8) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	
		(12) (6)	
		7 (12) 6 (8)	
1	4	5)

	PART	0.77/		050150	DODY.	FNONE	TD 4440		DECORIDE ON
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
lote;									
ELN] =	5.2L V-8 MPI C	•	•						
1	53015 385AA	1	2, 3		12, 13,	ELN			TUBE, Coolant Regulator
					52, 53				
2									CLAMP, Tube Retaining, (NOT
									SERVICED) (Not Serviced)
3									SCREW, [.250-20x.875], (NOT
									SERVICED) (Not Serviced)
4									NUT, [.250-20], (NOT SERVICED
									(Not Serviced)
5	6505 815AA	1							SCREW
6	52079 757AA	4	2, 3		12, 13,	ELN			CLAMP, Oil Cooler Tube
					52, 53				
7	53015 424AB	2	2, 3		12, 13,	ELN			HOSE, Regulator Coolant
					52, 53				
8	53015 424AB	2	2, 3		12, 13,	ELN			HOSE, Regulator Coolant
					52, 53				
9	4364 392	1	2, 3		12, 13,	ELN			TUBE, Convoluted
					52, 53				
10	53015 372AA	1	2, 3		12, 13,	ELN			CLIP, Fuel Tube
					52, 53				
11	6503 929	1	2, 3		12, 13,	ELN			SCREW AND WASHER, Coned
					52, 53				Pilot, M6x1x30
12	6101 736	1	2, 3		12, 13,	ELN			NUT AND WASHER, Hex, M6x1
					52, 53				
-13	4364 393	1	2, 3		12, 13,	ELN			TUBE, Convoluted, Fuel Pressure
					52, 53				Regulator


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Fuel Lines, Rear, 5.2L CNG (ELN) Figure 014-330



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
	5.2L V-8 MPI CI	NG End	nine						
1	56022 108AB	1	2, 3		12, 13,	ELN			REGULATOR, Fuel Pressure
			,		52, 53				•
2	53015 351AA	1	2, 3		12, 13,	ELN			HOSE, Fuel
			<u> </u>		52, 53				·
-3	53015 352AA-	1	2, 3		12, 13,	ELN			HOSE, Fuel
					52, 53				
4	5212 7557	2	2, 3		12, 13,	ELN			GASKET, Low Pressure Fitting
					52, 53				
5	53015 346AB	1	2, 3		12, 13,	ELN			TUBE, Fuel
					52, 53				
6	6502 655	2	2, 3		12, 13,	ELN			SCREW, Hex Head, M6x1x15
					52, 53				
7	5201 8230	2	2, 3		12, 13,	ELN			CLIP, Fuel Tube, 1/2"
					52, 53				
8	53015 339AA	1	2, 3		12, 13,	ELN			TUBE, Fuel
					52, 53				
9	4723 548	2	2, 3		12, 13,	ELN			SCREW AND WASHER, Hex Head
					52, 53				.312-18x.625
10	53015 393AB	1	2, 3		12, 13,	ELN			TUBE, Fuel
					52, 53				
11	53015 343AA	1	2, 3		12, 13,	ELN			TUBE, Fuel
					52, 53				
12	53015 328AB	1	2, 3		12, 13,	ELN			TUBE, Fuel
					52, 53				
13	52127 708AB	1	2, 3		12, 13,	ELN			VALVE, CNG Backcheck
					52, 53				
14	53015 404AA	1	2, 3		12, 13,	ELN			TUBE, Fuel
4.5	50045 0474 4				52, 53				EITTING B. I. T. OTT
15	53015 317AA	1	2, 3		12, 13,	ELN			FITTING, Branch Tee, .375
40	50045 0404 4		0.0		52, 53	EL M			EEDDUUE 075
-16	53015 319AA-	1	2, 3		12, 13,	ELN			FERRULE, .375
47	F0407 74045	4	0.0		52, 53	-1.			MALVE Marriel Ct. 1 "
17	52127 740AB	1	2, 3		12, 13,	ELN			VALVE, Manual Shutoff
40	4600 600	4	2.2		52, 53	TI NI			CLID Tube Attaching
18	4682 632	1	2, 3		12, 13,	ELN			CLIP, Tube Attaching
10	2420 4000	4	2.2		52, 53	ELN			SCDEW Hay Hand
19	3420 1888	1	2, 3		12, 13,	ELN			SCREW, Hex Head
					52, 53				

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Fuel Lines, Rear, 5.2L CNG (ELN) Figure 014-330



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
										_
	20	53015 336AB	1	2, 3		12, 13,	ELN			HOSE, Fuel
						52, 53				
	-21	53015 337AB	- 1	2, 3		12, 13,	ELN			HOSE, Fuel
						52, 53				
	22	3420 1888	2							SCREW, Hex Head
	23	53015 489AB	1	2, 3		12, 13,	ELN			TUBE, Fuel
						52, 53				
	-24	4364 392	1	2, 3		12, 13,	ELN			TUBE, Convoluted
						52, 53				
	-25	53015 317AA	- 1	2, 3		12, 13,	ELN			FITTING, Branch Tee, .375
						52, 53				
	-26	4723 673	1	2, 3		12, 13,	ELN			FITTING, Fuel
						52, 53				
	-27	53015 317AA	- 1	2, 3		12, 13,	ELN			FITTING, Branch Tee, .375
						52, 53				

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

AR = Use as required -= Non illustrated part # = New this model year

Fuel Rail, 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Figure 014-410

PART

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note									
[EH0] =	All 3.9L Engines	3							
[ELF] = \$	5.2L Magnum V	-8 Engi	ne						
[ELN] =	5.2L V-8 MPI C	NG							
[EM0] =	All 5.9L Engines	S							
1									RAIL, Fuel
	53030 598AB	1				ELF			
	53030 593AB	1				EH0			
2									INJECTOR, Fuel
	4854 181	8				ELF			5.2L
	53031 740AA	6				EH0			3.9L 5.9L
3	4418 257AB	8				ELF			CLIP, Fuel Injector
4	6034 549	4				EH0,			SCREW, Hex Head, .312-18x.94
						ELF,			
						ELN,			
						EM0			
-5	5018 781AA-	1				ELF			CAP, Diagnostic Port
-6									O RING KIT, Fuel Injector
	4897 125AA-	8				ELF			5.2L
	5083 745AA-	6				EH0			3.9L 5.9L

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

BODY 2 = 25003 = 3500

11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

Fuel Rail, 5.2L CNG (ELN) Figure 014-420



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
[EH0] = A	II 3.9L Engines								
[ELF] = 5	.2L Magnum V-	8 Engi	ne						
[ELN] = 5	5.2L V-8 MPI CN	١G							
[EMO] = A	All 5.9L Engines	3							
1	53031 763AC	1				ELN			RAIL, Fuel
2	53030 518AB	8				ELN			INJECTOR, Fuel
3	5303 0603	8				ELN			CLIP, Fuel Injector
4	6034 549	4				EH0,			SCREW, Hex Head, .312-18x.94
						ELF,			
						ELN,			
						EM0			
5	5303 1049	1				ELN			SOLENOID, Fuel Shut Off Valve
6	4686 220AB	1				ELN			TRANSDUCER, Fuel Pressure
-7	53015 487AA-	1	2, 3		12, 13,	ELN			O RING
					52, 53				


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Fuel Module, 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Figure 014-510



Note;							
[EH0] = /	All 3.9L Engines	S					
[ELF] = 5	5.2L Magnum V	-8 Engi	ne				
[EMO] = I	All 5.9L Engine	s					
1	5014 789AD	1			EH0,		MODULE KIT, Fuel Pump/Level
					ELF,		Auxiliary Fuel/ 35 Gallon
					EM0		
-2	5010 370AE-	1			EH0,		MODULE, Fuel Pump, 31 Gallon
					ELF,		
					EM0		
3	5200 5389	1			EH0,		NUT, Fuel Pump Module
					ELF,		
					EM0		
4	5201 8808	1			EH0,		SEAL, Fuel Pump and Level Unit
					ELF,		
					EM0		
5							LEVEL UNIT KIT, Fuel
	5012 270AA	1			EH0,		35 Gallon
					ELF,		
	5040 00544				EM0		24.0 "
	5018 805AA	1			EH0,		31 Gallon
					ELF,		
0	4700 005	4			EM0		FILTED Eval Pressure Passidates
6	4798 825	1			EH0,		FILTER, Fuel Pressure Regulator
					ELF, EM0		
7	4616 244	1			ЕМО ЕНО,		GROMMET, Rollover Valve
,	4010 244	I			ELF,		GROWINE I, RUIIOVEI VAIVE
					ELF, EM0		
8					LIVIO		FILTER KIT, Fuel, Serviced in
O							Module, (NOT SERVICED) (No
							Serviced)

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

Throttle Body, 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Figure 014-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
	All 3.9L Engine:								
	II 5.2L Engines								
_	All 5.9L Engine								
1	6036 338AA	4				EH0,			SCREW AND WASHER, Hex Hea
						ELO,			.312-18x2.38
						EM0			
2									THROTTLE BODY
	53031 733AA	1				EL0,			
						EM0			
	53031 806AB	1				EH0			
3									MOTOR, Air Idle Speed
	53030 657AC	1				EL0,			
						EM0			
		1				EH0			
4									SCREW, A.I.S. Motor
	5003 467AA	2				EL0,			
						EM0			
		2				EH0			
5									SENSOR KIT, Throttle Position
	5017 479AA	1				EL0,			
						EM0			
		1				EH0			
6	5300 9672	1				EH0,			CONNECTOR, Emission Hose
						ELO,			
						EM0			
7									GASKET, Throttle Body To Intake
	5303 0541	1				EM0			
		1				EH0,			
						EL0			

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

Throttle Controls, 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Figure 014-710



Note;							
-	3 Speed Autom						
_	4 Speed Automa		ansmission	46RE			
_	All 3.9L Engines						
	All 5.2L Engines						
_	All 5.9L Engines					DOO	CARLE Through Makes
1	52104 030AD	1				DGG,	CABLE, Throttle Valve
0						DGT	DDACKET Cide Well Comined in
2							BRACKET, Side Well, Serviced in
							Throttle Body, (NOT SERVICED
2							(Not Serviced)
3	53031 522AB	4			EH0		CABLE, Accelerator
	53031 522AB 53031 523AB	1			ELO,		
	33031 323AB	1			ELO, EMO		
4	0181 065	1			EIVIO	DGG,	BOLT, Hex Head, .25-20x1.00
4	0101 003	ļ				DGG, DGT	BOLT, Hex Head, .25-20x1.00
5	0138 165	1				DGG,	WASHER, Lock
3	0130 103	·				DGG, DGT	WASHER, LOCK
6	5207 8718	1				DGG,	BRACKET, Throttle Valve Spring
O	0207 0710	'				DGT,	Brototter, finalic valve oping
7	5300 9055	1				DGG,	SPRING, Throttle Valve Return
-		•				DGT	C
8	5207 9065	1				DGG,	LEVER, Throttle Valve
						DGT	,
9	5207 9101	1				DGG,	BRACKET, Cable
						DGT	,
10	6029 799	1				DGG,	BOLT, Hex Head, .375-16x1.00
						DGT	•
11	J012 0375	1				DGG,	NUT, Hex, .250-20
						DGT	

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB) 2 = 25003 = 3500

ENGINE

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Air Cleaner, 3.9L (EHC), 5.2L (ELF), 5.2L CNG (ELN), 5.9L (EML) Figure 014-810



ITEM	PART	OTY	LINE	SEDIES	BODY	ENGINE	TDANO	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
lote;									
	All 3.9L Engir	nes							
_	5.2L Magnum	-							
_	5.2L V-8 MPI		gine						
	All 5.2L Engin								
	All 5.9L Engir								
1	6035 793	1				EH0,			WINGNUT
						ELF, EM0			
2	3577 759	1				EH0,			COVER, Air Cleaner
_	5511155	ı				ELF,			OUVER, All Oldandi
						EMO			
3	3830 142	1				EH0,			WRAP, Air Cleaner Filter
						ELF,			
						EM0			
4									FILTER, Air
	4713 715	1				EH0,			
						ELF,			
						EM0			
_	E0000 10 11	1				ELN			HOHONO A: C:
5	53032 124A	A 1				EH0,			HOUSING, Air Cleaner
						ELF,			
6	5300 6349	1				EM0 EH0,			ELBOW, Air Cleaner Vent
U	JJ00 0349	ı				ELF,			LLDOW, All Oldaliel Velit
						EM0			
7	53032 451A	A 1				EH0,			GASKET, Air Cleaner To T/Body
	- "-					ELO,			,
						EM0			
8	5303 0693	1				EH0,			BRACKET, Throttle Body Bonnet
						ELO,			
						EM0			
-9									FILTER PACKAGE, Air
	5017 465AE	3- 1				EH0,			
						ELF,			
		4				EM0			
		1				ELN			

Air Intake System, 3.9L (EHC), 5.2L (ELF), 5.2L CNG (ELN), 5.9L (EML) Figure 014-910

3	(1)	
		2
	ammy	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ote;									
	I 3.9L Engine								
LF] = 5.2	2L Magnum V	_							
-	2L V-8 MPI CI		gine						
$\frac{[M0] = All}{1}$	I 5.9L Engines	<u>s</u>							DUCT, Ambient Air
	53031 402AB	1				EH0			DOOT, AIRIDIGHT AIR
	53031 509AB					ELF,			
						EM0			
2	T2024 600 A A	4				⊏⊔∩			DUCT, Fresh Air
τ.	53031 699AA	1 1				EH0 ELF,			
		•				EM0			
3									ADAPTER, Air Cleaner
5	53032 059AA					EH0			
		1				ELF, EM0			
			_		<u> </u>		<u> </u>		
DGE RAM '	VAN & WAGON	(AB) —							
RIES : Van, Wago	LINE on 1 = 15	:OO	BODY 11= Van (1	109 WB)		GINE C, EH0 = Mag	anum 3,9L S	SMPI	TRANSMISSION DGG = 32RH 3 Spd. Auto.
Conv.	2 = 25		12 = Van ((407 MD)	E1 F	5, EI 0 - Mas	num 5.21 SI	MDI	DGT = 46RF 4 Spd. Auto.


X = Conv.

2 = 25003 = 3500

11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		-								
	1	5207 8296	1							CABLE, Speed Control
_	2	5503 6014	1							HOSE, Vacuum Supply, 11/32 rough
										stock
	3	52078 340AB	1							BRACKET, Speed Control Servo
	4	4669 979	1							SERVO, Speed Control
	5	5503 5902	1							RESERVOIR, Speed Control
										Vacuum
	6	6505 031AA	1							CLIP
	7	6502 493	2							NUT, Hex Flange Serration, M6x1
	8	6025 867	1							CLIP, Cable to Servo Attach
	9									SCREW, [.250-20x.625], (NOT
										SERVICED) (Not Serviced)
	10	6504 528	4							SCREW AND WASHER, Hex Head
	-11	3780 508	1							HOSE, Vacuum, 1/8" I.D. 50 Foot
										Roll
	-12	4307 218	1							CONNECTOR, "Y" Reserve Tank
	-13	4549 209	1							VALVE PACKAGE, Check
	-14	5303 0008	1							CONNECTOR, Vacuum, .25x.25x.25
										Tee

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto.

DG0 = All Auto. Transmis sions.


Accelerator Pedal Figure 014-1110


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	53031 521AB	3 1							PEDAL, Accelerator
ODGE RAM	M VAN & WAGON LINE	I (AB) —	BODY		FN	GINE			TRANSMISSION
EERIES . = Van, Wa (= Conv.	agon 1 = 15 2 = 25 3 = 35	500 2500	11= Van (1 12 = Van (13 = X-Var 51 = Wago	109 WB) (127 WB) n (127 WB) on (109 WB) on (127WB)	EH(ELF ELN	IGINE C, EH0 = Mag F, EL0 = Mag N, EL0 = 5.2L IL, EM0 = Mag	num 5.2L SN . V8 MPI CN	MPI IG	DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.



AR = Use as required -= Non illustrated part # = New this model year

Group – 016 Propeller Shafts and U–Joints






GROUP 16 - Propeller Shafts and U-Joints


Illustration Title	Group-Fig. No
Propeller Shaft	
Propeller Shaft	Fig. 016-110

Note:Sales Codes;

[DGG]=Transmission - 3-Speed Automatic,32R [DGT]=Transmission - 4-Speed Automatic,46R

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION





RB]=/	Axle - Rear,Corpo	rate 9.	25 Light Duty				
RC]=A	Axle - Rear,Dana	M60/2	48MM				
_	Axle - Rear,Dana			ty			
	Axle - Rear,Corpo						
_	ingines - All 3.9L						
-	ngines - All 5.2L	-					
-	Engines - All 5.9L	8 Cylir	nder Gas				
1							SHAFT, Drive
	52105 412AA	1	1	11, 51	EH0	DGG	[DRA]
	52105 410AA	1	1	11, 51	ELO,	DG0	[DRA,DRB]
	50405 74044			40.40	EM0	500	(DD4 DD0)
	52105 713AA	1		12, 13,	EH0	DGG	[DRA,DRG]
	50405 07045			52, 53		D.O.T.	1000 0001
	52105 678AB	1		12, 13,		DGT	[DRC,DRD]
				51, 52,			
	50405 4444	4		53			(DDA DDD DDO)
	52105 411AA	1		12, 13,	ELO,	DG0	[DRA,DRB,DRG]
0				52, 53	EM0		FLANCE Drive Obet
2	5045 550AA		4	44 54	FUO	D00	FLANGE, Drive Shaft
	5015 556AA	1	1	11, 51	EH0	DGG	[DRA]
		1	1	11, 51	ELO,	DG0	[DRA,DRB]
		4		10 10	EM0	DCC	
		1		12, 13,	EH0	DGG	[DRA,DRG]
		1		52, 53	EL0,	DG0	[DRA,DRB,DRG]
		ı		12, 13,		DGU	[DRA,DRB,DRG]
3				52, 53	EM0		YOKE, Drive Shaft
3	5014 072AA	1	1	11, 51	EH0	DGG	[DRA]
	5014 072AA 5014 040AA	1	<u>1</u> 1	11, 51	ELO,	DG0	[DRA,DRB]
	3014 040AA	'	'	11, 51	EMO	DG0	[DKA,DKB]
	5014 072AA	1		12, 13,	EH0	DGG	[DRA,DRG]
	3014 072AA	'		52, 53	LITO	DGG	[DKA,DKG]
	5066 132AA	1		12, 13,		DGT	[DRC,DRD]
	JUUU 132AA	ı		51, 52,		DGT	[טאט,טאט]
				51, 52, 53			

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


ENGINE

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.


AR = Use as required -= Non illustrated part # = New this model year


0


Propeller Shaft Figure 016-110




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5014 040AA	1			12, 13,	ELO,	DG0		[DRA,DRB,DRG] Steel Prop Shaft
					52, 53	EM0			
	5135 264AA	1			12, 13,	ELO,	DG0		[DRA,DRB,DRG] Aluminum Prop
					52, 53	EM0			Shaft
4	6034 965	4							BOLT, Hex Head, [DRC,DRD] Rear
									Propshaft, Mounting
5	4428 723	2							CLAMP, U-Joint, [DRC,DRD] Rear
									Propshaft, Mounting
6									U JOINT
	5014 733AA	2	1		11, 51	EH0	DGG		
		2	1		11, 51	ELO,	DG0		
						EM0			
-		2			12, 13,	EH0	DGG		
					52, 53				
	5003 146AA	1			12, 13,		DGT		
					51, 52,				
					53				
	5014 733AA	2			12, 13,	ELO,	DG0		
					52, 53	EM0			
7	5010 937AA	1			12, 13,		DGT		RETAINER, U Joint
					51, 52,				
					53				
8	6506 497AA	4							BOLT, Hex Head, M12, [DRA,DRB,
									DRG] Rear Propshaft Flange,
									Mounting









DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

AR = Use as required -= Non illustrated part # = New this model year

Group – 017 Rear Suspension






GROUP 17 - Rear Suspension

Illustration Title	Group-Fig. No.
Rear Suspension	
Rear Suspension	Fig. 017-110

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales	Note:Sales Codes:								
[DRA]=8.2	[DRA]=8.25 Chrysler Axle								
[DRB]=9.2	[DRB]=9.25 Light Duty Chrysler Axle								
[DRC]=Da	na Model 60/2	248MM							



	Dana Model 60/24				
-	9.25 Heavy Duty	-			
	he VIN number fo	r the	proper 'Z' code	listing for the various spring co	•
1					SCREW, 0.25-20 X 1.25, (NOT
					SERVICED) (Not Serviced)
2	52106 223AA	2			BUMPER, Spring, Rear, Jounce
3		_			CLIP, Spring
	52106 209AA	2	1, 2	11, 12,	[ZAR,ZBR,ZCR,ZNR,ZPR,ZRR]
				13, 51,	
		_		52	
	3496 267	2			[ZER,ZFR,ZGR,ZTR,ZUR,ZVR]
4	5203 8217	2			SEAT, Spring
5					SPRING, Rear Leaf
	52106 152AF	1			[ZAR,ZNR]
	52106 157AD	1	1	11, 12,	[ZBR,ZPR]
				13, 51	
	52106 153AF	1			[ZCR,ZRR]
	52106 154AE	1			[ZER,ZTR]
	52106 155AE	1			[ZFR,ZUR]
	52106 156AD	1			[ZGR,ZVR]
-6	52113 142AA-	4			ISOLATOR, As Required
-7	52113 136AA-	4			LINER, SPRING TIP, As Required
8	6506 893AA	4			SCREW, Pilot Point, Shackle to
					Spring, Mounting
9	6502 698	4			NUT, Hex Flange Lock, Shackle to
					Spring, Mounting
10	5203 9204	2			SHACKLE, Spring
11	6506 893AA	4			SCREW, Pilot Point, Shackle to
					Spring Bracket, Mounting
12	52039 493AA	2			BRACKET, Spring
13	6502 698	4			NUT, Hex Flange Lock, Shackle to
					Spring Bracket, Mounting
14	6033 841	8			SCREW AND WASHER, Hex Flange
					Head, .437-14x1.30, Spring Brack
					to Frame, Mounting
15	6036 041AA	8			NUT, Hex Locking, .562-18, Spring
					Clip, Mounting

DODGE	RAM	VAN	&	WAGON	(AB)
					(/

SERIES L = Van, Wagon X = Conv.

LINE 1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Rear Suspension Figure 017-110

		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	16									PLATE, Rear Spring Clip
_		55024 582AB	2							[DRA,DRB,DRC,DRD]
		5203 8457	2							[DRG]
	17	0181 172	2							BOLT, Shock Lower, Mounting
	18	0154 888AA	2							SCREW, Shock Upper, Mounting
_	19	0152 348	4							NUT, Lock, .500 - 13, Shock Lower,
										Mounting
	20	0152 353	2							NUT, Hex Lock, Rear Spring Front,
										Mounting
_	21	6029 377	2							BOLT, Hex Head, .62-18x4.50, Rear
										Spring Front, Mounting
	22	1319 554	4							RETAINER, Shock Absorber Bushing
	23	0152 348	4							NUT, Lock, .500 - 13, Shock
										Mounting, Mounting
	24									SHOCK ABSORBER, Suspension,
										Rear
		52039 319AC	2	1		11, 51				[Z1D,Z1E]
		52106 310AC	2	1		12, 13				[Z1D,Z1E]
		52106 311AC	2	2, 3		12, 13,				[Z2F,Z2G,Z3E]
						52				
		52106 320AC	2	3		13, 53				[Z3E,Z3F]
	25	5012 335AC	2	1		12				SHOCK ABSORBER PACKAGE,
										suspension, [Z1F]


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Group – 019 Steering



019–100 Steering Wheel	019–200 Steering Column	019–300 Steering Gear	019–400 Steering Linkage
		Barrier Branch	ê Mê
019-500 Power Steering Pump	019–700 Power Steering Hoses		

GROUP 19 - Steering

Illustration Title	Group-Fig. No
Steering Wheel Steering Wheel	Fig. 019-110
Steering Column	g. 0.0 0
Steering Column	Fig. 019-210
Steering Gear	
Steering Gear	Fig. 019-310
Steering Linkage	
Steering Linkage For [DJB] Axle	Fig. 019-410
Steering Linkage For [DJE] Axle	Fig. 019-420
Power Steering Pump	
Power Steering Pump and Mounting	Fig. 019-510
Power Steering Hoses	
Power Steering Hoses	Fig. 019-710

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION

Note:If Horn Switch is defective, you must replace the AIR BAG COVER WITH SWITCH and not the AIR BAG MODULE

	1 2 3 4 5 6
(8)	

ASSE	MBLY itself.		
Note: N	HM=Speed Contro	ıl	
1			WHEEL, Steering
	5GK28 DX9AA	1	Without [NHM]
	5GX60 DX9AA	1	With [NHM]
2	6505 656AA	1	SCREW, Hex Flange Head, M10x1
			5x35., Steering Wheel, Mounting
3			SWITCH, Speed Control
	56021 332AB	1	Right
	56021 333AB	1	Left
4	6036 149AA	4	SCREW, Pan Head, Speed Contro
			Switch, Mounting
5	5GK53 DX9AD	1	AIR BAG, Driver
6	UP99 DX9AA	1	COVER, Air Bag Module, Includes
			Horn Switch
7	6506 091AA	2	SCREW, M6x1x25, Air Bag Module
			to Steering Wheel, Mounting
8	56045 403AE	1	CLOCKSPRING
-9			WIRING, Steering Wheel
	55351 173AA-	1	Without [NHM]
	55351 174AA-	1	With [NHM]

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon LINE 1 = 1500 X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			•	•	•				
	es Codes	_							
	ransmission - 3-	-							
	ransmission - 4	-	d Automatic	c,46R					
1 2	55351 139AC 6101 448	1 6							BRACKET, Steering Column NUT AND WASHER, Hex Nut-Cone
									Washer, M10 x 1.5, Column
									Bracket to Plenum, Mounting
3									SCREW, M10x1.50x45.00, (NOT
									SERVICED) (Not Serviced)
4	5018 975AA	1					DGT		SWITCH KIT, Overdrive Lockout, [SUA]
5									LEVER, Gearshift
	55351 134AA	1					DGG		[SUA]
	55351 132AA	1					DGT		[SUA]
6									LEVER ASSY, with bracket and
									cable
	4690 734AE	1					DGG		[SUA]
		1					DGT		[SUA]
7									SHROUD, Steering Column
	5GE10 DX9AD	1							Without [SUA], Upper And Lower
	5GE09 DX9AC								With [SUA], Upper And Lower
8	4470 105	2							SCREW, Filister Head, #8-16x.25,
Ü	5 100	-							Shroud to Shroud, Mounting
9	6036 264AA	1							SCREW, 6 Lobed, Shroud to
9	3000 ZU+AA	'							Column, Mounting
10	5018 971AA	1					DGT		BOOT, Gearshift, [SUA]
11	5010 91 IAA	'					DGT		COLUMN, Steering, Tilt
11	55351 252AE	1					DGG		COLOWIN, Steering, Till
	4690 667AF	1					DGG		
12	4090 007AF	-					DGT		COLUMN, steering, non tilt
12	EE2E4 2E2AE	1					DCC		COLOMN, Steering, non-tilt
	55351 253AE	1					DGG		
40	4690 668AE	1					DGT		NUIT Floogo Look M40v4.50
13	6101 510	1							NUT, Flange Lock, M10x1.50,
4.4									Intermediate Shaft to Column
14									NUT AND WASHER, Hex Lock Nut-
									Coned Lock Washer, M8 x 1.25,
	0504 000 4 4								(NOT SERVICED) (Not Serviced)
	6504 926AA	1							SCREW, Hex Flange Head, M10x1.
15	000.020.21								5x40, Intermediate Shaft to Colum
15 16	55351 255AA	1							SHAFT, Intermediate



Steering Column Figure 019-210

		4 3	2	
(5)				
6				
7			19	
(8)	9 10	(11)	1 (12 (13) (14) (15)	(16)
				17

	PART	OTV		OFFICE	BODY	FNOINE	TDANO	TDIM	DECORIDEION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	6504 926AA	1							SCREW, Hex Flange Head, M1
17	030 4 920AA	'							5x40, Intermediate Shaft to Ge
-18	56045 165AB-	1							BRACKET, Mounting, Multifunct
	00010100112	•							Switch
19									BEARING, Steering Column Sh
	5057 009AA	2					DGG		[SUA], Lower
	0001 0007 11 1	2					DGT		[SUA], Lower
-20	4690 806AE-	1					50.		KNOB, TILT LEVER RELEASE,
	.000 000/ .=	•							[SUA]
-21	5018 974AA-	1					DGT		WIRING, Overdrive Switch
-22									BRACKET, Steering Column
_	4690 853AC-	1					DGG		,
		1					DGT		
-23									BRACKET, Gearshift
	55351 142AA-	1					DGG		[SUA]
		1					DGT		[SUA]
-24									SCREW
	55351 131AA-	1					DGG		Park Inhibit Link
		1					DGT		Park Inhibit Link
-25									SPRING, Gearshift Lever
	4690 242AB-	1					DGG		[SUA]
		1					DGT		[SUA]
-26									SCREW, .164-18x1.00
	6035 937AA-	1					DGG		Washer Steel Support
		2					DGG		Reaction Bracket, Mounting
		2					DGG		Strap Attraching
		2					DGG		Lever Assy.Cable, Mounting
		3					DGG		Shift Mounting Attaching
		1					DGT		Washer Steel Support
		2					DGT		Reaction Bracket, Mounting
		2					DGT		Strap Attraching
		2					DGT		Lever Assy.Cable, Mounting
		3					DGT		Shift Mounting Attaching
-27									SCREW, Pan Head, M6x1x20
	6505 925AA-	1					DGG		Tilt Latch, Mounting
		1					DGT		Tilt Latch, Mounting
-28	0001.555								PIN, M5x50.00
	6504 628	1					DGG		Gearshift Lever Pivot
0.5	=00.4=	1					DGT		Gearshift Lever Pivot
-29	56045 606AB-	1							COVER, Steering Column Gap

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

sions.



Steering Column Figure 019-210

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-30	6034 779	2							SCREW, Pan Head, .164-32x.50,
									Multifunction Switch Housing to Till
									Head, Mounting
-31	5080 874AA-	2					DGG		CAPSULE, Steering Column Mount



DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

AR = Use as required -= Non illustrated part # = New this model year

6	
1 2 3 13	13 16


	PART	1							
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•		•	•	•	
1									NUT, Steering Gear Arm
· ·	J320 0501	1	1						No 1, Otooling Coa. 7
	0020 001	1	2, 3						
2		•	-, -						WASHER, Lock, .875x1.469
_	S010 3336	1	1						VV/ C. IE. (, 200., 10. 2
		1	2, 3						
3			,						GEAR, Power Steering
	52039 231AE	1	1						<u> </u>
	52013 456AA		2, 3						
-4	3893 554	1							COVER, Steering Gear Housing
-5	3893 558	1							SEAL, Steering Gear Cover
6	3822 799	1							BALL, Steering Gear
-7	3893 557	1							SEAL KIT, Steering gear end plug
-8	4470 365	1							SEAL KIT, Steering gear pitman
									shaft
-9	3893 559	1							SEAL, Steering Gear
-10	3491 350	1							SEAL, Steering Gear Valve
-11	4210 545	1							VALVE, Power Steering Gear
-12	4897 000AA-	1							REPAIR KIT, Thrust Bearing,
									Steering Gear
13									SCREW AND WASHER, Hex Head,
									[.500-13 X 1.750 Quanity 2], (NOT
									SERVICED) (Not Serviced)
14	5203 9286	1							BRACKET, Steering Gear
15	6100 357	3							BOLT AND CONED WASHER, Hex
									Head, M14x40x28, Steering Gear
									to Steering Gear Bracket, Mounting
16									STUD, [.500-13 X 3.125 Quanity 2],
									(NOT SERVICED) (Not Serviced)
17									WASHER, Flat, [ID=.500 OD=1.750
									THK=.187], (NOT SERVICED) (Not
									Serviced)
18									NUT AND WASHER, Hex Lock Nut-
			<u> </u>		<u> </u>	<u> </u>	<u> </u>		Coned Lock Washer, .500-13,
									[.500-13 Quanity 2], (NOT
									SERVICED) (Not Serviced)
	5203 7992	1							ARM, Pitman

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Steering Linkage For [DJB] Axle Figure 019-410



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	J013 7214	4							PIN, Cotter, As Required
2	6036 331AA	2							NUT, As Required
3	3897 412	2							SEAL, Tie Rod End, As Required
4									END, Tie Rod
	5203 8288	2							Includes Items 3,6, Right
	5203 8289	2							Includes Items 3,6, Left
5	4089 385	2							TUBE, Tie Rod
6	6030 099	2							FITTING, Ball Joint, Zirc, As
									Required
7	2835 895	2							SEAL, Idler Arm
8	9425 132	2							NUT, Hex, .50-20
9	4088 946	2							ARM, Idler, Includes Item 7
10	4089 398	1							LINK, Steering Center
11	3004 805	2							BOLT, .562-12x3.75, Idler Arm,
									Mounting
12	6030 448	2							NUT, Hex Lock, .562-12, Idler Arm
									Mounting
13	5203 8006	1							DRAG LINK, Steering, Includes
									Items 3,6

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Steering Linkage For [DJE] Axle Figure 019-420



Power Steering Pump and Mounting Figure 019-510

	1 2		5 6	7
		3 /		
				8
			est)	
13	12 11	10	N N N N N N N N N N N N N N N N N N N	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6034 249	2				EH0,			SCREW AND WASHER, Power
						ELO,			Steering Bracket to Cylinder Head,
						EM0			Mounting
2	5300 8859	1				EH0,			BRACKET, Power Steering Pump,
						ELO,			Mounting
						EM0			
-3	6101 496	1				EH0,			SCREW, Power Steering Pump
						ELO,			Mounting Bracket
						EM0			
4	4694 766	1				EH0,			CAP, Power Steering Pump
						ELO,			
						EM0			
5	5203 9173	1				EH0,			PUMP, Power Steering, Includes
						EL0,			Item 3
						EM0			
6	53010 219AB	1				EH0			BRACE, Power Steering Pump, Real
7	6029 713	1				EH0			SCREW AND WASHER, Power
									Steering Pump Brace to Block,
									Mounting
8	6101 448	1				EH0			NUT AND WASHER, Hex Nut-Coned
									Washer, M10 x 1.5, Power Steering
									Pump to Rear Brace, Mounting
-9									SCREW, M10x1.50x20.00-Power
									Steering Bracket Mounting, (NOT
									SERVICED) (Not Serviced)
10	6502 501	3				EH0,			BOLT, Hex Head, M10x1.50x28,
						ELO,			Power Steering Bracket to Pump,
						EM0			Mounting
11	5300 5614	1				EH0,			PULLEY, Power Steering Pump
						EL0,			
						EM0			
12	6034 242	1				EH0,			SCREW AND WASHER, Power
						ELO,			Steering Bracket to Cylinder Head,
						EM0			Mounting
13	6034 247	1				EH0,			BOLT, Hex Head, .375-16x.25,
						ELO,			Power Steering Bracket to Cylinder
						EM0			Head, Mounting

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY


11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Power Steering Hoses Figure 019-710

PART






ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
Note:Sale	s Codes;								
	en ordering 520	39462	power stee	ering press	ure hose,	you must c	order 5203	7556 fit	ting with it.
[EH0]=En	gines - All 3.9l	L V6 G	as						
[EL0]=Eng	gines - All 5.2L	8 Cyli	nder Gas						
[EM0]=En	igines - All 5.9	L 8 Cyl	inder Gas						
[NMC]=Er	ngine Cooling	- Heavy	/ Duty						
1	6504 639	4							BOLT AND RETAINER, M6x1.0x22. 35, Cooler, Mounting
2	5203 9462	1				EH0,			HOSE, Power Steering, Pump to
						EL0,			Power Steering Gear-See Note at
						EM0			Top, Pressure
3	2448 761	1				EH0,			CLAMP, Hose, As Required
						ELO,			, , ,
						EM0			
4	5205 254	2				EH0,			O RING, Power Steering Hose, As
						ELO,			Required
						EM0			•
5	5203 7556	1				EH0,			FITTING, Power Steering, Quick
						ELO,			Connect, to Power Steering Gear,
						EMO			Pressure
6	5203 9368	1				EH0,			HOSE, Power Steering, Cooler to
						EL0,			Power Steering Gear, Return
						EM0			
7									HOSE, Power Steering
	5210 6062	1				EH0			Cooler to Power Steering Pump,
									Return
	5203 9366	1				ELO,			Cooler to Power Steering Pump,
						EM0			Return
8	6100 048	2							NUT, Hex, M6x1.00
9	5203 9255	1				EH0,			COOLER, Power Steering
						ELO,			
						EM0			
10	5203 9464	1				EH0,			HOSE, Power Steering, Pump to
						ELO,			Power Steering Gear, Return
						EM0			
-11	3441 105	1				EH0,			SEAL, Power Steering Pressure
						EL0,			Fitting
						EM0			

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Group – 32RH Automatic Transmission 3 Speed




32RH-100	32RH-200	32RH-300	32RH-400
Transmission Assembly	Case and Extension	Oil Pump	Gear Train
32RH-500	32RH-600	32RH-700	32RH-1200
Bands, Reverse and Kickdown	Governor	Valve Body	Gearshift Controls

GROUP 32RH - Automatic Transmission 3 Speed


Illustration Title	Group-Fig. No.
Transmission Assembly	Fiz. 00DU 440
Transmission [32RH] [DGG]	Fig. 32RH-110
Case And Related Parts [32RH] [DGG]	Fig. 32RH-210
Oil Pump Pump, Oil [32RH] [DGG]	Fig. 32RH-310
Gear Train	
Clutch , Front And Rear [32RH] [DGG]	Fig. 32RH-410
Outpt Shaft [32RH] [DGG]	Fig. 32RH-420
Bands, Reverse and Kickdown	
Bands [32RH] [DGG]	Fig. 32RH-510
Governor	
Governor [32RH] [DGG]	Fig. 32RH-610
Valve Body	
Valve Body [32RH] [DGG]	Fig. 32RH-710
Servos, Accumulator [32RH] [DGG]	Fig. 32RH-720
Parking Sprag [32RH] [DGG]	Fig. 32RH-730
Gearshift Controls	
Gearshift, Controls [32RH] [DGG]	Fig. 32RH-1210
Servos, Accumulator [32RH] [DGG]	Fig. 32RH-730

Transmission [32RH] [DGG] Figure 32RH-110



ļ	PART	'			l '			,	
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes: Sal	lles Code 3 Speed Auto	omatic Tr	ranemissio	<u> </u>					
	5018 763AA		ansmission	1			DGG		TRANSMISSION PACKAGE,
' '	3010 70076.						DOC		52119750AA(Package contains
									52119750AA Transmission,
									K4736593 Converter, K1949765
									Screws)
									Ge. 5.1.5,
				_		_			
_		_	_	_	_		_	_	_
DDGE RAM ERIES	I VAN & WAGO I LINE	·N (AB) — ⊏	BODY		FN [/]	GINE			TRANSMISSION
= Van, Wag	gon 1 = 1	1500	11= Van (1	109 WB)	EHC	C, EH0 = Mag	gnum 3.9L S	3MPI	DGG = 32RH 3 Spd. Auto.
= Conv.	2 = 2	2500	12 = Van ((127 WB)	ELF	F, EL0 = Magı	gnum 5.2L SN	MPI	DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis
	S = (3500	51 = Wago	in (127 WB) on (109 WB)	ELIV EM	N, EL0 = 5.2L L, EM0 = Mag	. Vo IVIPI GIN Ianum 5.9L (SMPI	DGU = All Auto. Transmis sions.
			52 = Wago	on (127WB) agon (127 WB		-,	9		

Case And Related Parts [32RH] [DGG] Figure 32RH-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes: Sa	ales Codes								
[DGG] =	3 Speed Autom	natic Tra	ansmissior	า					
[DGT] = 4	4 Speed Autom	atic Tra	ansmission	1					
[DG0] = A	All Automatic Ti	ansmis	sions						
[EH0]=All	3.9L V6 Engin	es							
[EL0] = A	II 5.2L 8 Cyl G	as Engi	nes						
[EMO] = A	All 5.9L 8 Cyline	der Gas	s Engines						
-1	5072 425AA-	1					DGG		FILTER PACKAGE, Transmission C
-2	5072 420AC-	1					DGG		SEAL AND GASKET PACKAGE,
									Transmission
3	52117 755AB	1					DGG		COVER, Converter
4	52118 600AB	1					DGG		CASE, Transmission
5	2466 954	1					DGG		GASKET, Transmission Case
6	4431 433	1					DGG		SUPPORT, Output Shaft
7	5211 8595	1					DGG		SOLENOID, Transmission
8	5603 8235	1					DGG		CONNECTOR, Wiring
9	56045 489AA	1					DGG		SWITCH, Neutral, Safety, Back Up
10	56049 014AA	1					DGG		BRACKET
11	2408 143	1					DGG		WASHER, Switch
12	6036 141AA	1					DGG		SCREW
13	6022 266	4					DG0		SCREW, Hex Head, .375-16x1.5
14	6023 092	2					DGG,		SCREW AND WASHER, Hex Head,
							DGT		.25-20x.50
15	52118 639AB	1					DGG,		INDICATOR, Transmission Fluid
							DGT		Level
16	52107 695AC	1					DGG		TUBE, Transmission Oil Filler
17	52118 629AB	1					DGG,		SEAL, Oil Filler Tube
							DGT		
18	4446 150	1					DGG,		BRACE, Transmission
							DGT		
19	2400 185	1					DGG		SNAP RING
20	52118 754AC	1					DGG		CASE, Transmission Rear
21									BUSHING, (NOT SERVICED) (Not
									Serviced)
22	5003 408AA	1					DGG		SEAL, Output Shaft
23	2801 398	1					DGG		GASKET, Transmission
24	2466 957	1					DGG		COVER, Transmission Converter
25	3681 601	1					DGG		MAGNET, Transmission
26	6033 879	2					DGG		NUT, Inverted Flare, .62-18
27	4723 548	1					DGG		SCREW AND WASHER, Hex Head,
									.312-18x.625


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Case And Related Parts [32RH] [DGG] Figure 32RH-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
28	5211 8802	1					DGG		PAN, Transmission Oil
29	4295 875AC	1					DGG		GASKET, Oil Pan
30	6024 027	1					DGG,		SCREW AND WASHER, Hex Head,
							DGT		.437-14x.25
31	6025 021	1					DGG		NUT, Hex, .437-14
32	6033 479	6					DGG		BOLT, Hex Head, .25-28x1-5/8
33	6028 095	1					DGG		PLUG, Pressure Check
34	6028 095	1					DGG		PLUG, Pressure Check
35	6029 531	6					DGG		SCREW, Hex Flange Head Lock,
									.375-16x1.25
36	6028 022	2					DGG		SCREW, Flange Head Locking, .25-
									20x.62
37	5211 7709	1				EH0,			GROMMET, Timing Probe
						EL0,			
						EM0			
38	4167 541	1					DGG		STRAP, Oil Filler Tube

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-		•								



[DGG] = 3 Speed Automatic Transmission	
[EH0] = All 3.9L V 6 Cylinder Gas Engines	
[EL0] = All 5.2L 8 Cylinder Gas Engines	
[EM0] = All 5.9L 8 Cylinder Gas Engines	
-1 4713 108AB- 1 DGG GASKET AND SEAL PACK Transmission Oil Pump	AGE,
2 4412 475 1 DGG SEAL, Impeller Hub, 57.25	nm OD
3 2466 796 1 DGG BUSHING, Front Pump	
4 4778 552AB 1 DGG PUMP, Transmission Oil	
5 ROTOR, Oil Pump, (NOT	
SERVICED) (Not Service	d)
6 ROTOR, Oil Pump, (NOT	
SERVICED) (Not Service	<u>d)</u>
7 SHAFT, Oil Pump, (NOT	
SERVICED) (Not Service	d)
8 LOCK WASHER, (NOT SE	RVICED)
(Not Serviced)	
9 2204 709 1 DGG SEAL, Front Pump Housing	l
10 BALL, Valve Body Check, (NOT
SERVICED) (Not Service	d)
11 0179 815 6 DGG SCREW, Hex Head, .312-1	8x.687
12 5211 8266 1 DGG GASKET, Transmission Oil	Pump
13 4058 635 1 DGG BUSHING, Reaction Shaft	
14 4471 874 2 DGG SEAL, Ring Reaction Supp	ort, 2 1/16
O.D.	
15 4617 786 1 DGG THRUST WASHER, Front	Clutch
16 6023 943 6 DGG SCREW AND WASHER, H	ex Flange
Head, .312-18x1.375	

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Clutch, Front And Rear [32RH] [DGG] **Figure 32RH-410**

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Code								
_	3 Speed Auton	natic Ira	ansmissioi	n					
-1									ROLLER AND SPRING PACKAG
									Overrunning Clutch
	2808 673	1				EM0	DG0		
		1				EH0	DG0		
		1				EL0	DG0		
-2	5252 926AB-	1					DGG		SEAL PACKAGE, Transmission Clutch
-3	3515 054	1					DGG		SPRING, Front Clutch
4	4531 285AB	1					DGG		RETAINER AND BUSHING,
									Transmission Front Clutch
5	3515 176	1					DGG		SEAL, Front Clutch Piston
6	4058 487AB	1					DGG		SEAL, Front Piston Clutch
7	4617 154AB	1					DGG		PISTON, Clutch
-8	0147 483	1					DGG		CHECK BALL, Dia187
9	4329 809	1					DGG		SPRING, Front Clutch
10	4617 516AC	1					DGG		RETAINER, Transmission Front
									Clutch Piston Spring
-11	0147 483	1					DGG		CHECK BALL, Dia187
12	1942 400	1					DGG		SNAP RING
13	4617 362	4					DGG		DISC, Direct Clutch
14	3410 571	1					DGG		SNAP RING
15	4617 176AB	1					DGG		PLATE, Transmission Clutch
									Reaction
16	1942 403AC	4					DGG		PLATE, Clutch Separator
17	4505 199	1					DGG		RETAINER, Transmission Rear
									Clutch
-18	0147 483	1					DGG		CHECK BALL, Dia187
19	6022 859	1					DGG		SNAP RING, .890625
20	4028 333	1					DGG		SEAL, Rear Clutch, 1.50 ODx.009
									Thk
21	4617 786	1					DGG		THRUST WASHER, Front Clutch
22	1401 221AB	1					DGG		SEAL, Input Shaft
23	4505 189	1					DGG		INPUT SHAFT, Transmission
24	4713 880	1					DGG		DISC, Clutch
25	4130 761	1					DGG		SNAP RING, .060" Thick
-26	4539 122	1					DGG		SNAP RING, Rear Clutch, .098
-27	4539 121	1					DGG		SNAP RING, Rear Clutch, .076
-28	4539 123	1					DGG		SNAP RING, Rear Clutch, .095

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon X = Conv.

LINE 1 = 1500 2 = 25003 = 3500

BODY

11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB)


52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis

AR = Use as required -= Non illustrated part # = New this model year

Clutch, Front And Rear [32RH] [DGG] Figure 32RH-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-29	4539 124	1					DGG		SNAP RING, Rear Clutch, .107
30	4617 176AB	1					DGG		PLATE, Transmission Clutch
									Reaction, Rear
31	1942 403AB	3					DGG		PLATE, Clutch Separator
32	2466 281	1					DGG		PLATE, Clutch Pressure, Front
33	2466 283	1					DGG		SPRING, Rear Clutch, Wave
34	4728 487	1					DGG		SPRING, Rear Clutch Piston
35	2538 695	1					DGG		SEAL, Rear Clutch Piston
36	3515 716	1					DGG		PISTON, Clutch
37	4505 185	1					DGG		THRUST WASHER, Output Shaft,
									Gray .052
-38	4505 186	1					DGG		THRUST WASHER, Output Shaft,
									Red .068
-39	4505 187	1					DGG		THRUST WASHER, Output Shaft,
									Green .083
40	4617 157	1					DGG		BUSHING, Front Clutch
-41	4617 159	1					DGG		BUSHING, Rear Clutch

DODGE RAM VAN & WAGON (AB) LINE

SERIES L = Van, Wagon X = Conv.

1 = 1500 2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB)

52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

Outpt Shaft [32RH] [DGG] Figure 32RH-420



	PART				1	1	1	'	
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes: S	Sales Code								
	3 Speed Autor	matic Tr	ansmissio	_' n					
1	6026 289	1					DGG		SNAP RING, .946 ID
-2	6030 938	1					DGG		SNAP RING
-3	6030 404	1					DGG		SNAP RING, Output Shaft, 1.029 OI
4	6030 576	1					DGG		SNAP RING, Annulus Gear, 1.375 II
5	3681 969	1					DGG		THRUST WASHER, Annulus Gear,
									Support, Thrust w/Lip, Steel
									Backed Bronze 2-1/8" O.D.
6	4617 775	1					DGG		PLATE, Annulus Gear Thrust
7	4617 774	1					DGG		SUPPORT, Annulus Gear, w/
									Bushing, Gear
8									SNAP RING
	6030 938	1					DGG		Front Annulus Gear
	6035 238	1					DGG		[4 5/8] Size
9	4130 518	2					DGG		THRUST WASHER, Planetary
									Carrier, 2-5/8" I.D., w/4 Tabs I.D.
10	4130 512	1					DGG		GEAR, Front Annulus
11	4130 514	1					DGG		CARRIER, Planetary Pinion, Front
12	4130 736	1					DGG		SPACER, Sun Gear, , 4 Inner Teeth
									2" O.D.
13	4471 566	2					DGG		PLATE, Transmission Module, Sun
									Gear Driving Shell, Thrust
14	4130 685	1					DGG		GEAR, Sun, w/Bushing, 38T-28T
15	4531 288	1					DGG		SHELL, Sun Gear, Driving
16	4505 188	1					DGG		PLATE, Transmission Module,
									Thrust, Flat 1-3/8" Dia., .060" Thick

17	4617 318	1					DGG		MAINSHAFT, Transmission
18	1942 439	1					DGG		SNAP RING, Sun Gear Shell, Drivin
									Shell, 1-41/64" O.D. ***
19	3681 935	1					DGG		THRUST WASHER, Planetary
									Carrier
20	4431 438	1					DGG		CARRIER, Planetary Pinion, Rear
21	3743 184	1					DGG		GEAR, Rear Annulus
22	3515 501	1					DGG		SUPPORT, Annulus Gear, 62T, 28T
									4" O.D
23	1942 444	1					DGG		SNAP RING, 4-1/16" O.D.
24	6033 480	1					DGG		SNAP RING, Reverse Drum
25	6033 616	5					DGG		SCREW, Hex Flange Head, .25-28x
		-					= -		875

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

AR = Use as required -= Non illustrated part # = New this model year

Outpt Shaft [32RH] [DGG] Figure 32RH-420



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26	4637 956	1					DGG		DRUM PACKAGE, Transmission
27	4431 690	1					DGG		CAM, Overrunning Clutch
28	4431 432	1					DGG		CLUTCH, Overrunning, w/12 Rollers,
									Springs and Retainer

DODGE RAM VAN & WAGON (AB) LINE

SERIES L = Van, Wagon

1 = 1500 2 = 2500X = Conv.3 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB)


13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis

AR = Use as required -= Non illustrated part # = New this model year

Bands [32RH] [DGG] Figure 32RH-510





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NUMBER	QIT	LINE	SERIES	ворт	ENGINE	IKANS	I KIIVI	DESCRIPTION
	ales Code								
DGG] =	3 Speed Auton	natic Tr	ansmissioı	า					
1	4202 764AB	1					DGG		LEVER, Reverse Band
-2	4202 765	1					DGG		LEVER, Reverse Band
3	2538 472	1					DGG		SCREW, Trans Reverse Band
									Adjusting, .375-24-1.88
4	0114 942	1					DGG		NUT, Hex, .375-24, Adjusting Scre
									Lock,
5	3410 102	1					DGG		SHAFT, Reverse Band
6	4431 406	1					DGG		BAND, Reverse
7	6030 657	1					DGG		O RING, Steering Gear
8	3410 102	1					DGG		SHAFT, Reverse Band
9	0124 934	1					DGG		NUT, Hex Jam, .50-20
10	6036 141AA	1					DGG		SCREW
11									PLUG, (NOT SERVICED) (Not
									Serviced)
12	2124 666	1					DGG		LEVER, Kickdown
13	4531 181	1					DGG		SHAFT, Band Lever
14	3515 084	1					DGG		STRUT, Kickdown Band
15	4617 849AB	1					DGG		BAND, Kickdown

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Governor [32RH] [DGG] Figure 32RH-610

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Natas O	alaa Cada								
	ales Code 3 Speed Auton	natic Tr	anemiesior						
= رفاقاط _ا 1-	4883 956AC-	1	ansmissioi	I			DGG		GASKET AND SEAL PACKAGE,
-1	4003 930AC-	'					DGG		Governor
-2	4728 460	1					DGG		BODY PACKAGE, Governor
3	1720 100								BODY, Governor, (NOT SERVICED
Ü									(Not Serviced)
4									RETAINER, (NOT SERVICED) (Not
-									Serviced)
5	1942 109	1					DGG		SEAL, Governor
6	3743 518	1					DGG		SUPPORT, Governor
7	1638 461	2					DGG		SNAP RING
8	6031 392	1					DGG		SNAP RING, Brake Master Cylinde
9	6034 723	1					DGG		SNAP RING, Governor, .675 x .025
									Weight, Inner, .675" O.D.
-10	4617 883	1					DGG		WEIGHT KIT, Transmission
									Governor
11									WEIGHT, Governor, (NOT
									SERVICED) (Not Serviced)
12									WEIGHT, Governor, (NOT
									SERVICED) (Not Serviced)
13									WEIGHT, Governor, (NOT
									SERVICED) (Not Serviced)
14									SPRING, Governor Valve, (NOT
									SERVICED) (Not Serviced)
15	1556 082	1					DGG		SHAFT, Governor
16	4617 064	1					DGG		VALVE, Governor
17	6027 271	1					DGG		SNAP RING, Governor, 1.156
18	3743 519	1					DGG		FILTER, Transmission Governor
19	6029 675	1					DGG		SNAP RING, Output Shaft, 1.125 C
20	3410 465	1					DGG		BEARING, Output Shaft
21	2400 185	1					DGG		SNAP RING
22	6031 613	4					DGG		BOLT, Hex Head, .25-20x.68
23									SPACER, (NOT REQUIRED)

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Valve Body [32RH] [DGG] Figure 32RH-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes: S	ales Code								
DGG] =	3 Speed Auton	natic Tr	ansmission	า					
-1	5072 406AA-	1					DGG		GASKET AND SEAL PACKAGE,
									Valve Body
2	52118 597AB	1					DGG		BODY, Transfer Plate
3									BODY, Noun, Noun, (NOT
									SERVICED) (Not Serviced)
4									PLATE, (NOT SERVICED) (Not
									Serviced)
-5	0179 798	10					DGG		BOLT, .25-20, Transfer Plate To
									Valve Body
6	4348 742	1					DGG		SPRING, Lock Up Valve
7	4505 036	1					DGG		VALVE, Trans Lockup Switch
8	0147 488	1					DGG		BALL, Manual Lever Detent, .343
									Diameter
9	6035 208	2					DGG		SNAP RING
10	2538 062	1					DGG		WASHER, Manual Valve Lever
11	2466 548	1					DGG		SEAL, Valve Lever Shift
12	4617 436AB	1					DGG		LEVER, Manual Valve
13	4505 098	1					DGG		SEAL, Manual Shift Valve, 1.25 OD
14	3681 227	1					DGG		LEVER, Throttle Valve
15	3878 313	1					DGG		SCREEN, Transmission Regulator
									Valve
16	3515 996	1					DGG		FILTER, Valve Body
17	6033 826	3					DGG		SCREW AND WASHER, Oil Filter
									Mounting, Fillester Head .190-24x
									500
18	4130 492	1					DGG		SPRING, Switch Valve
19	5534 7152	1							BRACKET
20	6030 609	1					DGG		SCREW, Cap Head Lock, .312-24x
									25, Throttle Pressure Adjusting
-21	4348 907	1					DGG		SPRING, Limit Valve
22									BALL, Check
	5211 8261	6					DGG		[Small] Valve Body Transfer Plate
	5211 8262	1					DGG		[Large] Valve body Tansfer Plate
23	0104 918	1					DGG		BALL, Valve Body Check


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB) 2 = 25003 = 3500

ENGINE EHC, EHO = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI


Servos, Accumulator [32RH] [DGG] **Figure 32RH-720**

PART





LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
N									
	Sales Code	4: - T		_					
_	3 Speed Auton		ansmissior	1			D00		ONAD DINO Wieledown 0.077
1	6028 863	1					DGG		SNAP RING, Kickdown, 2.377
2	4295 966	1					DGG		SEAL, Servo Guide
3	3410 332	1					DGG		GUIDE, Kickdown Servo
4	4531 119	1					DGG		SPRING, Kickdown Servo Piston, Outer
5	6031 392	1					DGG		SNAP RING, Brake Master Cylinder
6	4058 780	1					DGG		ROD, Kickdown Servo Piston
7	3743 033	1					DGG		SEAL, Kickdown Servo
8	4058 777	1					DGG		PISTON, Kickdown Servo
9	2464 464	1					DGG		SNAP RING, Reverse Servo Piston
									Spring
10	2464 463	1					DGG		RETAINER, Transmission Rear
									Clutch, Reverse Servo Piston
									Spring
11	2801 274	1					DGG		SPRING, Reverse Servo Piston
12	52118 740AB	1					DGG		PLUG, Reverse Servo Piston
13	4130 824	1					DGG		SPRING, Reverse Servo Piston,
									Cushion
14	4202 864	1					DGG		SEAL, Reverse Servo Piston, Rubbe
15	5211 8744	1					DGG		PISTON, Reverse Servo
16	6027 153	1					DGG		SNAP RING, .435 ID
17	3515 079	1					DGG		SPRING, Accumulator Piston
18	3743 013	1					DGG		SEAL, Piston Accumulator, Large
19	3743 650	1					DGG		PISTON, Accumulator
20	3743 010	1					DGG		SEAL, Piston Accumulator, Small
21	6028 864	1					DGG		O RING, Kick Down Servo

DODGE RAM VAN & WAGON (AB) LINE

SERIES L = Van, Wagon

X = Conv.

1 = 1500 2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB)13 = X-Van (127 WB) 51 = Wagon (109 WB)

52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

ENGINE


TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis

Parking Sprag [32RH] [DGG] Figure 32RH-730

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		HUMBER	WIT	LINE	SERIES	ושטם	LINGINE	CHANI	I VIIVI	DESCRIFTION
		ales Code								
	[DGG] =	= 3 Speed Auto	omatic 1	I ransmissio	n			D00		CDDING Davide - Commen
	1	2466 909	1					DGG		SPRING, Parking Sprag
	2 3	4471 415AB 2538 042	1					DGG DGG		SPRAG, Transmission Parking PLUG, Parking Sprag
	4	2538 042	<u>'</u> 1					DGG		SNAP RING, Transmission
	5	2466 892	1					DGG		SHAFT, Parking Sprag
	6	6035 256	1					DGG		SNAP RING, Rod
	7	2466 906	1					DGG		ROD, Parking Sprag
	8	2466 909	1					DGG		SPRING, Parking Sprag
		_,,,,	-							or many oping
_										
										_
$\langle \langle \langle \langle \langle \rangle \rangle \rangle \rangle \rangle \langle \langle \rangle \rangle \langle \rangle \rangle \langle \langle \rangle \rangle \langle \rangle \rangle \langle \langle \rangle \rangle \langle \langle \rangle \rangle \langle \rangle \rangle \langle \langle \rangle \rangle \langle \rangle \langle \rangle \rangle \langle \langle \rangle \rangle \langle \rangle \langle \rangle \rangle \langle \langle \rangle \rangle \langle $										
$\begin{array}{cccccccccccccccccccccccccccccccccccc$										
$ \begin{array}{c} 6 \\ 8 \end{array} $										
	DODGE RA	M VAN & WAGON	N (AB) —							
	SERIES	LINE		BODY	00 M/D)	ENC	GINE		MDi	TRANSMISSION
	L = Van, W X = Conv.	2 = 2	2500	11= Van (1 12 = Van (127 WB)	EH(ELF	C, EH0 = Mag , EL0 = Mag I, EL0 = 5.2L	gnum 3.9L S num 5.2L SN	MPI MPI	DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto.
		3 = 3	500	13 = X-Var	(127 WB)	ELN	I, EL0 = 5.2L	V8 MPI CN	G	DG0 = All Auto. Transmis
				52 = Wago	n (109 WB) n (127WB)		_, EM0 = Mag	gnum 5.9L S	MPI	sions.
				53 = X-Wa	gon (127 WB)					

Gearshift, Controls [32RH] [DGG] Figure 32RH-1210

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										



	Sales Codes	atia Tuanamiaaian			
	•	atic Transmission			
	4 Speed Automa				
	All Automatic Tra				
		nder Gas Engines			
1	52107 782AD	1		DGG,	CABLE, Shift
				DGT	
2	52107 705AC	1	EH0	DG0	BRACKET, Shift Cable
3	5207 8718	1		DGG,	BRACKET, Throttle Valve Spring
				DGT	
4	6502 697	1		DGG,	NUT, Hex Flange Lock, M12x1.75
				DGT	
5					SCREW AND WASHER, Truss
					Head, .312-18x.750, (NOT
					SERVICED) (Not Serviced)
6	5207 9065	1		DGG,	LEVER, Throttle Valve
				DGT	
7	0181 065	1		DGG,	BOLT, Hex Head, .25-20x1.00
				DGT	
8	0138 165	1		DGG,	WASHER, Lock
				DGT	·
9	J012 0375	1		DGG,	NUT, Hex, .250-20
				DGT	
10	52107 678AB	1		DGG,	LEVER, Manual Control
				DGT	,
11	6022 245	1		DGG,	SCREW AND WASHER
				DGT	
12	5300 9055	1		DGG,	SPRING, Throttle Valve Return
				DGT	
-13					RIVET, Blind, .125
	0111 873	1		DGG	Manual Shift Lever
		1	EM0	DGT	Manual Shift Lever
		1	EL0	DGT	Manual Shift Lever

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

Group – 46RE Automatic Transmission 4 Speed



46RE-100	46RE-200	46RE-300	46RE-400
Transmission Assembly	Case and Extension	Oil Pump	Gear Train
		UMP	JEAR IRAIN
46RE-500	46RE-700	46RE-1000	46RE-1200
Bands, Reverse and Kickdown	Valve Body	Overdrive Gear Train	Gearshift Controls

GROUP 46RE - Automatic Transmission 4 Speed

Illustration Title	Group-Fig. No.
Transmission Assembly Transmission [46RE] [DGT]	Fig. 46RE-110
Case and Extension Case and Related Parts [46RE] [DGT]	Fig. 46RE-210 Fig. 46RE-220
Oil Pump Oil Pump [46RE] [DGT]	Fig. 46RE-310
Gear Train Clutch, Front and Rear [46RE] [DGT] Intermediate [46RE] [DGT] Output Shaft [46RE] [DGT]	Fig. 46RE-415 Fig. 46RE-425 Fig. 46RE-430
Bands, Reverse and Kickdown Bands [46RE] [DGT]	Fig. 46RE-515
Valve Body Valve Body [46RE] [DGT] Servos, Accumulator [46RE] [DGT] Parking Sprag [46RE] [DGT]	Fig. 46RE-710 Fig. 46RE-725 Fig. 46RE-730
Overdrive Gear Train Clutch [46RE] [DGT]	Fig. 46RE-1010
Gearshift Controls Controls , Gearshift [46RE] [DGT]	Fig. 46RE-1210

Transmission [46RE] [DGT] Figure 46RE-110

		5018 597AA	1
		5018 604AA	1
	-2		
		5211 8784	1
\mathcal{C}			1
-			

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 EW	NOMBER	<u> </u>	LINE	OLKILO	ВОВТ	LITOINE	TRANO	I TIXIIVI	DESCRIPTION
	Sales Codes								
	I 5.2L 8 Cylind								
	II 5.9L 8 Cylin								
DG1] = 4	Speed Auton	natic I ra	ansmission	l					TRANSMISSION PACKAGE
ı	5018 597AA	1				EL0	DGT		TRANSIVII SSION FACRAGE
	5018 604AA	1				EM0	DGT		
-2									OVERDRIVE
	5211 8784	1				EM0	DGT		
		1				EL0	DGT		
ODGE RAM	VAN & WAGON	(AB) —							
ERIES	LINE		BODY	00 WP)	ENC	SINE	anum 2 Ol C	MDI	TRANSMISSION
Van, Wa		500	11= Van (1	09 WB)	EHO	C, EH0 = Mag	gnum 3.9L S	MPI	DGG = 32RH 3 Spd. Auto.


L = Van, WagonX = Conv.

1 = 15002 = 25003 = 3500 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto.DG0 = All Auto. Transmis sions.

Case and Related Parts [46RE] [DGT] Figure 46RE-210



DESCRIPTION

Case and Related Parts [46RE] [DGT] Figure 46RE-210



NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4130 693	1					DGG,		BRACE, Transmission
						DGT		·
4130 503AB	1					DGT		COVER, Transmission Dust
5211 7709	1				EH0,			GROMMET, Timing Probe
					EL0,			
					EM0			
								CLIP
5211 8181								
					EM0			
6022 266	4					DG0		SCREW, Hex Head, .375-16x1.5
5000 470AD					5140	ВОТ		CASE, Transmission
5096 170AB								
	1				ELU	DGT		DLUC Draggura Chagle
6028 005	1				ELΩ	DGT		PLUG, Pressure Check
0020 093								
	į				LIVIO	БОТ		SWITCH, Neutral, Safety, Back Up
56045 489AA	1				FLO	DGT		evviron, reducin, carety, back op
00010 100717								
	•					20.		BRACKET
56049 014AA	1				EM0	DGT		
	1				EL0	DGT		
2408 143	1					DGG		WASHER, Switch
								SCREW AND WASHER, Hex Head,
								.312-18x.625
4723 548	1				EL0	DGT		
	1				EM0	DGT		
								PAN, Transmission Oil
52118 780AC	1				EL0	DGT		
	1				EM0	DGT		
								MAGNET, Transmission
3681 601	1							
	1				EM0	DGT		
0404.0044.0					E I 0	DOT		GASKET, Oil Pan
2464 324AC								
6E0E 94E ^ ^					⊏IVIU	DGT		SCREW
						DCC		SCREW BRACE, Transmission
4440 10U	ı							DNAGE, HAHSHIISSIUH
						וטם		SCREW, (NOT SERVICED) (Not
								Serviced)
	4130 693 4130 503AB 5211 7709 5211 8181 6022 266 5096 170AB 6028 095 56045 489AA 56049 014AA 2408 143 4723 548	4130 693 1 4130 503AB 1 5211 7709 1 5211 8181 2 2 6022 266 4 5096 170AB 1 1 6028 095 1 1 56045 489AA 1 1 2408 143 1 4723 548 1 1 52118 780AC 1 1 3681 601 1 1 2464 324AC 1 1 6505 815AA 1	4130 693 1 4130 503AB 1 5211 7709 1 5211 8181 2 2 6022 266 4 5096 170AB 1 1 6028 095 1 1 56045 489AA 1 1 56049 014AA 1 2408 143 1 4723 548 1 1 52118 780AC 1 1 3681 601 1 1 2464 324AC 1 1 6505 815AA 1	4130 693 1 4130 503AB 1 5211 7709 1 5211 8181 2 2 6022 266 4 5096 170AB 1 1 6028 095 1 1 56045 489AA 1 1 56049 014AA 1 2408 143 1 4723 548 1 1 52118 780AC 1 1 3681 601 1 1 2464 324AC 1 6505 815AA 1	4130 693 1 4130 503AB 1 5211 7709 1 5211 8181 2 2 6022 266 4 5096 170AB 1 1 6028 095 1 1 56045 489AA 1 1 2408 143 1 4723 548 1 1 52118 780AC 1 1 3681 601 1 1 2464 324AC 1 1 6505 815AA 1	4130 693 1 4130 503AB 1 5211 7709 1 EH0, EL0, EM0 5211 8181 2 EL0 EM0 6022 266 4 5096 170AB 1 EM0 1 EL0 6028 095 1 EL0 EM0 56045 489AA 1 EL0 EM0 56049 014AA 1 EM0 56049 014AA 1 EM0 52408 143 1 4723 548 1 EL0 EM0 52118 780AC 1 EL0 EM0 3681 601 1 EM0 2464 324AC 1 EL0 EM0 2464 324AC 1 EL0 EM0 2466 505 815AA 1	4130 693 1 DGG, #130 503AB 1 5211 7709 1 EH0, EL0, EM0 5211 8181 2 EL0 DGT 6022 266 4 DG0 5096 170AB 1 EM0 DGT 6028 095 1 EL0 DGT EM0 DGT 6028 095 1 EL0 DGT EM0 DGT 56045 489AA 1 EL0 DGT EM0 DGT 56049 014AA 1 EM0 DGT 2408 143 1 EL0 DGT 56049 143 1 EL0 DGT 56049 015 EL0 DGT EM0 DGT 52118 780AC 1 EL0 DGT EM0 DGT 5605 815AA 1 EL0 DGT EM0 DGT	A130 693

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.



Case and Related Parts [46RE] [DGT] Figure 46RE-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
32									NUT, Inverted Flare, .62-18
	6033 879	2				EL0	DGT		
		2				EM0	DGT		
33									O RING, Trans Speed Sensor
	6501 701	1				EL0	DGT		
		1				EM0	DGT		
34									SENSOR, Transmission Output
									Speed
	4800 879	1				EL0	DGT		
		1				EM0	DGT		
-35									O RING, Trans Speed Sensor
	6501 658AB-	1				EL0	DGT		
		1				EM0	DGT		
36	4167 541	1					DGG		STRAP, Oil Filler Tube




DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB) ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis



ITEM	PART NUMBER	QTY	LINE	CEDIFC	BODY	ENGINE	TDANC	TRIM	DESCRIPTION
IIEW	NUMBER	QIT	LINE	SERIES	ворт	ENGINE	TRANS	IKIW	DESCRIPTION
	Sales Codes								
	4 Speed Autom								
	II 5.2L 8 Cylind		•						
[EMO] = I	All 5.9L 8 Cylin	der Gas	s Engines						
1									SEAL, Extension Yoke
	4531 216AB	1				EL0	DGT		
		1				EM0	DGT		
2									SCREW, (NOT SERVICED) (Not
									Serviced)
3									COVER, Transmission Converter
	2466 957	1				EM0	DGT		
		1				EL0	DGT		
4									GASKET, Transmission
	2801 398	1				EM0	DGT		
		1				EL0	DGT		
5									GASKET, Overdrive Piston Retain
	4471 565	1				EM0	DGT		
		1				EL0	DGT		
6									SCREW, Hex Flange Head, .375-
									16x1.38
	6036 046AA	7				EM0	DGT		
		7				EL0	DGT		
7									CASE, Transmission Rear
-	5003 231AA	1				EL0	DGT		,
	2200 20	1				EM0	DGT		

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE


TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

Oil Pump [46RE] [DGT] Figure 46RE-310

3 7 4 2 0 0 0 0 0 0 0 0 0 0 0 0 0	8 9 10 0	
		12

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									_
NOTES:	Sales Codes								
	1 Speed Auto	matic Tr	ansmission	1					_
	.ll 5.2L 8 Cylir								
	All 5.9L 8 Cyli								
-1									GASKET AND SEAL PACKAGE,
									Transmission Oil Pump
	4746 109AB	- 1				EL0	DGT		
		1				EM0	DGT		
2									SEAL, Impeller Hub, 57.25mm OD
	4531 225	1				EL0	DGT		
		1				EM0	DGT		
3									SEAL, Front Pump Housing
	1942 021	1				EL0	DGT		
		1				EM0	DGT		_
4									BAFFLE PACKAGE, Pump
	3420 087	1				EL0	DGT		
		1				EM0	DGT		
5									PUMP, Transmission Oil
	4505 030	1				EM0	DGT		
		1				EL0	DGT		
6									PUMP PACKAGE, Transmission
	4796 467AB	1				EL0	DGT		Includes Pump, Seal, and Snap
									Ring
		1				EM0	DGT		Includes Pump, Seal, and Snap
									Ring
7									HOUSING, Pump, (NOT SERVICED)
									(Not Serviced)
8									ROTOR, Oil Pump, (NOT
									SERVICED) (Not Serviced)
9									ROTOR, Oil Pump, (NOT
									SERVICED) (Not Serviced)
10									SHAFT, Oil Pump, (NOT
									SERVICED) (Not Serviced)
11									BUSHING, Front Pump, (NOT
									SERVICED) (Not Serviced)
12									BUSHING, (NOT SERVICED) (Not
									Serviced)
13									GASKET, Transmission Oil Pump
	4028 377	1				EL0	DGT		
		1				EM0	DGT		
14									THRUST WASHER, Front Clutch
DODGE RAN SERIES	I VAN & WAGO LINE		BODY		EN0	GINE			TRANSMISSION
L = Van, Wa	igon 1 = '	1500	11= Van (1		EHO	C, EH0 = Mag			DGG = 32RH 3 Spd. Auto.
K = Conv.	2 = 2		12 = Van (F, EL0 = Mag			DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis
	3 = 3500 13 = X-Van (127 WB) ELN, EL0 = 5.2L V8 MPI CNG 51 = Wagon (109 WB) EML, EM0 = Magnum 5.9L SMPI				sions.				
			52 = Wago	n (127WB) gon (127 WE	5)				
			ວວ = ∧-wa	yun (127 WE	7)				

Oil Pump [46RE] [DGT] Figure 46RE-310




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4617 161	1				EL0	DGT		.062" Thick
		1				EM0	DGT		.062" Thick
-15									THRUST WASHER, Front Clutch,
									Yellow .103
	4617 163	1				EM0	DGT		
		1				EL0	DGT		
-16									THRUST WASHER, Front Clutch,
									Orange .121
	4617 164	1				EM0	DGT		
		1				EL0	DGT		
-17									THRUST WASHER, Front Clutch,
									Blue .139"
	4617 165	1				EM0	DGT		
		1				EL0	DGT		
-18									THRUST WASHER, Front Clutch,
									Black .157
	4617 166	1				EM0	DGT		
		1				EL0	DGT		
19									SEAL, Reaction Shaft
	3743 689	2				EL0	DGT		
		2				EM0	DGT		
20									SCREW, Hex Head, .312-18x.687
	0179 815	6				EL0	DGT		
		6				EM0	DGT		
21									SCREW AND WASHER, Hex Flange
									Head, .312-18x1.375
	6023 943	7				EL0	DGT		
		7				EM0	DGT		
-22									BALL, .625 Diameter
	0147 486	3				EM0	DGT		Trans Reaction Shaft
		3				EL0	DGT		Trans Reaction Shaft

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.



DESCRIPTION



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		3				EM0	DGT		
13									SNAP RING
	3410 570	1				EL0	DGT		Frt. Clutch, .050" Thk., 7-8/64"
									O.D.
		1				EM0	DGT		Frt. Clutch, .050" Thk., 7-8/64"
									O.D.
14									PLATE, Transmission Clutch
	52852 900AA	1				EM0	DGT		Reaction
	32032 300AA	1				ELO	DGT		
15		•					20.		DISC, Direct Clutch
	4617 201AB	3				EL0	DGT		,
		3				EM0	DGT		
-16									DRUM, Automatic Transmission
	4461 089	1				EL0	DGT		Direct Clutch Drum
		1				EM0	DGT		Direct Clutch Drum
17									PISTON, Clutch
	3743 624AB	1				EL0	DGT		
4.0		1				EM0	DGT		011501/ 5411 5: 405
-18	0147 402	4				EMO	DGT		CHECK BALL, Dia187
	0147 483	1				EM0 EL0	DGT		
19		'				LLU	DGT		SEAL, Rear Clutch Piston
10	1942 054	1				EM0	DGT		Inner
		1				EL0	DGT		Inner
20									SEAL, Rear Clutch Piston
	2124 835	1				EL0	DGT		Outer
		1				EM0	DGT		Outer
21									RETAINER, Transmission
	4617 855	1				EL0	DGT		
		1				EM0	DGT		
-22	4050 440	4				EL 0	DOT		SEAL, Rear Clutch Retainer
	4058 443	1 1				EL0	DGT		
23		Į				EM0	DGT		THRUST WASHER, Front Clutch
23	4617 161	1				EM0	DGT		Rear
	1017 101	1				EL0	DGT		Rear
-24		•							THRUST WASHER, Front Clutch,
									Pink .085
	4617 162	1				EL0	DGT		

DODGE RAM VAN & WAGON (AB) SERIES L = Van, Wagon


X = Conv.

LINE 1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127 WB)

52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
					-		-		
		1				EM0	DGT		
25									INPUT SHAFT, Transmission
	4617 396	1				EL0	DGT		
		1				EM0	DGT		
26									SEAL, Input Shaft
	4617 418AB	1				EL0	DGT		
		1				EM0	DGT		
27	2424.072	4				FLO	DOT		SNAP RING
	2124 872	1				EL0 EM0	DGT DGT		
28		'				EIVIO	DGT		RETAINER, Rear Clutch
20	3743 622	1				EL0	DGT		RETAINER, Real Oldton
	0. 10 022	1				EM0	DGT		
29									DISC, Clutch
	2801 992AC	4				EL0	DGT		,
		4				EM0	DGT		
30									SPRING, Rear Clutch Piston
	3743 621AB	1				EL0	DGT		
		1				EM0	DGT		
31									SPACER, Rear Clutch Piston
	3515 077	1				EL0	DGT		Rear Clutch Piston Spring, Plastic,
		4				EMO	DGT		6-13/16" O.D
		1				EM0	DGT		Rear Clutch Piston Spring, Plastic, 6-13/16" O.D
32									SPRING, Rear Clutch
	2466 806	1				EL0	DGT		Rear Clutch Piston Spring, Plastic,
									6-13/16" O.D
		1				EM0	DGT		Rear Clutch Piston Spring, Plastic,
									6-13/16" O.D
33									PLATE, Clutch Pressure
	2466 803	1				EL0	DGT		Rear Clutch Piston Spring, Plastic,
									6-13/16" O.D
		1				EM0	DGT		Rear Clutch Piston Spring, Plastic,
									6-13/16" O.D
34	52118 812AA	2				EL0	DGT		PLATE, Clutch Separator
	52110 612AA	3 3				EM0	DGT		
35		<u> </u>				LIVIU	וטם		PLATE, Transmission Clutch
33									Reaction
	4617 567	1				EL0	DGT		Rear Clutch Reactioin

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon X = Conv.

LINE 1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis







	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EM0	DGT		Rear Clutch Reactioin
36									SNAP RING
	1942 063AB	1				EM0	DGT		.060" Thick
		1				EL0	DGT		.060" Thick
	1942 064AB	1				EM0	DGT		.074" Thick
		1				EL0	DGT		.074" Thick
	1942 065AB	1				EM0	DGT		.088" Thick
		1				EL0	DGT		.088" Thick
	2466 811AB	1				EM0	DGT		.106" Thick
		1				EL0	DGT		.106" Thick
37									THRUST WASHER, Output Shaft,
									Red .068
	4505 186	1				EL0	DGT		Intermediate Shaft, Thrust, w/ 3
									Point Bronze Face, .068" Thk.
		1				EM0	DGT		Intermediate Shaft, Thrust, w/ 3
									Point Bronze Face, .068" Thk.
38									BUSHING, Front Clutch
	4058 647	1				EL0	DGT		
		1				EM0	DGT		


ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

ENGINE


EHC, EH0 = Magnum 3.9L SMPI

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis

Intermediate [46RE] [DGT] Figure 46RE-425



Intermediate [46RE] [DGT] Figure 46RE-425



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EM0	DGT		w/Plug,
12									PLATE, Transmission Module
	4505 188	1				EL0	DGT		Thrust .060" Thick
		1				EM0	DGT		Thrust .060" Thick
13									PLATE, Sun Gear Driving Shell
	1942 080	1				EL0	DGT		Thrust, w/4 Inside Tongs
		1				EM0	DGT		Thrust, w/4 Inside Tongs
14									SNAP RING, Sun Gear
	1736 521	1				EL0	DGT		Shell Lock
		1				EM0	DGT		Shell Lock
15									THRUST WASHER, Planetary
	0004 000					51.0	рот		Carrier
	2801 060	1 1				EL0	DGT		Rear, w/4 Tabs, 3-13/32" O.D.
-16		1				EM0	DGT		Rear, w/4 Tabs, 3-13/32" O.D. WASHER
-10	4618 000	1				EM0	DGT		6-Tab Driving Shell Thrust
	4010 000	1				EL0	DGT		6-Tab Driving Shell Thrust
17		'				LLU	DGT		CARRIER, Planetary Pinion
''	2801 061	1				EL0	DGT		Orticial interest in the control of
	2001 001	1				EM0	DGT		
18		•							PLATE, Annulus Gear Thrust
	2400 580	1				EL0	DGT		· · · · · · · · · · · · · · · · · · ·
		1				EM0	DGT		
19									GEAR, Rear Annulus
	4810 002AB	1				EL0	DGT		
		1				EM0	DGT		
20									SNAP RING
	6033 591	1				EL0	DGT		
		1				EM0	DGT		
21									DOWEL, .108x1.00
	6024 666	4				EL0	DGT		Rear
		4				EM0	DGT		Rear
22	4.400.000					FI ^	DOT		SHAFT, Planetary
	4428 223	4				EL0	DGT		Rear
22		4				EM0	DGT		Rear
23									THRUST WASHER, Planetary
	2801 315	8				EL0	DGT		Carrier Front
	2001 313	8 10				EL0 EM0	DGT		Front
		8				EL0	DGT		Rear
		O				LLU	וטט		Near

DODGE RAM VAN & WAGON (AB) LINE

SERIES L = Van, Wagon X = Conv.

1 = 1500 2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

ENGINE

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis


52 = Wagon (127WB) 53 = X-Wagon (127 WB)

AR = Use as required -= Non illustrated part # = New this model year

September 16, 2005



Intermediate [46RE] [DGT] Figure 46RE-425



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		8				EM0	DGT		Rear
24									THRUST WASHER, Planet Pinion
	2204 649	8				EL0	DGT		Front
		10				EM0	DGT		Front
		8				EL0	DGT		Rear
		8				EM0	DGT		Rear
25									PINION, Transmission Planetary
	2400 667	4				EL0	DGT		Front
		5				EM0	DGT		Front
		4				EL0	DGT		Rear
		4				EM0	DGT		Rear
26									ROLLER, Front and Rear Pinion
	3743 664	92				EL0	DGT		Front
		92				EM0	DGT		Front
		115				EM0	DGT		Rear
		92				EM0	DGT		Rear
27									DRUM, Automatic Transmission
	5211 8057	1				EL0	DGT		
		1				EM0	DGT		
28									THRUST WASHER, Reverse Drum
	5211 8059	1				EL0	DGT		
		1				EM0	DGT		
29									CAM, Overrunning Clutch
	4471 473	1				EL0	DGT		
		1				EM0	DGT		
30									CLUTCH, Overrunning
	4617 199	1				EL0	DGT		14 Rollers Nylon Caged,
		1				EM0	DGT		14 Rollers Nylon Caged,
31									SCREW, .25-20
	0152 796	6				EL0	DGT		
		6				EM0	DGT		
-32									PINION, Transmission Planetary
	4761 012	1				EL0	DGT		
		1				EM0	DGT		

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon X = Conv.

LINE 1 = 1500 2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB)

52 = Wagon (127WB) 53 = X-Wagon (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI


ENGINE

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis

Output Shaft [46RE] [DGT] Figure 46RE-430

PART

	ales Codes			 			
	4 Speed Autom						
	All 5.2L 8 Cylind		-				
[EMO] =	All 5.9L 8 Cylin	der Gas	Engines				
1	5003 232AA	1			EL0	DGT	SHAFT, Output
2							BUSHING, (NOT SERVICED) Serviced)
3							BUSHING, (NOT SERVICED) Serviced)
4							BEARING, Output Shaft
	4461 008	1			EM0	DGT	
		1			EL0	DGT	
5							SNAP RING
	4461 068	1			EM0	DGT	
		1			EL0	DGT	
6							SNAP RING
	4461 068	1			EM0	DGT	
		1			EL0	DGT	
7							SNAP RING
	4461 069	1			EM0	DGT	
		1			EL0	DGT	
8							BEARING, Output Shaft
	2466 224	1			EM0	DGT	
		1			EL0	DGT	




DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

Bands [46RE] [DGT] Figure 46RE-515



REVERSE BAND



KICKDOWN BAND

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes	lar Caa	Faminas						
_	II 5.2L 8 Cylind All 5.9L 8 Cylind		-						
	Speed Autom			1					
1	r opeca / taton	iado i i	2113111133101	ı					LINK, Transmission Reverse Band
<u> </u>	4617 044	1				EL0	DGT		
		1				EM0	DGT		
2									SEAL, Reverse Band
	6030 910	2				EL0	DGT		
		2				EM0	DGT		
3									SHAFT, Band Lever
	2124 857	1				EL0	DGT		
		1				EM0	DGT		
4	0271 506	1							NUT, Hex, .42-20, Adj. Screw Loc
5	4047 000 A D	4				51.0	ВОТ		LEVER, Reverse Band
	4617 028AB	1				EL0 EM0	DGT DGT		
6		1				EIVIU	DGT		STRUT, Reverse Band
O	4471 497AB	1				EL0	DGT		orkor, Reverse Band
		1				EM0	DGT		
7									BAND, Reverse
	4471 476AB	1				EL0	DGT		
		1				EM0	DGT		
8									LEVER, Reverse Band
	4617 014AB	1				EL0	DGT		
		1				EM0	DGT		
9									SCREW, Trans Reverse Band
	1010 111	4				51.0	ВОТ		Adjusting, .437-20x1.5
	1942 141	<u>1</u> 1				EL0 EM0	DGT DGT		
10		ı				LIVIU	וטם		LEVER, Kickdown
10	5211 8264	1				EL0	DGT		LL V LIX, IXIONGOWII
	5211 020 1	1				EM0	DGT		
11		•							SHAFT, Band Lever
	4531 181	1				EL0	DGT		•
		1				EM0	DGT		
12									STRUT, Kickdown Band
	2124 848	1				EL0	DGT		
		1				EM0	DGT		
13									PLUG, (NOT SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

Bands [46RE] [DGT] Figure 46RE-515

ITEM

15

16

PART

NUMBER

3743 338

6036 115AA

4329 853

0124 934

QTY

1 1 LINE

SERIES

BODY

ENGINE

EL0

EM0

EL0


EM0

EL0


EM0

EL0

EM0



REVERSE BAND



SERIES LINE KICKDOWN BAND

DODGE RAM VAN & WAGON (AB)

L = Van, Wagon 1 = 1500 X = Conv.

11= Van (109 WB) 12 = Van (127 WB)2 = 25003 = 3500

BODY

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRIM

DESCRIPTION

ANCHOR, Kickdown Band

SCREW

BAND, Kickdown

NUT, Hex Jam, .50-20

Kickdown Band Adj. Screw,

Kickdown Band Adj. Screw,

TRANS

DGT

DGT

DGT

DGT

DGT


DGT


DGT


DGT


TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

PART











Servos, Accumulator [46RE] [DGT] Figure 46RE-725


PART



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:	Sales Codes								
	All 5.2L 8 Cylin		-						
[EMO] = 0	All 5.9L 8 Cylir	nder Ga	s Engines						
[DGT] =	4 Speed Autor	natic Tra	ansmissior)					
-1									RING, Transmission
	4431 958	1				EL0	DGT		Front
	4431 959	1				EL0	DGT		Rear
2									SNAP RING
	1942 130	1				EL0	DGT		
		1				EM0	DGT		
3									SEAL
	1942 123	1				EL0	DGT		
		1				EM0	DGT		
4									GUIDE, Kickdown Servo
	3410 441	1				EL0	DGT		
		1				EM0	DGT		
5									SPRING, Kickdown Servo Piston
	4617 528	1				EL0	DGT		
	4617 573	1				EM0	DGT		
6									SPRING, Kickdown Servo Piston
· ·	3410 444	1				EL0	DGT		Inner, 6 Coils
		1				EM0	DGT		Inner, 6 Coils
7		·							SNAP RING, Brake Master Cylinde
·	6031 392	1				EL0	DGT		ora in trace, grane master cymrae
	000.002	1				EM0	DGT		
8		· ·							RETAINER, Kick Down
· ·	3410 437	1				EL0	DGT		Piston Inner
	0.10.10.	1				EM0	DGT		Piston Inner
9		•				2.0.0	50.		PISTON, Kickdown Servo
	3410 440	1				EL0	DGT		Inner
	0110 110	1				EM0	DGT		Inner
	3410 445	1				EL0	DGT		Inner with Rod and Seal
	0410 440	1				EM0	DGT		Inner with Rod and Seal
10		'				LIVIO	201		O RING, Kick Down Servo
10	6028 864	1				EL0	DGT		Inner, 15/16 x 1-1/8" x3/32"
	0020 004	1				EM0	DGT		Inner, 15/16 x 1-1/8" x3/32"
11		'				LIVIU	וטט		SEAL
11	10/12/122	1				EL0	DGT		SLAL
	1942 123	1							
40		1				EM0	DGT		DICTON Kielderes Come
12									PISTON, Kickdown Servo

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon LINE X = Conv.

1 = 1500 2 = 2500 BODY 11= Van (109 WB) 12 = Van (127 WB)


3 = 3500

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB) **ENGINE** EHC, EH0 = Magnum 3.9L SMPI


ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis


Servos, Accumulator [46RE] [DGT] Figure 46RE-725



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									-
	3410 440	1				EL0	DGT		
		1				EM0	DGT		
13									SEAL
	4412 444	1				EL0	DGT		
		1				EM0	DGT		ONAR RIVIO
14	1042 120	4				EL O	DGT		SNAP RING
	1942 130	1 1				EL0 EM0	DGT		
15		'				LIVIO	DGT		RETAINER, Transmission Reverse
									Servo Piston Spring
	1942 150	1				EL0	DGT		. 3
		1				EM0	DGT		
16									SPRING, Reverse Servo Piston
	2801 241	1				EL0	DGT		
		1				EM0	DGT		
17									PLUG, Reverse Servo Piston
	52118 740AB	<u>1</u> 1				EL0	DGT		
18		1				EM0	DGT		SPRING, Reverse Servo Piston
10	2801 241	1				EL0	DGT		Reverse Servo Piston
	2001 241	1				EM0	DGT		Reverse Servo Piston
	52118 759AB	1				EM0	DGT		Reverse Servo Cushion
		1				EL0	DGT		Reverse Servo Cushion
19									SEAL, Piston Reverse Servo, Rubber
	4058 741	1				EL0	DGT		
		1				EM0	DGT		
20	0004 004					EL O	ВОТ		PISTON, Reverse Servo
	2801 281	1				EL0	DGT		
21		11				EM0	DGT		SNAP RING, .435 ID
۲ ۱	6027 153	1				EL0	DGT		5.0 ti 1000 15
		1				EM0	DGT		
22									SPRING, Accumulator Piston
	3515 079	1				EL0	DGT		
		1				EM0	DGT		
23									SEAL, Piston Accumulator
	3743 010	1				EL0	DGT		Large
0.4		1				EM0	DGT		Large
24	2742 650	4				ELO	DCT		PISTON, Accumulator
	3743 650	1				EL0	DGT		

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon X = Conv.

LINE 1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB)


52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

ENGINE


TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis

Servos, Accumulator [46RE] [DGT] Figure 46RE-725




		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1				EM0	DGT		
_	25									SEAL, Piston Accumulator
		3743 010	1				EL0	DGT		Small
			1				EM0	DGT		Small
	26									SPRING, Accumulator Piston
		4617 529	1				EL0	DGT		
		4531 258	1				EM0	DGT		

KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING

DODGE RAM VAN & WAGON (AB) LINE

SERIES L = Van, Wagon X = Conv.

1 = 1500 2 = 2500

BODY 11= Van (109 WB) 12 = Van (127 WB) 3 = 3500

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

ENGINE

EHC, EH0 = Magnum 3.9L SMPI

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis

Parking Sprag [46RE] [DGT] Figure 46RE-730

	3	
5 6		
	(4)	

otoc: S	ales Codes						
	4 Speed Autom	atic Tra	ansmission				
-	All 5.2L 8 Cylind						
_	All 5.9L 8 Cylind		-				
1	•		J				SPRING, Parking Sprag
	2466 909	1			EM0	DGT	
		1			EL0	DGT	
2							SPRAG, Transmission Parking
	4471 415AB	1			EM0	DGT	
		1			EL0	DGT	
3							SHAFT, Parking Sprag
	2466 892	1			EM0	DGT	
		1			EL0	DGT	
4							SNAP RING, Rod
	6035 256	1			EL0	DGT	
_		1			EM0	DGT	
5	2520.042				EM0	DGT	PLUG, Parking Sprag
	2538 042	1 1			ELO	DGT	
6		ı			ELU	DGT	SNAP RING, Transmission
O	2538 034	1			EM0	DGT	SNAF KING, Halisillission
	2000 004	<u>'</u>			EL0	DGT	
7		•			220	501	ROD, Parking Sprag
•	4471 478	1			EL0	DGT	rtob, r anting oping
	_	1			EM0	DGT	
-8							SCREW
	8350 3127	1			EL0	DGT	Sprag Set Screw
		1			EM0	DGT	Sprag Set Screw

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.



Module With Bearing, Direct Clutch Spring, Thrust		PART				1	1	1		
DGT = 4 Speed Automatic Transmission EL0 = All 5.2L 8 Cylinder Gas Engines EM0 = All 5.9L 8 Cylinder Gas Engines Target Package, Transmission Target Package, Transmission Module Target Package, Transmission Target Package, Transmission Module Target Package, Transmission Module Target Package, Transmission Target Package, Transmission Target Package, Transmission Module Target Package, Transmission Target Package, Target Package, Transmission Target Package, Transmission Target Package, Target Package, Target Package, Target Package, Ta	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
DGT = 4 Speed Automatic Transmission EL0 = All 5.2L 8 Cylinder Gas Engines EM0 = All 5.9L 8 Cylinder Gas Engines EM0 = All 5.9L 8 Cylinder Gas Engines EM0 = All 5.9L 8 Cylinder Gas Engines EL0 DGT										
ELO	NOTES: 5	Sales Codes								
ELO = All 5.2L 8 Cylinder Gas Engines EMO = All 5.9L 8 Cylinder Gas Engines Target Package, Transmission Module			natic Tr	ansmission	1					
EMO = All 5.9L 8 Cylinder Gas Engines		•								
PLATE PACKAGE, Transmission Module										
A740 774 1	1									PLATE PACKAGE, Transmission
Spring, Thrust Spri										Module
1		4740 774	1				EL0	DGT		With Bearing, Direct Clutch
Spring, Thrust BEARING, Overdrive, (NOT SERVICED) (Not Serviced) GEAR, Overdrive Sun										
BEARING, Overdrive, (NOT SERVICED) (Not Serviced) GEAR, Overdrive Sun			1				EM0	DGT		
SERVICED) (Not Serviced) GEAR, Overdrive Sun	_	_		_	_	_		_	_	· -
Serviced Serviced	2									
Sols 107AA 1										
1 EMO DGT BUSHING, (NOT SERVICED) (Not Serviced) CARRIER, O/Drive Planet Pinion 4798 520 1 EL0 DGT 4 Pinion RACE, Overrunning Clutch 4461 124 1 EMO DGT 4 Pinion RACE, Overrunning Clutch 4461 124 1 EMO DGT THRUST BEARING, Ovedrive Transition Position 4461 014 1 EMO DGT THRUST BEARING, Ovedrive Transition Position 4461 015 1 EMO DGT CLUTCH, Overdrive Overrunning EMO DGT TELO DGT 9 GEAR, Overdrive Annulus 4761 010 1 EL0 DGT										GEAR, Overdrive Sun
BUSHING, (NOT SERVICED) (Note Note		5015 107AA								
Serviced CARRIER, O/Drive Planet Pinion			1				EM0	DGT		
CARRIER, O/Drive Planet Pinion	4									
A798 520										· · · · · · · · · · · · · · · · · · ·
EMO DGT 4 Pinion RACE, Overrunning Clutch		:======================================					- 1.0	207		
6 RACE, Overrunning Clutch 4461 124 1 EM0 DGT 1 EL0 DGT THRUST BEARING, Ovedrive The Position 4461 014 1 EM0 DGT 1 EL0 DGT 8 CLUTCH, Overdrive Overrunning 4461 015 1 EM0 DGT 1 EL0 DGT 9 GEAR, Overdrive Annulus 4761 010 1 EL0 DGT		4798 520					-	_		
## 4461 124	0		1				EMU	DGT		
1 EL0 DGT THRUST BEARING, Ovedrive Treposition 4461 014		1404 404								RACE, Overrunning Clutch
THRUST BEARING, Ovedrive The Position 4461 014		4461 124								
Position Position	7		7				ELU	DGT		TUDUST DE ADIMO Ovodrivo Third
4461 014 1 EM0 DGT 1 EL0 DGT 8 CLUTCH, Overdrive Overrunning 4461 015 1 EM0 DGT 1 EL0 DGT 9 GEAR, Overdrive Annulus 4761 010 1 EL0 DGT	,									
1 EL0 DGT CLUTCH, Overdrive Overrunning 4461 015 1 EM0 DGT 1 EL0 DGT 9 GEAR, Overdrive Annulus 4761 010 1 EL0 DGT		4461 014						DGT		Position
8 CLUTCH, Overdrive Overrunning 4461 015 1 EM0 DGT 1 EL0 DGT 9 GEAR, Overdrive Annulus 4761 010 1 EL0 DGT		4401 014								
4461 015 1 EM0 DGT 1 EL0 DGT 9 GEAR, Overdrive Annulus 4761 010 1 EL0 DGT	8		'				LLU	ъ.		CLUTCH Overdrive Overrunning
1 EL0 DGT 9 GEAR, Overdrive Annulus 4761 010 1 EL0 DGT		4461 015	1				FM0	DGT		OLO 1011, Ovoidinto Ovoidining
9 GEAR, Overdrive Annulus 4761 010 1 EL0 DGT		47010.0								
4761 010 1 EL0 DGT	9		•							GFAR. Overdrive Annulus
		4761 010	1				EL0	DGT		32 7.11., 3.13.3
1 EMO DGT			1				EM0	DGT		
	10	-								SNAP RING, 5.25 OD
4461 059 1 EM0 DGT		4461 059	1				EM0	DGT		·
1 EL0 DGT			1				EL0	DGT		
11 SNAP RING, 6.00 OD	11									SNAP RING, 6.00 OD
4461 060 2 EM0 DGT		4461 060	2				EM0	DGT		
2 EL0 DGT			2				EL0	DGT		
12 DRUM, Automatic Transmission	12									DRUM, Automatic Transmission
DODGE RAM VAN & WAGON (AB)	DODGE RAN	I VAN & WAGON	(AB) —							
SERIES LINE BODY ENGINE TRANSMISSION	SERIES	LINE			400 M/D)				ON ADI	
L = Van, Wagon 1 = 1500 11= Van (109 WB) EHC, EH0 = Magnum 3.9L SMPI DGG = 32RH 3 Spd. Auto. X = Conv. 2 = 2500 12 = Van (127 WB) ELF, EL0 = Magnum 5.2L SMPI DGT = 46RE 4 Spd. Auto.										
3 = 3500 13 = X-Van (127 WB) ELN, EL0 = 5.2L V8 MPI CNG DG0 = All Auto. Transmis				13 = X-Var	n (127 WB)	ELN	N, EL0 = $5.2L$	L V8 MPI CN	NG	DG0 = All Auto. Transmis
52 = Wagon (127WB)				52 = Wago	on (127WB)		_, EIVIU = IVIA	ghum 5.9L 3)NIPI	Sions.
53 = X-Wagon (127 WB)				53 = X-Wa	gon (127 WP	3)				



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4461 089	1				EM0	DGT		
	1.0. 000	<u>·</u> 1				EL0	DGT		
13									SNAP RING, 2.1875 OD
	4461 063	1				EM0	DGT		-,
		1				EL0	DGT		
14									SPRING, Direct Clutch
	4461 027	1				EM0	DGT		
		1				EL0	DGT		
15									HUB, Direct Clutch
	4461 072	1				EM0	DGT		
		1				EL0	DGT		
16									THRUST BEARING, Overdrive
	4446 724	1				EL0	DGT		
		1				EM0	DGT		
17									PLATE, Transmission Clutch
									Reaction
	4461 030	1				EM0	DGT		
		1				EL0	DGT		
18									DISC, Direct Clutch
	4461 042	8				EM0	DGT		
40		8				EL0	DGT		DIATE TO SECOND
19									PLATE, Transmission Clutch
	4461 054	7				EMO	DGT		Reaction
	4461 054	7 7				EL0	DGT		
20						LLU	<u> </u>		PLATE, Transmission Clutch
20									Reaction
	4461 031	1				EMO	DGT		redelien
		1				EL0	DGT		
21		<u> </u>							SPRING, Direct Clutch
	4461 032	1				EM0	DGT		,
		1				EL0	DGT		
22									SNAP RING, 1.875" OD
	4461 064	1				EM0	DGT		
		1				EL0	DGT		
23									GASKET, Overdrive Piston Retainer
	4471 565	1				EL0	DGT		
		1				EM0	DGT		
24									FILTER, Overdrive Clutch
	4412 583	1				EL0	DGT		

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EM0	DGT		
25									RETAINER, Transmission O/Drive
									Clutch Piston
	5211 7975	1				EL0	DGT		
		1				EM0	DGT		
26									PISTON, Overdrive Clutch
	5211 8599	1				EL0	DGT		
		1				EM0	DGT		
-27									SEAL, Overdrive Clutch Piston
	4617 352	1				EM0	DGT		
		1				EL0	DGT		
28									SCREW, .25-20
	0152 796	6				EL0	DGT		
		6				EM0	DGT		
29									SEAL, Overdrive Clutch Piston
	4431 697	1				EL0	DGT		Inner
		1				EM0	DGT		Inner
30									SEAL, Overdrive Clutch Piston
	4431 696	1				EL0	DGT		Outer
		1				EM0	DGT		Outer
31									PLATE, Transmission O/Drive Clut
	4431 735	1				EL0	DGT		.108110" Thick
		1				EM0	DGT		.108110" Thick
	4431 585	1				EL0	DGT		.123125" Thick
		1				EM0	DGT		.123125" Thick
	4431 731	1				EL0	DGT		.138140" Thick
		1				EM0	DGT		.138140" Thick
	4431 586	1				EL0	DGT		.153155" Thick
		1				EM0	DGT		.153155" Thick
	4431 732	1				EL0	DGT		.168170" Thick
		1				EM0	DGT		.168170" Thick
	4431 587	1				EL0	DGT		.183185" Thick
		1				EM0	DGT		.183185" Thick
	4431 733	1				EL0	DGT		.198200" Thick
		1				EM0	DGT		.198200" Thick
	4431 588	1				EL0	DGT		.213215" Thick
		1				EM0	DGT		.213215" Thick
	4431 734	1				EL0	DGT		.228230" Thick
		1				EM0	DGT		.228230" Thick
	4431 590	1				EL0	DGT		.243245" Thick

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.



« »



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EM0	DGT		.243245" Thick
32									SPACER, Intermediate Shaft, 1.
	4404.040					5 1.0	БОТ		58mm
	4431 916	1 1				EL0 EM0	DGT DGT		
-33						LIVIO	DGT		SPACER, Intermediate Shaft, .175
00	4431 917	1				EL0	DGT		or reality into into and on any irre
		1				EM0	DGT		
-34									SPACER, Intermediate Shaft, .193
	4431 918	1				EL0	DGT		
		1				EM0	DGT		
-35	4404.040					5 1.0	ВОТ		SPACER, Intermediate Shaft, .211
	4431 919	1 1				EL0 EM0	DGT DGT		
36						EIVIO	DGT		SNAP RING, Overdrive Clutch
00	4461 082	1				EMO	DGT		Civil Pilito, Ovolanivo Glaton
		1				EL0	DGT		
37									PLATE, Transmission Clutch
									Reaction
	4461 047	3				EMO	DGT		
		3				EL0	DGT		DIOC Di LOLLI
38	4461 181	4				EM0	DGT		DISC, Direct Clutch
	4401 101	4 4				EL0	DGT		
39		•				LLO	501		PLATE, Transmission Clutch
									Reaction
	4461 033	2				EM0	DGT		
		2				EL0	DGT		
40									SPRING, Overdrive Clutch
	4461 066	1				EM0	DGT		
14		1				EL0	DGT		CNAD DING 6 50 OD
41	4461 065	1				EMO	DGT		SNAP RING, 6.50 OD
	11 01 000	1				EL0	DGT		
-42		'					201		PLATE, Transmission Clutch
									Reaction
	4461 033	2				EL0	DGT		Overdrive Clutch
		2				EM0	DGT		Overdrive Clutch

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

Controls , Gearshift [46RE] [DGT] Figure 46RE-1210

		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-										



HEIM	NUMBER	QIY	LINE	SERIES	BODY	ENGINE	IRANS	IRIM	DESCRIPTION
									_
NOTES:	Sales Codes								
[DGG] =	3 Speed Auton	natic Tra	ansmissior	1					
[DGT] =	4 Speed Autom	natic Tra	ansmission						
1	52107 782AD	1					DGG,		CABLE, Shift
							DGT		
2	52107 845AB	1					DGT		BRACKET, Shift Cable
3	5207 8718	1					DGG,		BRACKET, Throttle Valve Spring
							DGT		
4	6502 697	1					DGG,		NUT, Hex Flange Lock, M12x1.75
							DGT		
5	0154 261	1					DGG,		BOLT
							DGT		
6	5207 9065	1					DGG,		LEVER, Throttle Valve
							DGT		
7	0181 065	1					DGG,		BOLT, Hex Head, .25-20x1.00
							DGT		
8	0138 165	1					DGG,		WASHER, Lock
							DGT		
9	J012 0375	1					DGG,		NUT, Hex, .250-20
							DGT		
10	52107 678AB	1					DGG,		LEVER, Manual Control
							DGT		
11	6022 245	1					DGG,		SCREW AND WASHER
							DGT		
12	5300 9055	1					DGG,		SPRING, Throttle Valve Return
							DGT		

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

Group – 022 Wheels, Covers and Jacks





GROUP 22 - Wheels, Covers and Jacks

Illustration Title	Group-Fig. No.
Wheels and Hardware Wheels And Hardware	Fig. 022-120
Wheel Covers and Center Caps	1 ig. 022 120
Caps And Trim Ring	Fig. 022-220
Jack Stowage Jack and Stowage	Fig. 022-340
Spare Tire Stowage	
Wheel Spare	Fig. 022-430

Wheels And Hardware Figure 022-120

PART

	2	3	4
5			
			7 6 8

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
[WCP] =	15 x 6.5 Black \	Wheels	3						
[WDC] =	: 16 x 6.5 Chrom	e Whe	els						
[WDG] =	= 16 x 6.5 Steel \	Wheels	3						
[WJA] =	15 x 7.0 Styled	Steel V	Vheels						
[WJM] =	15 x 7.0 Chrom	e Whe	els						
1	5FS0 6S4A	1	1		11, 12,				WHEEL, Steel, 5 Stud, 15 x 6.5
					13, 51				[WCP]
2	5GN67 S4AAB	4	1		11, 12,				WHEEL, Steel, 5 Stud, 15 x 7 [WJA]
					13, 51				
3	52106 212AC	4	1		11, 12,				WHEEL, Steel, 5 Stud, 15 x 7 [WJM
					13, 51				_
4	5FS0 5S4A	4	2, 3		12, 13,				WHEEL, Steel, 8 Stud, 16 x 6.5
					52, 53				[WDG]
5	52057 939AD	4	2, 3		12, 13,				WHEEL, Steel, 8 Stud, 16 x 6.5
					52, 53				[WDC]
6									STEM, Wheel Valve
	2073 355	4	1		11, 12,				
					13, 51				
	52057 949AB	4	2, 3		12, 13,				
					52, 53				
7	6036 310AA	20	1		11, 12,				NUT, Wheel, .50x20, with [WCP,
					13, 51				WJA, WJM]
8	6034 727	32	2, 3		12, 13,				NUT, Hex, .516-18, With [WDG,
			•		52, 53				WDC]

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

Caps And Trim Ring Figure 022-220

1	2	3	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
Note:									
_	15 x 6.5 Black								
	: 16 x 6.5 Chror : 16 x 6.5 Steel								
	15 x 7.0 Styled								
	15 x 7.0 Chror								
1	5203 8267	4	1		11, 12,				CAP, Wheel Center, (WJA, WJM)
					13, 51				
2	5203 9264	4	2, 3		12, 13,				CAP, Wheel Center, Chrome, (WDC
2					52, 53				CAR MILL Contex Block
3	5DK6 0PX9	4	1		11, 12,				CAP, Wheel Center, Black (WCP, WDG)
	DINO OF AS	7	1		11, 12, 13				(VVCF, VVDG)
	5DK62 DX9A	C 4	2, 3		12, 13,				(WDG)
	-		•		52, 53				,
	M VAN & WAGON		RODY		FNC	NINE			TDANISMISSION
SERIES . = Van, Wa	LINE		BODY 11= Van (1	109 WB)	EHO	GINE C, EH0 = Mag	num 3.9L S	SMPI	TRANSMISSION DGG = 32RH 3 Spd. Auto.
SERIES	LINE agon 1 = 15 2 = 25	500 500	11= Van (1 12 = Van ((127 WB)	EH(ELF	C, EH0 = Mag F, EL0 = Mag	num 5.2L SI	MPI	DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto.
SERIES . = Van, Wa	agon 1 = 15	500 500	11= Van (1 12 = Van (13 = X-Var	(127 WB) n (127 WB)	EH(ELF ELN	C, EH0 = Mag F, EL0 = Mag N, EL0 = 5.2L	num 5.2L SN V8 MPI CN	MPI IG	DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis
SERIES = Van, Wa	LINE agon 1 = 15 2 = 25	500 500	11= Van (1 12 = Van (13 = X-Var 51 = Wago	(127 WB)	EH(ELF ELN	C, EH0 = Mag F, EL0 = Mag	num 5.2L SN V8 MPI CN	MPI IG	DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto.



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52019 921AB	1							JACK
2	======================================								TOOL, Wrench
	52020 339AA				44.40				
	52019 871AB	1			11, 12,				
		1			51, 52 13, 53				
3	5203 9118	1			13, 53				DDIVED look Handla
	5203 9116 52020 280AA								DRIVER, Jack Handle
4		2							TUBE, Spare Tire Winch, 660.3 m Long
5	52020 440AA	1							TUBE, Spare Tire Winch, 80mm
									Long
6	52021 376AA	1							BRACKET, Jack
7	3420 1358	1							NUT AND WASHER, Hex Nut-
									Sealing Washer, M6 x 1.00
8									SCREW, (NOT SERVICED) (Not
									Serviced)
9									U NUT, .190-16, (NOT SERVICE
									(Not Serviced)
-10	6032 619	1							WINGNUT, Jack and Tire Hold Do
-11									BRACKET, Tool Hold Down
	52020 282AC-	· 1			11, 12,				
					51, 52				
		1			13, 53				

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

2	
5	

		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	55347 454AA	1							WINCH, Spare Tire Carrier
_	2	6101 695	4							NUT, Hex Flange Lock
	3									TUBE, Winch Actuator
		55347 469AB	1			11, 12,				
						51, 52				
		55347 470AB	1			13, 53				
	4	0456 636	1							PIN
	5	55359 039AA	1							GROMMET, Spare Tire Winch Tube
	6									CROSSMEMBER, Underbody
		55347 178AB	1			11, 12,				
						51, 52				
			1			13, 53				
	-7	5505 8226	1			12				SPACER, Spare Tire
	-8	5FW51 SX9AI	B- 1							COVER, Spare Tire

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Group – 23D

Wiper/Lock Cylinder and Keys






GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No
Lock Cylinders and Keys	
Lock Cylinders & Components	Fig. 23D-110
Windshield Wiper and Washer Systems	
Windshield Wiper & Washer	Fig. 23D-210

Lock Cylinders & Components Figure 23D-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: A	ALL LOCK CYLI	MUEDO	2 ADE LINI	CODED					
1	5018 702AA	1	3 ARE UN	CODED					CYLINDER, Ignition Lock
2	5010 702AA	1							TUMBLER, Ignition Number 1,
_	3010 073701	•							Sidebar
-3	5010 880AA-	1							TUMBLER, Ignition Number 2,
	0010 0007 01	•							Sidebar
-4	5010 881AA-	1							TUMBLER, Ignition Number 3,
									Sidebar
-5	5010 882AA-	1							TUMBLER, Ignition Number 4,
									Sidebar
6	5010 883AB	1							SPRING, Ignition Tumbler, Sidebar
7	4778 123	1							CYLINDER, Door Lock
-8	5257 152	1							CAP, Door Lock Cylinder, Bright
9	4778 117	1							TUMBLER, Door and Deck Number
									1, Wide
-10	4778 118	1							TUMBLER, Door and Deck Number
									2, Wide
-11	4778 119	1							TUMBLER, Door and Deck Number
									3, Wide
-12	4778 120	1							TUMBLER, Door and Deck Number
									4, Wide
13	4778 121	1							SPRING, Door and Deck Tumbler
14	5507 5824	1							LEVER, Door Lock Cylinder
-15	4378 793	1							SPRING, Cylinder Return
16									CLIP, Latch
	4658 444	1							Purple
	4658 445	1							Orange
17	4796 388	1							CYLINDER, Cargo Door Lock
18	4778 117	11							TUMBLER, Door and Deck Number
									1, Wide
-19	4778 118	1							TUMBLER, Door and Deck Number
									2, Wide
-20	4778 119	1							TUMBLER, Door and Deck Number
									3, Wide
-21	4778 120	1							TUMBLER, Door and Deck Number
00	4770 404								4, Wide
-22	4778 121	1							SPRING, Door and Deck Tumbler
-23	4378 793	1							SPRING, Cylinder Return
-24	4778 150	1							SHUTTER, Door, Deck and Liftgate,
OF.	5257 140	4							Bright
-25	5257 148	1							CAP, Door Lock Cylinder, Black

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

AR = Use as required -= Non illustrated part # = New this model year

Lock Cylinders & Components Figure 23D-110



	PARI								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26	2583 377	4							RETAINER, Door Lock Cylinder,
									Front Door,Cargo Door
27	5507 4799	4							GASKET, Door Lock Cylinder, Black
28	5018 689AA	1							KEY, Blank
29	6026 125	1							CLIP, Retainer
30	56045 191AD	2							TRANSMITTER, Keyless Entry
31	8350 4802	2							BATTERY, Transmitter
32	56045 190AB	1							MODULE, Keyless Entry
-33									SHIELD, Ignition Cable
	5602 6885	1							[EH0]
	56028 371AA	- 1							[EL0] [EM0]
-34	4362 706	1							GROMMET, Lock Knob

DODGE RAM VAN & WAGON (AB) -LINE

SERIES L = Van, Wagon X = Conv.


1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

Windshield Wiper & Washer **Figure 23D-210**



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
'									
1	55155 046AE	1							MOTOR, Wiper, Bracket & Crank
									Arm Included
2	55155 011AC	1							LINK AND PIVOT, Wiper
3	55076 884AC	2							ARM, Wiper
4	55076 885AB	2							BLADE, Wiper
5	56021 564AB	1							MODULE, Intermittant Wiper
6	5011 243AA	1							RESERVOIR, Washer
7	4882 796	1							PUMP, Washer, Windshield
8	4882 797	1							SENSOR, Washer Fluid Level
9	55077 261AA	1							CAP, Washer Reservoir
-10	5013 755AA-	1							GROMMET, Washer Reservoir
11	HWV0 0764	1							HOSE, Washer And Vacuum, 50
									Foot Roll 7/64"
12									SCREW AND WASHER, Hex Head,
									.312-18x1.75, (NOT SERVICED)
									(Not Serviced)
13	6102 132AA	2							SCREW, Hex Head, M6x1x20,
									Washer Reservoir Mounting
-14	4778 224	1							CONNECTOR, Washer Hose, In Line
-15	55077 088AA-	· 2							NOZZLE, Washer, Windshield
-16	HWV00 532AE	3- 1							HOSE 1FT, Windshield Washer, 5/
									32"
-17	HWV00 764AE	3- 1							HOSE 1FT, Windshield Washer, 7/
									64"
-18	5114 008AA-	2							CHECK VALVE, Washer
		-							


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Group – 024

Air Conditioning & Heater





024–300 Air Conditioner and Heater Units Air Conditioner and Heater Plumbing 024–300 Air Conditioner and Heater Controls 024–500 Air Conditioning Compressor Mounting 024–600 Air Ducts and Outlets

GROUP 24 - Air Conditioning & Heater

Illustration Title	Group-Fig. No.
Air Conditioner and Heater Units	
Hevac Unit	Fig. 024-130
Rear Hevac Unit	Fig. 024-180
Air Conditioner and Heater Plumbing	
Plumbing, Hevac	Fig. 024-260
Plumbing, A/C Condenser And Drier	Fig. 024-270
Air Conditioner and Heater Controls	
Control, Heater	Fig. 024-320
Control, Hevac	Fig. 024-330
Vacuum Lines	Fig. 024-340
Air Conditioning Compressor	
Compressor, Air Conditioning	Fig. 024-420
Air Conditioning Compressor Mounting	
Mounting,compressor	Fig. 024-510
Air Ducts and Outlets	
Air Ducts and Outlets, Front	Fig. 024-630
Air Ducts And Outlets, Rear	Fig. 024-640


Hevac Unit Figure 024-130






	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
Note:									
	All 3.9L Engine								
	5.2L Magnum ∖		PI Engine						
	All 5.9L Engine		Liigiiio						
1	4734 968AB	1							HOUSING, A/C Evaporator Core
-2	4885 288AA-	1							CORE, Heater
-2 -3	4882 817AB-	1							EVAPORATOR, Air Conditioning
	5061 037AA	1							SEAL, Panel Top Cover
4	3001 037AA	ı							
-5	F004 00FAA								SEAL, Evaporator Housing
	5061 035AA-	1							Right
	5061 036AA-	1							Left
_	5061 034AA-	1							Тор
6									CLIP, Control, Cable, (NOT
_									SERVICED) (Not Serviced)
7	0271 173	1							NUT
8	4885 111AA	1							LEVER, Mode Door
-9	4734 213	1							DOOR, Mode
-10	5503 6424	1							DOOR, Blend Air
-11	4885 306AA-	1							GROMMET, And Link
12	5061 161AA	1							DOOR, Fresh Air, Recirc door
13									SNAP RING, Transmission, 1 1/8
									O.D., (NOT SERVICED) (Not
									Serviced)
14	4885 422AA	1							SEAL, Evaporator Tube
15									TUBE, Drain, Serviced in Housing,
									(NOT SERVICED) (Not Serviced)
16	4114 095	1							LEVER, A/C Recirculation Door
17	4114 033	1							COVER AND SEAL, Heater Housin
18	4734 384	2							SEAL, Heater Housing, Cover
19	4885 298AA	1							SEAL, Evaporator To Dash
20	4114 096	1							SEAL, A/C Unit To Dash,
									RECIRCULATION
21	5503 5984	1							HOUSING, Air Outlet
22									NUT, Motor Mtg., (NOT SERVICED
									(Not Serviced)
23	5015 869AA	1							MOTOR, Blower with Wheel
-24	3503 036	1							SEAL, Motor To Cover
-25	6031 694	4				EH0,			SCREW AND WASHER, Hex Head
		-				ELF,			.164-18x1.0
						EM0			TO TOATE
-26	3843 386	2				LIVIO			TERMINAL
	3043 300								T ET CONTROL
	.M VAN & WAGON	(AB) —							
SERIES . = Van, W	LINE /agon 1 = 15	500	BODY 11= Van (10	00 WP)		SINE C, EH0 = Ma	anum 2 Ol C	MDI	TRANSMISSION DGG = 32RH 3 Spd. Auto.
. = van, w (= Conv.	ragon $1 = 13$ 2 = 25		12 = Van (1	127 WB)		, Enu = Mag , EL0 = Mag			DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto.
	3 = 35		13 = X-Van	(127 WB)	ELN	l, EL0 = 5.2L	. V8 MPI CN	G	DG0 = All Auto. Transmis
			51 = Wagor 52 = Wagor		⊨MI	_, EM0 = Ma	gnum 5.9L S	IVIPI	sions.
				gon (127 WB))				

Hevac Unit Figure 024-130






ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I E IVI	NOWBER	QII	LINE	SERIES	ВОВТ	ENGINE	INANS	IKIM	DESCRIPTION
07	55050 44044					5 110			DI OMED
-27	55056 149AA	- 1				EH0,			BLOWER
						ELF,			
20	2837 680	4				EM0			CLAMP Player Mater Wheel
-28	2837 680	1				EH0, ELF,			CLAMP, Blower Motor Wheel
						EM0			
-29	4885 456AB-	1				LIVIO			RESISTOR, Blower Motor
30	3503 040	1							TUBE, A/C Motor Cooling
31	5503 6537	1							HOUSING AND STUD, Air
									Recirculating
-32	4885 286AA-	1							HOUSING AND STUD, Heater
33	4114 052	1							SEAL, Evaporator To Dash
34	4885 113AA	1							ACTUATOR, Heater
35	6035 599	1							CLIP, A/C Heater Housing
-36									SEAL, Evaporator
	5503 6442	1							Upper
	5503 6443	1							Lower
	5503 6444	1							Side
-37	5503 6426	1							SEAL, Heater Core
-38	4734 374	2							SEAL
-39	4114 096	1							SEAL, A/C Unit To Dash
-40	4114 032	1							SEAL, Housing To Cowl
-41	4885 397AA-	1							LABEL, Air Conditioning System
42	6503 250	4							NUT, Hex Flange, M6x1
-43	6101 308	5							NUT, U, M6x1, PLENUM BRKT
									IP ATTACH
-44	6015 490	1							CLIP, Air Conditioning Wire
45	5503 6447	1							SWITCH, A/C Cycling

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:	All 0 01 E :								
_	All 3.9L Engin								
	5.2L Magnum								
	5.2L V-8 MPI All 5.9L Engin		igine						
<u>[⊏IVIO] –</u> 1	55055 783A								HOUSING, A/C Upper
2	33033 703A								LEVER, Mode Door
_	5505 5587	1				EH0,			ELVER, Mode Book
		•				ELF,			
						EM0			
		1				ELN			
3									ACTUATOR, Mode Control
	55055 788A	A 1				EH0,			
						ELF,			
						EM0			
		1				ELN			
4						- 1			DOOR, A/C and Heater Mode
	5505 5580	1				EH0,			
						ELF,			
		4				EM0			
5		1				ELN			BLOWER
5	55056 149A	A 1				EH0,			BLOWER
	33030 149A	^ '				ELF,			
						EMO			
		1				ELN			
6	3503 036	1							SEAL, Motor To Cover
7	5015 869AA	. 1							MOTOR, Blower with Wheel
8	4638 094	1							RELAY PACKAGE, Electrical
9									CABLE, Aux Temperature Control
	55055 791A	A 1				EH0,			
						ELF,			
						EM0			
		1				ELN			
10						- 116			WIRING, Auxilary Heat and A/C
	55055 787A	A 1				EH0,			
						ELF,			
		1				EM0 ELN			
11	4414 059	1				LLIN			INSULATOR, Wiring
12	4414 059	1							WEDGE, Insulator Locking
12	4414 001	<u>'</u>							WEBSE, Insulator Essking
ODGE RA	IM VAN & WAGO	N (AR) —							
ERIES	LINE		BODY			SINE			TRANSMISSION
= Van, W = Conv.		1500 2500	11= Van (1 12 = Van (EH(FI F	C, EH0 = Mag , EL0 = Mag	gnum 3.9L S num 5.2L SN	MPI 1PI	DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto.
20.11.		3500	13 = X-Var	n (127 WB)	ELN	I, EL0 = $5.2L$	V8 MPI CN	G	DG0 = All Auto. Transmis
			52 = Wago	on (109 WB) on (127WB) gon (127 WE		_, EM0 = Ma	gnum 5.9L S	MH	sions.



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	3843 386	2							TERMINAL
14	3503 040	1							TUBE, A/C Motor Cooling
15	0000 0 10	•							VALVE, A/C Expansion
	55055 782AA	1				EH0,			
						ELF,			
						EM0			
		1				ELN			
16									BOLT, Air Conditioning Plumbing
	5505 5567	2				EH0,			
						ELF,			
						EM0			
		2				ELN			
17	5003 115AA	1							PLATE, A/C Valve
18									HOUSING, A/C Lower
	55055 784AA	1				EH0,			
						ELF,			
						EM0			
		1				ELN			
19	4885 456AB	1							RESISTOR, Blower Motor
20	5003 143AB	1							BRACKET, Aux A/C And Heater Li
21	5003 118AA	1							HOSE, Auxiliary A/C And Heater
22									VALVE, Water Control
	5505 5588	1				EH0,			
						ELF,			
						EM0			
23	E002 1111 A	1				ELN			LINE A/C Sustian Auxilian, A/C
-24	5003 114AA 5170 300AA-	1							LINE, A/C Suction, Auxiliary A/C O RING, A/C Suction Line
-24 25	5170 300AA- 5003 117AB	1 1							TUBE, Heater Hose Outlet
26	5003 117AB	1							TUBE, Heater Hose
27	5003 110AB	1							LINE, A/C Liquid
-28	5170 299AA-	1							O RING, A/C Liquid Line
29	5003 137AA	1							GROMMET, Tube
30	5003 107AA	1							EVAPORATOR, Air Conditioning
-31	5003 107AA	1							FILTER, Air
-32	5003 109AA-	1							PIN, Push
-33		•							SEAL, A/C Evaporator
	5505 5571	1				EH0,			,
		•				ELF,			
						EM0			

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

AR = Use as required -= Non illustrated part # = New this model year



Rear Hevac Unit Figure 024-180



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1				ELN			
_	-34		•							SEAL, A/C Evaporator
	0.1	5505 5572	1				EH0,			CENE, 700 Evaporator
		0000 0072	•				ELF,			
							EM0			
-			1				ELN			
	-35	5003 111AA-	1				,			SEAL, Evaporator Housing
	-36	5003 112AA-	1							SEAL, Evaporator Drain
	-37	0000 112701	•							SEAL, A/C Evaporator
-	<u> </u>	5505 5573	1				EH0,			22.12, 7.00 2.1aporato.
		0000 00.0	•				ELF,			
							EM0			
			1				ELN			
-	38									CLAMP, Blower Motor Wheel
		2837 680	1				EH0,			,
							ELF,			
							EM0			
-			1				ELN			
	-39	55055 878AA-	- 1							CLIP, Air Conditioning Line
										· ·
_										

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

AR = Use as required -= Non illustrated part # = New this model year

PART




NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								2200 11011
All 3.9L V6 Engi	ines							
5.2L Magnum V		I Fngine						
	_							
3.0_ 3 3 3,	_							HOSE, 5/8" I.D. 50 Foot Roll
4741 932AB	1				EH0.			,
					EM0			
	1				ELN			
								SLEEVE, Heater Hose
4637 938	1				EH0,			
					ELF,			
					EM0			
	1				ELN			
6502 017	2							CLAMP, Heater Hose
								HOSE, Heater, 5/8 Inch Diamiter
5011 242AB	1				EH0,			
					ELF,			
	1				ELN			
								VALVE, A/C and Heater Water
5011 241AA	1							
0.4.40 ===0					ELN			01.4445.11
					E 110			CLAMP, Hose
55037 240AB	1				· · · · · · · · · · · · · · · · · · ·			HOSE, Heater Return
FF02 6160	4							TUDE Water Dump Inlet
5503 6160	ı							TUBE, Water Pump Inlet
4740 906	1							O RING, Tube Assy, Heater Return
4740 900	!							O King, Tube Assy, Heater Ketun
5503 5876	1				LIVIO			SPACER, Heater Return Tube
								BOLT, Hex Head, .375-16x.75
333 . 2 10	•							
	5.2L V8 MPI CN MI 5.2L V-8 Eng 5.9L 8 CYL GAS 4741 932AB 4637 938	5.2L V8 MPI CNG Eng MI 5.2L V-8 Engines 5.9L 8 CYL GAS 4741 932AB 1 1 4637 938 1 1 6502 017 2 5011 242AB 1 1 5011 241AA 1 1 2448 770 2 55037 240AB 1 4740 906 1	5.2L V8 MPI CNG Engine MI 5.2L V-8 Engines 5.9L 8 CYL GAS 4741 932AB	5.2L V8 MPI CNG Engine MI 5.2L V-8 Engines 5.9L 8 CYL GAS 4741 932AB	5.2L V8 MPI CNG Engine MI 5.2L V-8 Engines 5.9L 8 CYL GAS 4741 932AB 1 1 4637 938 1 1 6502 017 2 5011 242AB 1 1 5011 241AA 1 1 2448 770 2 55037 240AB 1 5503 6160 1 4740 906 1	5.2L V8 MPI CNG Engine MI 5.2L V-8 Engines 5.9L 8 CYL GAS 4741 932AB 1 EH0, ELF, EM0 1 ELN 4637 938 1 EH0, ELF, EM0 6502 017 2 5011 242AB 1 EH0, ELF, EM0 1 ELN 5011 241AA 1 EH0, ELF, EM0 5037 240AB 1 EH0, ELF, EM0 5503 6160 1 EH0, ELF, EM0 4740 906 1 EH0, ELO, EM0 5503 5876 1	5.2L V8 MPI CNG Engine MI 5.2L V-8 Engines 5.9L 8 CYL GAS 4741 932AB 1 EH0, ELF, EM0 1 ELN 4637 938 1 EH0, ELF, EM0 6502 017 2 5011 242AB 1 EH0, ELF, EM0 1 ELN 5011 241AA 1 EH0, ELF, EM0 5011 241AA 1 EH0, ELF, EM0 5037 240AB 1 EH0, ELF, EM0 5503 6160 1 EH0, ELF, EM0 5503 5876 1	5.2L V8 MPI CNG Engine MI 5.2L V-8 Engines 5.9L 8 CYL GAS 4741 932AB 1 EH0,

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


2 = 25003 = 3500

X = Conv.

Plumbing, Hevac Figure 024-260



Plumbing, Hevac Figure 024-260



ЕМ	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-					-			
		1				ELN			
-23	5505 5694	1				EH0,			CAP, Heater Hose, 5/8"
						ELF,			
						EM0			
-24	53015 886AA-	2				ELN			HOSE, Regulator Coolant

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 2500

3 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

sions.

AR = Use as required -= Non illustrated part # = New this model year

Plumbing, A/C Condenser And Drier Figure 024-270


PART



ITEM NUMBER QTY LINE SERIES BODY **ENGINE TRANS** TRIM **DESCRIPTION** CONDENSER, Air Conditioning LINE, A/C Suction SWITCH, A/C Low Pressure Cut Off GASKET, A/C Expansion Valve LINE, A/C Liquid LINE, A/C Suction FITTING, A/C Pre-charge FITTING, A/C Pre-charge LINE, A/C Suction & Discharge CLIP VALVE, A/C Discharge Line Check GASKET, A/C Discharge Line GASKET, A/C Discharge Line SWITCH, A/C High Pressure Cut Off O RING, A/C Suction Line O RING, High Pressure **TRANSMISSION** EHC, EH0 = Magnum 3.9L SMPI DGG = 32RH 3 Spd. Auto. ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis 51 = Wagon (109 WB) EML, EM0 = Magnum 5.9L SMPI 52 = Wagon (127WB)

53 = X-Wagon (127 WB)

Plumbing, A/C Condenser And Drier Figure 024-270



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 139	1				ELN			
	5015 805AA-	1				EH0,			
						ELO,			
						EM0			
17									VALVE, A/C Discharge Line Che
	5012 081AA	1				EH0			
		1				ELO,			
						EM0			
18									CAP, A/C Check Valve
	5012 082AA	1				EH0			
		1				ELO,			
						EM0			
	5015 804AA	1				EH0,			With Rear Air Unit
						EL0,			
						EM0			
19									SCREW, (NOT SERVICED) (No
									Serviced)
20	5534 7152	1							BRACKET, Drier Mounting
21	55036 079AD	1							VALVE, A/C Expansion
22	6032 572	2							SCREW, Cap, .25-20x2.00
23	6505 825AA	1							BOLT, Hex Flange Head, M8x1.
									25x45
24	5003 270AC	1							RECEIVER DRIER
25									BOLT, (NOT SERVICED) (Not
									Serviced)
26	55055 828AA	1							SEAL, Condenser, Upper
27	5017 562AA	1							GASKET, A/C Expansion Valve
28	4677 045	AR							GASKET, Valve To Evaporator
-29	4734 275	1							SLEEVE, Suction Line
-30	5073 628AA-	1				ELN			LINE, A/C Suction, Auxiliary A/C
31									FITTING, A/C Pre-charge
	5003 271AB	1							3/8'
	5003 272AB	1							3/4'

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

AR = Use as required -= Non illustrated part # = New this model year

		PARI							1	
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
•										
	1	55055 458AF	1							CONTROL, Heater
_	-2	5011 214AA-	1							SWITCH, Blower Control
	-3	5011 219AB-	1							HARNESS, A/C And Heater Vacuum



DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500 BODY

11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

	PART	, I	1	,		1	1		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, A/C And Heater
	55055 459AF	1							without Rear Unit
	55055 465AF	1							with Rear Unit with Heated Backlit
	55055 466AF	1							with Rear Unit without Heated
									Backlite
2	5011 214AA	1							SWITCH, Blower Control
-3	5011 219AB-	1							HARNESS, A/C And Heater Vacuur
-4	5011 218AC-	1							KNOB, A/C And Heater Control -
									Rotary




DODGE RAM VAN & WAGON (AB) LINE

SERIES L = Van, Wagon X = Conv.

1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI



	PART	1	1	1	1				
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLIP, (NOT SERVICED) (Not
									Serviced)
2									CLIP, (NOT SERVICED) (Not
									Serviced)
-3	3580 172	1							CAP, Vacuum
4	5503 5902	1							RESERVOIR, Speed Control
									Vacuum
5									VACUUM HARNESS, Heater and
									A/C
	5503 6174	1							Heater
	5503 6176	1							Speed Control
-6	4241 296	1							CONNECTOR, Vacuum Hose, A
									Vacuum Line [3/16 x 1/8]
-7	3300 3694	1							CONNECTOR, Vacuum Hose, .1
									25 Straight, A/C Cacuum Lines
-8	4306 994	1							TEE, Hose, .25x.25x.25, A/C
									Vacuum lines

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Compressor, Air Conditioning Figure 024-420

-2	4882 011	1

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
	II 3.9L Engine								
	II 5.2L Engines								
	All 5.9L Engine					5 110			
1	55036 741AE	1				EH0, EL0,			COMPRESSOR, Air Conditioning
						ELO, EMO			
-2	4882 011	1				EH0,			CLUTCH, A/C Compressor
_	.00_ 0	·				ELO,			0_0 : 0: ., : (0 00p. 0000.
						EM0			

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Mounting,compressor Figure 024-510

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
lote:	All 0.01 E :								
_	All 3.9L Engines								
_	All 5.2L Engines								
= [UIU] 1	All 5.9L Engines 6034 247	s 1				EH0,			BOLT, Hex Head, .375-16x.25
<u> </u>	0034 247	·				EL0,			BOLT, Hex Head, .373-10x.25
						EM0			
2						LIVIO			SCREW, (NOT SERVICED) (Not
2									Serviced)
3	5300 9508	1				EH0,			PULLEY, Idler
3	3000 0000	•				ELO,			
						EM0			
4	5300 8761	1				EH0,			BRACKET, Alternator
						ELO,			,
						EM0			
5									NUT, (NOT SERVICED) (Not
									Serviced)
6	6034 246	1							BOLT, Hex Head, .375-16x.75
7									SCREW, (NOT SERVICED) (Not
									Serviced)
8	3300 2201	1				EH0,			BUSHING, Idler Pulley
						ELO,			
						EM0			
9	53010 158AB	1				EH0,			TENSIONER, Belt
						EL0,			
						EM0			
10									SCREW, (NOT SERVICED) (Not
									Serviced)
-11	5300 7872	1				EH0,			BRACE, Compressor
						ELO,			
						EM0			


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Air Ducts and Outlets, Front Figure 024-630



	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
-1	4734 989	1							DIVIDER, A/C and Heater		
2	4734 990	1							SEAL, Air Outlet		
3	4885 000	1							SEAL KIT, A/C And Heater Unit		
4	4885 061AA	1							LEVER, Panel Door		
5									SCREW, Hex Head, M4.8-1.59x19		
									04734227, (NOT SERVICED) (No		
									Serviced)		
-6	4885 059AA-	1							DOOR, Distribution Duct		
-7	4885 060AA-	1							DOOR, Floor Defroster Duct		
8	4885 062AA	1							LEVER, Defroster Door		
9	4885 064AA	2							ACTUATOR, A/C and Heater		
-10	4734 031	2							BUSHING, Recirculation Door		
11	4734 988	1							DUCT, A/C And Heater		
12	4734 988	1							DUCT, A/C And Heater		
13	4734 991AB	1							HARNESS, Vacuum		
14	4885 296AA	1							ACTUATOR, Blend Door		
15	4885 297AA	1							CLIP		
16	6036 079AA	2							SCREW, Tap Hex Flange Head,		
									.190-16x1.0		
17									DUCT, Air Distribution		
	55055 457AD	1									
	55055 542AC	1							Pannel		
-18	55055 541AC-	. 1							DUCT, Air Outlet, Demister		

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Air Ducts And Outlets, Rear Figure 024-640



	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
1	55055 877AB	1							COVER, Auxiliary Heater And A/		
2									SCREW, .164-18x.625, (NOT		
									SERVICED) (Not Serviced)		
3	55055 657AB	2							EXHAUSTER, Quarter Panel		
4									DUCT, Heater And A/C		
	5GA89 XDVAI	O 1							[DV]		
	5GA89 XT5AD) 1					[T5]				
5	6031 321	2						PIN, Retainer			
6									DUCT, Heater And A/C		
	5GA89 XDVAI	O 1							[DV]		
	5GA89 XT5AD) 1							[T5]		
7									PLUG		
	5GC69 XDVA	В 1							[DV]		
	5GC69 XT5AE	3 1							[T5]		
8									SCREW, (NOT SERVICED) (Not		
									Serviced)		
-9	55055 692AD-	. 1							DUCT, Heat Distribution		


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Group – 025 Emission Systems





GROUP 25 - Emission Systems

Illustration Title	Group-Fig. No
Emission Labels	
Emission Labels	Fig. 025-110
Vacuum Canister	
Vacuum Canister, 3.9L (EHC), 5.2L (ELF), 5.9L (EML)	Fig. 025-310
Emission Harness	
Emission Control Vacuum Harness, 3.9L (EHC), 5.2L (ELF), 5.9L (EML)	Fig. 025-410
Leak Detection Pump, 3.9L (EHC), 5.2L (ELF), 5.9L (EML)	Fig. 025-420

(<u>)</u>
,	

	IMPORTANT VEHICLE I	NFORMATION	
	THIS VEHICLE CONFORMS TO U.S. EPA F TO 19XX MODEL YEAR NEW LIGHT-DUTY T WEIGHT GREATER THAN 3,450 POUNDS AT	RUCKS WITH A	CURB
YST	* BASIC IGNITION TIMING AND IDLE FUEL/AIR MIXTURE HAVE BEEN PRESET AT THE FACTORY. SEE THE SERVICE MANUAL FOR PROPER PROCEDURES AND OTHER ADDITIONAL INFORMATION.	XX LITER NCR5.2T5FEX3 NCRTG	SPARK PLUGS
CATALYST	 ADJUSTMENTS MADE BY OTHER THAN APPROVED SERVICE MANUAL PROCEDURES MAY VIOLATE FEDERAL AND STATE LAWS. CAUTION: APPLY PARKING BRAKE WHEN SERVICING VEHICLE. 	IDLE * TIMING BTC	X X
3032003 C	REGU	NO OTHER ADJUS	SIMENIS NEEUEU
ER 5303	ORIFICE - PCV VALVE SOLEMOID TO CLIMATE CONTROL DRUISE CONTROL ANA ANAE (MEN EQUIPPED)	SREATHER CLAP TO TO SRAWLE BOOSTER	E ?
CHRYSLE CORPORATI	ORIFICE CHECK VALVE SCHOOL		

l	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
Note; Sale	es Codes										
EHC] = 3	.9L Magnum V	/-6									
-	II 3.9L Engines										
-	2L Magnum V										
	.2L, V-8 Comp		Natural G	as							
	.9L Magnum V										
	II 5.9L Engines										
_	ı [Z3F]= Found	d On V	ehicle Sale	es Code Lis	sting						
1									LABEL, Emission		
	52113 833AB	1	1, 2		11, 12,	EH0			[U.S 50 States]		
					13, 51,						
	E0440 00EAA	4	0.0		52	FLNI			[] [C [C C C C C C C C C C C C C C C C		
	52113 835AA	1	2, 3		12, 13,	ELN			[U.S 50 States]		
	52113 837AB	1	1		52, 53	ELE			[U.S 50 States]		
	32113 037AD	'	ı		11, 12, 13, 51	ELF			[U.S SU States]		
	52113 839AA	1			13, 31	ELF			[Federal]		
	52113 841AA	1				ELF			[California]		
	52113 842AA	1				EML			[Federal]		
	52113 846AB	1	1		11, 12,	EML			[Clean Fuel Fleet Rating 6600]		
	02110 0 10/13	•	•		13, 51				[elean racer lest rating esse]		
	52113 847AB	1	1		11, 12,	EML			[Clean Fuel Fleet Rating 7000]		
					13, 51				[1 11 11 11 11 11 11 11 11 11 11 11 11 1		
		1	2, 3		12, 13,	EML			[Clean Fuel Fleet]		
					52, 53						
	52113 849AA	1	1		11, 12,	EML			[California]		
					13, 51						
	52113 850AA	1	2, 3		12, 13,	EML			[California]		
					52, 53						
	52113 851AA	1	3		12, 13,	EML			[California]		
					53						
		1	1		11, 12,	EML			[U.S 50 States]		
					13, 51						
	52121 026AA	1				EM0			[Export]		
	52121 027AA	1				EH0			[Export]		

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

sions.

Vacuum Canister, 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Figure 025-310





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
-	All 3.9L Engines								
	5.2L Magnum V		I Engine						
	All 5.9L Engines								
1	53031 584AC	1				EH0,			CANISTER, Fuel Vapor, Round
						ELF,			
						EM0			
-2	5303 0837	1				EH0,			CANISTER, Vapor, Square
						ELF,			
	0400 040	_				EM0			NUT II NO 1 00
3	6100 048	7				EH0,			NUT, Hex, M6x1.00
						ELF,			
	5000 0000					EM0			DDAOKET Vanas Opisiatas
4	5303 0828	1				EH0,			BRACKET, Vapor Canister
						ELF,			
_	0404 455	40				EM0			COREW AND WACHED Have her
5	6101 455	12							SCREW AND WASHER, Hex Hea M6x1x20
6	3820 667	4				EUO			
6	3020 007	1				EH0, ELF,			CAP, Vapor Canister
						EM0			
7	53031 611AC	1				EH0,			HOSE, Carbon Canister
,	33031 011710	'				ELF,			ricoz, carbon camater
						EMO			
8	6505 413AA	2				LIVIO			CLAMP
-9	6503 951	4				EH0,			STUD, M6X1.00X.250-14X30.00
						ELF,			
						EM0			
-10	4275 636	1				EH0,			CONNECTOR
						ELF,			
						EM0			
-11	4201 275	1							CONNECTOR, Vacuum
-12	4179 981	1				EH0,			CONNECTOR, Vapor Canister Ve
						ELF,			Hose
						EM0			
-13	53031 748AD-	· 1				EH0,			HARNESS, Vapor Canister
						ELF,			
						EM0			

3 = 3500


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.2 = 2500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Emission Control Vacuum Harness, 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Figure 025-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1102			0220					2200
Note;									
	All 3.9L Engines								
-	5.2L Magnum V		I Engine						
	All 5.9L Engines		3						
1	53032 981AB	1				EH0,			HARNESS, Vacuum
						ELF,			
						EM0			
2	52102 986AA	1				EH0,			HARNESS, Vacuum
						ELF,			
						EM0			
3	53031 748AD	1				EH0,			HARNESS, Vapor Canister
						ELF,			
						EM0			
4	4669 475AB	1				EH0,			SOLENOID, Duty Cycle Purge
						ELF,			
						EM0			
5	5017 181AA	1				EH0,			BRACKET, Duty Cycle Purge
						ELF,			Solenoid
						EM0			
6	6101 718	1				EH0,			SCREW AND WASHER, Oval Hea
						ELF,			M6x1x25
						EM0			
-7									SCREW, M6x1.00x30.00, (NOT
									SERVICED) (Not Serviced)
8	5303 1531	1				EH0,			BRACKET, Duty Cycle Purge
						ELF,			Solenoid
0	5000 0007					EM0			BUOLING L. L.
9	5303 0987	1				EH0,			BUSHING, Isolator
						ELF, EM0			
10	4669 268	2							GROMMET
10	4009 200	2				EH0,			GROWINE
						ELF, EM0			
11	3502 916	2				EH0,			SPACER, Speed Control Servo
11	JJU2 310	۷				EHU, ELF,			OF ACEIX, Opeed Control Servo
						EMO			
-12	4364 375	1				EHO,			TUBE, Convoluted
-12	7304 373	1				ELF,			TOBE, Convoluted
						⊏∟┌,			

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB) **ENGINE**

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Emission Control Vacuum Harness, 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Figure 025-410

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY ENGI	IE TRANS	TRIM	DESCRIPTION
			1 ~		3220		- 110110	1	DESCRIPTION
	-13	4591 090	1			EH			PORT, Emission Testing
						ELF EM			
3									
(a) (b) (c) (c) (d) (d) (e) (d) (e) (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e									
9									
10									
	-								
6 5									
(2)									
	SERIES	I VAN & WAGON LINE		BODY	20 MB)	ENGINE	Magrees		TRANSMISSION
	SERIES L = Van, Wa X = Conv.	gon 1 = 1 2 = 2 3 = 3	500 500 500	11= van (10 12 = Van (12 13 = X-Van	27 WB) (127 WB)	EHC, EH0 : ELF, EL0 = ELN. FI 0 =	Magnum 3.9L S Magnum 5.2L S 5.2L V8 MPI CN Magnum 5.9L S	oiviPI MPI IG	TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis
		5 - 0		51 = Wagon 52 = Wagon 53 = X-Wag	09 WB) 27 WB) (127 WB) (109 WB) (127WB) gon (127 WB)	EML, EMO	: Magnum 5.9L S	SMPI	sions.

Leak Detection Pump, 3.9L (EHC), 5.2L (ELF), 5.9L (EML) Figure 025-420

7	5
2	
	(1)
5	
	A.
3	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
	II 3.9L Engine								
	.2L Magnum V	-8 SMF	PI Engine						
-	ll 5.9L Engine		Ü						
	4891 423AB	1				EH0,			PUMP, Leak Detection
						ELF,			
						EM0			
2	4612 901	1				EH0,			FILTER, Fuel Vapor Vent
						ELF,			
						EM0			
3	5012 420AB	1				EH0,			HARNESS, Leak Detection Pump
						ELF,			
						EM0			
4	5017 181AA	1				EH0,			BRACKET, Duty Cycle Purge
						ELF,			Solenoid
						EM0			
5									SCREW, M6x1.00x30.00, (NOT
									SERVICED) (Not Serviced)
6	6035 482	3				EH0,			SCREW, Tapping, .19-16x.375
						ELF,			
						EM0			
7									SCREW, M6x1.00x11.00, (NOT
									SERVICED) (Not Serviced)
-8	4669 657	1				ELN			CAP, Vacuum Port

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon

X = Conv.


LINE 1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Group – DAB

Doors and Related Parts




DAB-100 Front Door	DAB-300 Door, Sliding Cargo	DAB-400 Door, Dual and Single Cargo	DAB-500 Exterior Mirror
RODE			
DAB-600 Weatherstrips and Seals			

GROUP DAB - Doors and Related Parts

Illustration Title	Group-Fig. No.
Front Door	
Door, Front Shell And Hinges	Fig. DAB-110
Door, Front Glass And Regulator Handle	Fig. DAB-125
Door, Front Exterior Handle And Links	Fig. DAB-135
Door, Front Manual Control Module	Fig. DAB-140
Door, Front Power Control Module	Fig. DAB-150
Door, Sliding Cargo	
Door, Sliding Cargo Shell And Hinges	Fig. DAB-310
Door, Sliding Cargo Glass And Hardware	Fig. DAB-320
Door, Sliding Cargo Lock And Controls	Fig. DAB-330
Door, Dual and Single Cargo	
Door, Dual Cargo Shell And Hinges	Fig. DAB-410
Door, Dual Cargo Glass And Hardware	Fig. DAB-420
Door, Dual Cargo, Right Lock And Controls	Fig. DAB-430
Door, Dual Cargo, Left Lock And Controls	Fig. DAB-435
Door, Single Rear Cargo Shell And Hinges	Fig. DAB-450
Door, Single Rear Cargo Glass And Hardware	Fig. DAB-460
Door, Single Rear Cargo Lock And Controls	Fig. DAB-470
Check Arm, Cargo Door	Fig. DAB-480
Exterior Mirror	
Mirrors, Exterior	Fig. DAB-520
Weatherstrips and Seals	
Door, Front Weatherstrips And Seals	Fig. DAB-615
Door, Sliding Weatherstrips	Fig. DAB-620
Door, Dual Cargo Weatherstrips And Seals	Fig. DAB-630
Door, Single Rear Cargo Weatherstrips And Seals	Fig. DAB-640

Door, Front Shell And Hinges Figure DAB-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	55346 545AE	1							Left
	55346 546AE	1							Right
-2	5534 6956	2							CHECK, Front Door
3									PANEL, Door Outer Repair
	5534 6554	1							Right
	5534 6555	1							Left
-4	6029 940	2							PLUG, Mirror Hole Cover
5									PLUG, Body, 1.655 Diameter
	6029 057	1			51, 52,				
					53				
		1			11, 12,				
					13				
6	6029 939	AR							PLUG, Body, .50 Diameter
7	3760 482	2							PLUG, Access Hole
8	5534 6955	4							HINGE, Door
9									PIN, Hinge, Serviced in Hinge
									Assembly, (NOT SERVICED) (No
									Serviced)
10									BUSHING, Pin, Serviced in Hinge
									Assembly, (NOT SERVICED) (No
									Serviced)
11									BAR, Front Door Hinge Torsion,
									Serviced in Hinge Assembly, (NO
									SERVICED) (Not Serviced)
12	6503 328	20							SCREW, Hex Head, M8x1.25x30
13									SCREW, Cap, .437-20x1.812,
									06030946, (NOT SERVICED) (No
									Serviced)
-14									WATERSHIELD, Front Door
	55346 852AC-	. 1							Right
	55346 853AC-								Left

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Door, Front Glass And Regulator Handle Figure DAB-125



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS, Front Door
	55346 804AD	1							Right
	55346 805AD	1							Left
-2									RUN, Front Door Glass
	55346 670AF	- 1							Right
	55346 671AF	- 1							Left
3									PAD, Foam Compounding, (NOT
									SERVICED) (Not Serviced)
4	FW80 PX9	2							HANDLE, Window Regulator
5	2950 491	1							SPACER, Door Handle

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE

EHC, EHO = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

Door, Front Exterior Handle And Links Figure DAB-135



	PART								
ITEM	I NUMBE	R QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HANDLE, Exterior Door
	55359 03	8AA 1							Right
	55359 03	7AA 1							Left
2									KNOB AND LINK, Door Lock
	5FZ67 XI	OVAC 1							DV, Left
	5FZ67 X	T5AC 1							T5, Left
	5FZ66 XI	OVAC 1							DV, Right
	5FZ66 X	T5AC 1							T5, Right
3	55347 05	9AB 2							LINK, Exterior Door Handle
4									LINK, Key Cylinder To Latch
	55347 08	4AB 1							Right
	55347 08	5AB 1							Left
5	J420 040	8 4							NUT AND WASHER, Hex Nut-Coned
									Washer, M5 x 0.80
6	4696 371	2							FOAM PAD, Antirattle Rear Door
									Lock

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EHO = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

Door, Front Manual Control Module Figure DAB-140



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PLATE, Door Module
	5278 402AA	1							Right
	5278 403AA	1							Left
-2	5278 410AA-	1							BUMPER, Door Module
-3	5278 411AA-	1							BUMPER, Door Module
4									REGULATOR, Front Door Window
	5278 398AA	1							Right
	5278 399AA	1							Left
5	5278 404AA	1							SCREW, Window Regulator
6	5534 6618	1							STRIKER, Door Latch
7									HANDLE, Front Door
	5534 7078	1							Right
	5534 7079	1							Left
-8	5278 413AA-	1							SCREW, Inside Handle Mount
9	5278 408AA	1							CABLE, Latch Release
10	5278 409AA	1							CLIP, Anti Rattle
11									LATCH, Front Door
	55359 228AA	1							Right
	55359 229AA	1							Left
-12	6502 655	4							SCREW, Hex Head, M6x1x15
-13	4658 676	1							CLIP, Latch Link
-14	4615 346	1							CLIP, Outside Door Handle
-15	4658 674	1							CLIP, Latch Link
16	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1
-17	3454 221	1							CLIP, Deck Lid Lever To Link, 4.10
									Diameter Green, Door Latch Link
									Push Rod

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EHO = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

ENGINE

Door, Front Power Control Module Figure DAB-150

PART

	8
	10
6	7

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
	II 3.9L V-6 En	-							
[ELF] = 5.	2L Magnum V	'-8 SMF	PI Engine						
[EM0] = A	II 5.9L V-8 En	gines							
1									PLATE, Door Module
	5278 400AA	1							Right
	5278 401AA	1							Left
-2	5278 410AA-	1							BUMPER, Door Module
-3	5278 411AA-	1							BUMPER, Door Module
4									REGULATOR, Front Door Windo
	5278 396AA	1							Right
	5278 397AA	1							Left
-5	5278 404AA-	1							SCREW, Window Regulator
6	6100 048	7							NUT, Hex, M6x1.00
7	5534 6618	1							STRIKER, Door Latch
8									HANDLE, Front Door
	5534 7078	1							Right
	5534 7079	1							Left
-9	5278 413AA-	1							SCREW, Inside Handle Mount
10	5278 408AA	1							CABLE, Latch Release
11	55359 229AA	1							LATCH, Front Door, Left
-12									ACTUATOR, Power Latch
	5278 414AA-	1							Right
	5278 415AA-	1							Left
-13	5278 416AA-	1							SCREW, Actuator to Latch
-14	5278 409AA-	1							CLIP, Anti Rattle
-15	4658 676	1							CLIP, Latch Link
	4658 676	1							CLIP, Latch Link
	4615 346	1							CLIP, Outside Door Handle
-18	4658 444	1							CLIP, Latch
19									MOTOR, Window Regulator
	5278 406AA	1							Right
	5278 407AA	1							Left
20	5278 405AA	1							SCREW, Window Motor
21	6033 876	6							SCREW, Tapping, M6.3x1.8x38.

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon X = Conv.

LINE 1 = 1500 2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

ENGINE

Door, Sliding Cargo Shell And Hinges Figure DAB-310



Door, Sliding Cargo Shell And Hinges Figure DAB-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-							_
31	5502 5522	1							PLATE, Hinge
32	6030 613	1							SCREW, Hex Head Locking, #10-
									24x.50
33	55076 237AB	1							BRACKET, Upper Roller
34	6022 202	3							SCREW AND WASHER, Hex Head,
									.25-20x.625
35	5534 7146	1							ROLLER, Side Door, Upper
36	5534 6527	AR							SPACER, Side Cargo Door Striker
37	6025 007	1							NUT AND WASHER, Hex, .312-18
38	5534 7137	1							BRACKET, Side Cargo Door Roller
39	3739 768	1			12, 13,				TAPPING PLATE, Side Door Lock
					52, 53				Striker
40	J400 6887	2							BOLT AND WASHER, .375-16x.62
41	2276 749	1							STOPPER, Cargo Door
-42	5534 7152	1							BRACKET
43	5507 5676	1							MAT, Floor
-44	5503 2184	4							DEADENER, Door Panel

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Door, Sliding Cargo Glass And Hardware Figure DAB-320



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS
	5507 4700	1							Vented Glass, Tinted
	5513 5265	1							Vented Glass, Privacy
-2	5534 6581	1							LABEL, Side Door Operating
									Instruction, Clear
-3	5534 6582	1							LABEL, Side Door Operating
									Instruction, Opaque
4	55074 704AB	1							HINGE, Glass
5	6030 650	3							SCREW, Hex Head Locking, .25-20x.
									875
6									SCREW, Pan Head, .19-16x.625,
									00154608, (NOT SERVICED) (Not
									Serviced)
7	55135 041AB	2							LATCH, Vent Window
8									PIN, Latch, (NOT SERVICED) (Not
									Serviced)
9	4084 167	2							NUT, Window Latch Side Glass
10	4084 164	2							GROMMET, Vent Window Latch
11	5513 4502	4							WASHER, Vent Window Latch
12	5502 2619	2							RETAINER, Side Panel Vent Window
13									SCREW, Oval Head, [.164-32x.75],
									(NOT SERVICED) (Not Serviced)


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Door, Sliding Cargo Lock And Controls Figure DAB-330



Door, Sliding Cargo Lock And Controls Figure DAB-330



	PART								
ITEN	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	6035 404	1							SCREW, Cap, .19-32x.57
28	4081 417AB	1							COVER, Side Cargo Door Latch
29									NUT, (NOT SERVICED) (Not
									Serviced)
30									SCREW, (NOT SERVICED) (Not
									Serviced)
31	5507 6303	1							HANDLE, Sliding Door Exterior
32	5521 5740	1							ESCUTCHEON, Cargo Door Latch
33	5521 5865	1							SEAL, Door Handle
34	55075 781AB	1							SUPPORT, Cargo Door
35	6029 799	4							BOLT, Hex Head, .375-16x1.00
-36									BOLT, Striker, (NOT SERVICED)
									(Not Serviced)
37	3420 1358	1							NUT AND WASHER, Hex Nut-
									Sealing Washer, M6 x 1.00
38	4038 836	1							STRIKER, Door Latch
39	5534 6527	AR							SPACER, Side Cargo Door Striker
40	6035 244	1							SCREW AND WASHER, Truss
									Head, .312-18x1.12
41									STRIKER, Door Latch
	55075 669AC	1			51, 52,				
					53				
		1			11, 12,				
					13				

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis

AR = Use as required -= Non illustrated part # = New this model year

Door, Dual Cargo Shell And Hinges Figure DAB-410



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Side Cargo
	55346 709AG	1							with window, Left
	55346 713AG	1							without window, Left
	55346 706AF	1							with window, Right
	55346 710AF	1							without window, Right
2									DOOR, Rear Cargo
	55346 717AF	1							with window, Left
	55346 721AF	1							without window, Left
	55346 714AF	1							with window, Right
	55346 718AF	1							without window, Right
3									PANEL, Side Cargo Door
	55023 237AD	1							with window, Left
	5534 5625	1							without window, Right
	5534 5633	1							with window
4									PANEL, Cargo Door
	55023 225AC	1							with window, Left
	55023 243AD	1							without window, Left
5	55023 231AC	1							PANEL, Door Trim, without window
									Left
6									PANEL, Rear Cargo Door Repair
	5534 6439	1							without window, Right
	5534 6441	1							with window, Right
7									HINGE, Side Door
	5507 5194	1							Upper Right
		1							Lower Left
	5507 5195	1							Upper Left
		1							Lower Right
8	6031 129	12							SCREW AND WASHER, Hex Head
									.312-18x.875, Hinge to Door
9									NUT, Inverted Flare, .50-20x.75,
									06034879, (NOT SERVICED) (No
									Serviced)
10									WASHER, (NOT SERVICED) (Not
									Serviced)
11	3760 482	2							PLUG, Access Hole
12									ARM, Cargo Door Check
	55346 730AC	1							Right
	55346 731AC	1							Left
13	5534 6728	1							HOUSING, Door Remote Control
14	6035 950AA	2							PIN, Check Arm
15	55347 338AD	1							BUMPER, Door


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

AR = Use as required -= Non illustrated part # = New this model year

Door, Dual Cargo Shell And Hinges Figure DAB-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	6029 939	1			51, 52,				PLUG, Body, .50 Diameter
					53				
17									SCREW, (NOT SERVICED) (Not
									Serviced)
18	6100 048	7							NUT, Hex, M6x1.00
-19	0152 474	1							NUT, Hex Flange Lock, .375-16,
									Cargo Door Hinge Mounting
-20	55347 285AB-	1							STRIKER, Door Latch, Cargo Doo
-21	5507 5208	1							PIN, Cargo Hinges
-22	5507 5199	1							BUSHING, Pin, Cargo Door hinge

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis

sions.

Door, Dual Cargo Glass And Hardware Figure DAB-420



1 4084 5513 2 5500 3 4 5500 5 6033	34 511 13 5268 07 4706 07 4712 33 560	2 2 2 2 3	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	GLASS, Side Cargo Door, Fixed Fixed, Tinted Vented, Privacy GLASS, Cargo Door, Vented, Vented, Tinted
4084 5513 2 5500 3 4 5500 5 6033 6 6030	13 5268 07 4706 07 4712 33 560	2 2 2							Fixed, Tinted Vented, Privacy GLASS, Cargo Door, Vented,
4084 5513 2 5500 3 4 5500 5 6033 6 6030	13 5268 07 4706 07 4712 33 560	2 2 2							Fixed, Tinted Vented, Privacy GLASS, Cargo Door, Vented,
5513 2 5500 3 4 5500 5 6033 6 6036	13 5268 07 4706 07 4712 33 560	2 2 2							Fixed, Tinted Vented, Privacy GLASS, Cargo Door, Vented,
2 550° 3 4 550° 5 603° 6 603°	07 4706 07 4712 33 560	2							GLASS, Cargo Door, Vented,
3 4 550 5 603 6 603	07 4712 33 560	2							
4 550° 5 603° 6 603°	33 560								Vented, Tinted
4 550° 5 603° 6 603°	33 560								
5 6033 6 6036	33 560								GLASS, Cargo Door, (NOT
5 6033 6 6036	33 560								SERVICED) (Not Serviced)
6 6030		3							HINGE, Glass
	20.050								NUT AND WASHER, Hex Nut-Coned
	10.050								Washer, .25-20
7	30 650	3							SCREW, Hex Head Locking, .25-20x.
7									875
_									SCREW, Pan Head, .19-16x.625,
									00154608, (NOT SERVICED) (Not
									Serviced)
8 5513	135 041AB	2							LATCH, Vent Window
9 4084	34 167	2							NUT, Window Latch Side Glass
10 4084	34 164	2							GROMMET, Vent Window Latch
11 5513	13 4502	4							WASHER, Vent Window Latch
12 5502	02 2619	2							RETAINER, Side Panel Vent Window
13									PIN, Latch, (NOT SERVICED) (Not
									Serviced)
14									SCREW, (NOT SERVICED) (Not
									Serviced)
15 551	17 4544	1							LABEL, Exhaust Gas Warning


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Door, Dual Cargo, Right Lock And Controls Figure DAB-430



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Cargo Door
	55347 210AB	1							Manual
	55347 211AB	1							Electric
2	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1,
									Latch
3	55347 284AB	1							LINK, Key Cylinder To Latch
4									CLIP, (NOT SERVICED) (Not
									Serviced)
5	3670 808	1							CONTROL, Door Lock
6									PLATE, (NOT SERVICED) (Not
									Serviced)
7	6022 202	3							SCREW AND WASHER, Hex Head,
									.25-20x.625
8	55347 282AB	1							ROD, Inside Handle to Latch
9	5507 6083	1							HANDLE, Cargo Door
10	6022 202	3							SCREW AND WASHER, Hex Head,
									.25-20x.625
11	5507 5654	1							HANDLE, Exterior Door
12	5507 4892	1							SPACER, Handle
13	J420 0408	4							NUT AND WASHER, Hex Nut-Coned
									Washer, M5 x 0.80, Handle
									mounting
14	5534 7283	1							LINK, Exterior Door Handle
15	3454 220	1							CLIP, Parking Brake Cable
16	55347 203AB	1							KNOB AND LINK, Door Lock
17	2956 754	1							KNOB, Door Lock
18	4038 693	1							GROMMET, Lock Knob
19									CLIP, Latch Link
	4658 674	1							Right
	4658 676	1							Left
-20	2862 052	1							BUMPER, Remote Control Lever
-21	5521 5882	1							SEAL, Handle


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Door, Dual Cargo, Left Lock And Controls Figure DAB-435



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•		•	•		•		•	
1									ROD, Inside Handle to Latch
· ·	5507 5679	9 1							Upper Latch
	55359 214								Upper Latch with Silencer Disc
2									ROD, Inside Handle to Latch
	5503 3167	7 1							Side Door
	5503 3168								Rear Door
	55359 215	5AA 1							Rear Door with Silencer Disc
	55359 216	6AA 1							Side Door with Silencer Disc
3	5507 5696	5 1							SILENCER, Anti-Rattle Disc
4	5503 4384	1 1							HANDLE, Interior Door
5									SCREW, (NOT SERVICED) (Not
									Serviced)
6									LATCH, Cargo Door
	55359 158	BAC 1							Upper
	4354 931 <i>A</i>	AC 1							Lower
7									BOLT, Hex Head, .312-18x.62, (NOT
									SERVICED) (Not Serviced)
8	55347 285	5AB 1							STRIKER, Door Latch
9	5503 3174	4 AR							SPACER, Striker
10									SCREW, (NOT SERVICED) (Not
									Serviced)
11									STRIKER, Door Latch
	5503 3170) 1							Upper
	5507 5909) 1							Lower
12									GROMMET, 06502520, (NOT
									SERVICED) (Not Serviced)
13	5503 3174	4 AR							SPACER, Striker
14	6025 350	2							BOLT AND CONED WASHER, Hex
									Head, .312-18x1.00
15	6034 445	2							SCREW, Hex Head, .312-18x1.00
16									EXTENSION, Cargo Door Pillar To
									Sill
	5CS03 XT								[T5], Side
	5CS10 XT								[T5], Rear
	5CS03 XE								[DV], Side
4-	5CS10 XE	DVAB 1							[DV], Rear
17									SCREW, (NOT SERVICED) (Not
10									Serviced)
18									PIN, Push .281, 5AA35KA8, (NOT
									SERVICED) (Not Serviced)
ODGE RA	M VAN & WAC	GON (AB) -							
ERIES = Van, W		NE = 1500	BODY 11= Van (100 W/R)		GINE C, EH0 = Ma	anum 3 Ol S	MPI	TRANSMISSION DGG = 32RH 3 Spd. Auto.
= Van, w = Conv.	2	= 2500	12 = Van (127 WB)	ELF	F, EL0 = Mag	num 5.2L SI	ΛPI	DGT = 46RE 4 Spd. Auto.
	3	= 3500		n (127 WB) on (109 WB)		N, EL0 = 5.2L L, EM0 = Ma			DG0 = All Auto. Transmis sions.
				on (109 WB)	⊏IVII	L, LIVIO = IVIA	gnum b.al c	oi√IF I	510115.
				igon (127 WB	3)				

Door, Single Rear Cargo Shell And Hinges Figure DAB-450



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55346 724AI	1							DOOR, Rear Cargo
2	55346 443AB	1							PANEL, Rear Cargo Door Repair
3									HINGE, Side Door
	5507 5194	1							Upper
	5507 5195	1							Lower
4	6031 129	12							SCREW AND WASHER, Hex Head,
									.312-18x.875
5									SCREW AND WASHER, Hex Head,
									.312-18x.690, (NOT SERVICED)
									(Not Serviced)
6	5507 5208	1							PIN, Cargo Hinges
7									BUSHING, Pin, (NOT SERVICED)
									(Not Serviced)
8	3636 720	2							WEDGE, Cargo Door
9									SPACER, (NOT SERVICED) (Not
									Serviced)
10									SCREW, (NOT SERVICED) (Not
									Serviced)
11	55346 731AC	1							ARM, Cargo Door Check
12	6035 950AA	1							PIN, Check Arm
13	55347 338AD	1							BUMPER, Door
14	5534 6728	1							HOUSING, Door Remote Control
15	6100 048	4							NUT, Hex, M6x1.00
16									SCREW, (NOT SERVICED) (Not
									Serviced)
17	6029 939	AR							PLUG, Body, .50 Diameter
-18	5503 2184	2							DEADENER, Door Panel

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Door, Single Rear Cargo Glass And Hardware Figure DAB-460



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55074 704AB	1							HINGE, Glass
2	6030 650	3							SCREW, Hex Head Locking, .25-20x
									875
3									SCREW, Pan Head, .19-16x.625,
									00154608, (NOT SERVICED) (Not
									Serviced)
4	55135 041AB	2							LATCH, Vent Window
5	9411 579	4							PIN, Latch
6	4084 167	2							NUT, Window Latch Side Glass
7	4084 164	2							GROMMET, Vent Window Latch
8	5513 4502	4							WASHER, Vent Window Latch
9	5502 2619	2							RETAINER, Side Panel Vent Window
10									SCREW, (NOT SERVICED) (Not
									Serviced)
11	5517 4544	1							LABEL, Exhaust Gas Warning
12									GLASS
	5507 4700	1							Vented, Tinted
	5513 5265	1							Vented, Privacy
	5503 4480	1							Vented, Heated, Tinted
	5513 5265	1							Vented, Without Heated, Privacy
	5513 5267	1							Vented, With Heated, Privacy
13	5503 4480	1							GLASS
14									GLASS
	5513 5267	1							Vented, With Heated, Privacy
	5513 5265	1							Vented, Without Heated, Privacy

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Door, Single Rear Cargo Lock And Controls Figure DAB-470

PART



Check Arm, Cargo Door Figure DAB-480

6 7 3

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
	II 3.9L V-6 En	gines							
	.2L Magnum V		l Engine						
	√ 5.9L V-8 En								
1									SCREW, (NOT SERVICED) (Not
	000-	<u>-</u> -							Serviced)
2	6029 939	AR							PLUG, Body, .50 Diameter
3	EE040 700	a a							ARM, Cargo Door Check
	55346 730AC								Right
A	55346 731AC								Left NUT Hey M6v1 00
4 5	6100 048 5534 6728	7 2							NUT, Hex, M6x1.00 HOUSING, Door Remote Control
5 6	5534 6728 6035 950AA								PIN, Check Arm
7	55347 338AD								BUMPER, Door
,	230 II 000AD	1							
						_			_
						_ 			
	_ 	_						- 	


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.2 = 2500

BODY 3 = 3500

11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEIVI	NOWBER	QII	LINE	SERIES	БОРТ	ENGINE	INANO	IKIW	DESCRIPTION
1									MIRROR, Outside Rearview
	55346 946AE	1							Manual Flag Type [GPU], Right
	55346 947AE	1							Manual Flag Type [GPU], Left
2									MIRROR, Outside Rearview
	55346 948AE	1							Electric Flag Type [GPS], Right
	55346 949AE	1							Electric Flag Type [GPS], Left
3	J420 0408	4							NUT AND WASHER, Hex Nut-Cone
									Washer, M5 x 0.80
4									MIRROR, Outside Rearview
	55077 070AA	1							Delivery [GPA], Right
	55077 071AA	1							Delivery [GPA], Left
5	6036 177AA	8							NUT, Hex, .250-20
6									COVER, Mirror Flag
	55077 072AA	1							[GPA], Right
	55077 073AA	1							[GPA], Left
7	55077 074AA	2							BRACKET, Mirror, [GPA], Upper
8	55077 075AA	2							BRACKET, Mirror, [GPA], Lower
-9									GLASS, Mirror Replacement
	5019 890AA-	1							[GPU,GPS], Right
	5019 891AA-	1							[GPU,GPS], Left


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Door, Front Weatherstrips And Seals Figure DAB-615



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55346 790AJ	2							WEATHERSTRIP, Front Door
0									Secondary
2	FF0.4C C7CAL	4							WEATHERSTRIP, Front Door
	55346 676AI 55346 677AI	1							Right Left
3	55546 677AI	1							WEATHERSTRIP, Front Door
3	55346 672AC	1							Outer, Right
	55346 673AC								Outer, Left
4	33340 07 37 10	'							WEATHERSTRIP, Front Door G
•	55346 674AC	1							Inner, Right
	55346 675AC								Inner, Left
									,


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Door, Sliding Weatherstrips Figure DAB-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55359 218AC	C 1							WEATHERSTRIP, Sliding Door
2									SCREW, (NOT SERVICED) (Not Serviced)
3 4	4498 169	1							WEATHERSTRIP, Side Panel Ver
	,								
DGE RAM RIES	VAN & WAGON LINE		BODY		EN ^r	GINE			TRANSMISSION
· Van, Wag - Conv.		500	11= Van (1	109 WB)	EHC	C, EH0 = Mag F, EL0 = Mag	gnum 3.9L S	SMPI	DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto.
COIIV.	2 = 25 3 = 35		12 = Van (13 = X-Var	n (127 WB)	ELN	N, EL0 = 5.2L	V8 MPI CN	1G	DG0 = All Auto. Transmis
			52 = Wago	on (109 WB) on (127WB)		IL, EM0 = Mag	gnum 5.9L S	3MPI	sions.
			53 - X-Ws	agon (127 WB	۲)				

Door, Dual Cargo Weatherstrips And Seals Figure DAB-630



1 55359 200AD 1 55359 201AD 1 2 55359 202AB 1 3 4354 954 2 4 5513 4668 2	LINE SERIES	BODY	ENGINE	TRANS	TRIM	WEATHERSTRIP, Cargo Door Right Side Right Rear WEATHERSTRIP, Cargo Door Left Side	
55359 201AD 1 2 55359 202AB 1 55359 203AB 1 3 4354 954 2						Right Side Right Rear WEATHERSTRIP, Cargo Door	
55359 201AD 1 2 55359 202AB 1 55359 203AB 1 3 4354 954 2						Right Side Right Rear WEATHERSTRIP, Cargo Door	
55359 201AD 1 2 55359 202AB 1 55359 203AB 1 3 4354 954 2						Right Rear WEATHERSTRIP, Cargo Door	
2 55359 202AB 1 55359 203AB 1 3 4354 954 2						WEATHERSTRIP, Cargo Door	
55359 202AB 1 55359 203AB 1 3 4354 954 2							
55359 203AB 1 3 4354 954 2						Laft Cida	
3 4354 954 2						Leit Side	
				Left Rear			
4 5513 4668 2						WEATHERSTRIP, Cargo Door	
4 5513 4668 2	Glass, Fixed						
						WEATHERSTRIP, Rear Cargo Door	
						Header	
5 4498 170 2						WEATHERSTRIP, Cargo Door Vent	
						Glass	
6 55359 232AB 1						WEATHERSTRIP, Cargo Door	


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Door, Single Rear Cargo Weatherstrips And Seals Figure DAB-640





,,	4D-040									
	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			•	•	•		•			
	1	55359 222AA	. 1							WEATHERSTRIP, Rear Cargo Door
_	2	4354 954	2							WEATHERSTRIP, Cargo Door Glass
	-3	4498 169	1							WEATHERSTRIP, Side Panel Vent
	-4	55359 232AB	- 1							WEATHERSTRIP, Cargo Door,
										Secondary
_										
_										
-										
-										•

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Group – EAB

Exterior Ornamentation






GROUP EAB - Exterior Ornamentation

Illustration Title	Group-Fig. No
Nameplates	
Nameplates And Decals	Fig. EAB-120
Moldings and Ornamentation	
Moldings	Fig. EAB-210
Decals and Tapestripes	
Tape Stripes	Fig. FAB-325

Nameplates And Decals Figure EAB-120

	PART								
 TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5507 6512	1							MEDALLION, Hood, Rams Head
2	55295 310AB	1	1	11, 12, NAMEPLATE, Front Fender, Ra		NAMEPLATE, Front Fender, Ram			
					13, 51	1500			
3	55295 311AB	1	2		12, 13, NAMEPLATE, Front Fender, Ram				
					52				2500
4	55295 312AB	1	3		12, 13,				NAMEPLATE, Front Fender, Ram
					53				3500
-5	LD42 PGY	3							DECAL, Door and Liftgate, CNG
6									NAMEPLATE, Front Fender, SLT,
									(NOT REQUIRED)



DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Moldings Figure EAB-210



SLIDING DOOR

	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
1							MOLDING, Front Door			
	55274 944AD	1					Right			
	55274 945AD	1					Left			
2	55274 946AB	1					MOLDING, B-Pillar			
3	55274 961AB	1					MOLDING, Cargo Door			
4	55274 947AB	1					MOLDING, Cargo Door			
5	55274 948AB	1							MOLDING, Cargo Door	
6									MOLDING, Side Panel	
	55274 950AB	1	2, 3		52, 53				Right	
	55274 952AB	1	1		11, 51				Right	
	55274 953AB	1	2, 3		52, 53				Left	
7									MOLDING, Side Panel	
	55274 954AB	1			11, 12,				Right Front	
					51, 52					
		1			13, 53				Right Front	
	55274 955AB	1			11, 12,				Left Front	
					51, 52					
		1			13, 53				Left Front	
8									MOLDING, Lower Corner Panel	
	55274 956AB	1			11, 12,				Right Rear	
					51, 52					
	55274 957AB	1			11, 12,				Left Rear	
					51, 52					
	55274 958AB	1			13, 53				Right Rear	
	55274 959AB	1			13, 53				Left Rear	
9	55274 960AB	2							MOLDING, Cargo Door	
10	55274 949AB	1							MOLDING, Cargo Door	
11									MOLDING, Side Panel	
	55274 951AB	1	1		51				Left	
	55274 953AB		2, 3		52, 53				Left	


3 = 3500


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.2 = 2500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Tape Stripes Figure EAB-325





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4882 812	1							TAPE KIT, Bodyside Right
	4882 813	1							Left
	4002 010	•							Lon

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Group – IAB Interior Trim



IAB-100 Headliner and Visor	IAB-200 Moldings, Scuff Plates	IAB-300 Carpet	IAB–400 Door Trim Panels–Front and Sliding
IAB-500 Front Seats and Attaching Parts	IAB-600 Rear Seats	IAB-700 Seat Belts-Front and Rear	IAB-800 Adjusters, Covers, Shields, and Risers

GROUP IAB - Interior Trim

Illustration Title	Group-Fig. No
Headliner and Visor	
Headliner	Fig. IAB-110
Sunvisor	Fig. IAB-120
Moldings, Scuff Plates	
Cowl And Front Wheelhouse Trim	Fig. IAB-210
Panels, Trim Lower	Fig. IAB-220
Insulation, Lower Trim Panels	Fig. IAB-230
Panels, Trim Upper	Fig. IAB-240
Carpet	
Carpets, Mats, Scuff Plates	Fig. IAB-310
Door Trim Panels-Front and Sliding	
Panel, Panel Front Door Trim	Fig. IAB-410
Door Trim Panels, Side and Rear	Fig. IAB-420
Front Seats and Attaching Parts	
Front Seat Trim Code [HD]	Fig. IAB-510
Front Seat Trim [PB]	Fig. IAB-520
Rear Seats	
Rear Seats, Trim Codes [HD, PB]	Fig. IAB-610
Seat Belts-Front and Rear	_
Front Seat Belts	Fig. IAB-710
Belts, Rear Seats	Fig. IAB-720
Belts, Shoulder Rear Seats	Fig. IAB-730
Adjusters, Covers, Shields, and Risers	
Reclining Mechanism, Front Seat	Fig. IAB-810
Adjusters And Riser, Bucket Seats, Without Power	Fig. IAB-820
Adjusters and Riser, Bucket Seats, With Power	Fig. IAB-825
Risers, Rear Seats	Fig. IAB-830

Headliner Figure IAB-110

	5	
2	3	8

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										_
	1	55350 907AE	1							HEADLINER, Front
	2	UB61 TL2AA	1						O0	HEADLINER
	3	5GF87 TL2AA	5						O0	PIN, Push
	4	5GC83 TL2A	G 1						O0	MOLDING, Headliner
	5									HEADLINER
		5ES34 TL2AC	1	1		11, 51			O0	Without Air
		5ES37 TL2AD	1			12, 52			00	Without Air
		5ES40 TL2AD	1			13, 53			00	Without Air
		5FZ92 TL2AF	1			12, 52			00	Includes Duct Bezel
		5FZ93 TL2AF	1			13, 53			00	Includes Duct Bezel
	-6									OUTLET, Air Conditioning & Heater
		JH92 TL2AB-	2			12, 52			O0	Right
			2			13, 53			O0	Right
		JH93 TL2AB-	3			12, 52			00	Left
			4			13, 53			00	Left
	-7	55350 816AA	- 1			12, 52			00	PIN, Push
	8									RETAINER, Headliner
		55350 887AA	5			12, 52			O0	
			6			13, 53			O0	


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Sunvisor Figure IAB-120



	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
1	4084 481	1						O0	ARM AND BRACKET, Sunvisor		
2									VISOR, Vinyl		
	5FA98 1L2AE	1						00	Right		
	5FA99 1L2AE	1						00	Left		
3	5GY51 TL2AD) 1						00	CLIP, Visor		
4									SCREW, Tapping, .164-18x.75,		
									(NOT SERVICED) (Not Serviced)		
5	1490 983	2						00	CLIP, Sunvisor		
6									SCREW, .164-18x1.00, (NOT		
									SERVICED) (Not Serviced)		
7	2789 037	1						00	TIP, Visor Support		
8	2789 036	1						00	SUPPORT, Visor		
9									VISOR, Illuminated, Cloth		
	5FA94 1L2AE	1						O0	Right		
	5GD27 1L2AF	1						00	Left		
10	5FA95 1L2AE	1						00	VISOR, Cloth, Left		
11									LABEL, Air Bag Warning		
	4787 436AA	2							5 Points		
	4595 748AA	1							Removeable, Passenger		
	4595 749AA	1						Removeable, English & Fre			
	4787 437AA	2									

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Cowl And Front Wheelhouse Trim Figure IAB-210



ГЕМ	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•							•	
1									PANEL, Cowl
	5FA26 XDVA	D 1						O0	[DV], Right
	5FA26 XT5A) 1						00	[T5], Right
2									PANEL, Cowl
	5FE27 XDVA	D 1						00	[DV], Left
	5FE27 XT5A) 1						O0	[T5], Left
3									SCREW, .164-18x.625, (NOT
									SERVICED) (Not Serviced)

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Panels, Trim Lower Figure IAB-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
					-				
1									COVER, Heater
	5FR82 XDVAE	1			12, 13,			O0	[DV]
					52, 53				
	5FR82 XT5AE	1			12, 13,			O 0	[T5]
					52, 53				
2									SCREW, M408x1.59x15.00, (NC
									SERVICED) (Not Serviced)
3	6031 551	15							CLIP, Molding, Width = .440, Le
									= .625, Thickness= .025
4	6031 536	3							CLIP, Width = .510, Length = .4
									Thickness= .022
5	6035 930AA	4							CLIP, Trim Panel, Width.438, Le
									650, Thickness.797
6									PANEL, Rear Side Lower
	5GD48 XDVAC	1			12, 13,			00	[DV], Right
					52, 53				
	5GD48 XT5AC	1			12, 13,			00	[T5], Right
					52, 53				
	5GD58 XDVAE	3 1	1		11, 51			00	[DV], Right
	5GD58 XT5AB	1	1		11, 51			00	[T5], Right
7					•				PANEL, Side Trim
	5GE30 XDVAB	1			13, 53			O0	[DV], Right
	5GE30 XT5AB	1			13, 53			00	[T5], Right
	5GE31 XDVAA	. 1			13, 53			00	[DV], Left
	5GE31 XT5AA				13, 53			00	[T5], Left
8									PANEL, Rear Corner
	5GD52 XDVAE	3 1			13, 53			00	[DV], Right
	5GD52 XT5AB				13, 53			00	[T5], Right
	5GD56 XDVAE	3 1			11, 12,			00	[DV], Right
					51, 52				1 1 0
	5GD56 XT5AB	1			11, 12,			00	[T5], Right
					51, 52				
9					•				PANEL, Rear Corner
	5GD53 XDVAE	3 1			13, 53			O0	[DV], Left
	5GD53 XT5AB				13, 53			00	[T5], Left
	5GD57 XDVAE				11, 12,			00	[DV], Left
					51, 52				- *
	5GD57 XT5AB	1			11, 12,			00	[T5], Left
					51, 52			-	• 4
10					, -				PANEL, Side Trim

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

AR = Use as required -= Non illustrated part # = New this model year

Panels, Trim Lower Figure IAB-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
	5FR37 XDVAE	3 1	1		11, 51			00	[DV], Left
	5FR37 XT5AB		1		11, 51			00	[T5], Left
	5FU61 XDVA) 1			12, 13,			00	[DV], With Rear Air, Left
					52, 53				
	5FU61 XT5AD	1			12, 13,			O0	[T5], With Rear Air, Left
					52, 53				
	5FU65 XDVAE	3 1			12, 13,			00	[DV], Without Rear Air, Left
					52, 53				
	5FU65 XT5AB	1			12, 13,			00	[T5], Without Rear Air, Left
					52, 53				
11	55555 VDV 445				40.50			0.0	BEZEL, Heater and A/C Control
	5FR75 XDVA) 2			13, 52,			00	[DV]
	FEDZE VTEAD				53				
	5FR75 XT5AD	2			13, 52,			00	[T5]
12					53				PANEL, Side Front
12	5FU59 XDVAC	٠ ،			12, 13,			00	[DV], Without Rear Air, Left
	3F039 XDVAC	, ı			52, 53			- 00	[DV], Without Real All, Left
	5FU59 XT5AC	: 1			12, 13,			00	[T5], Without Rear Air, Left
		•			52, 53				[],
	5FZ75 XDVAE	3 1	1		11, 51			00	[DV], Left
	5FZ75 XT5AB		1		11, 51			00	[T5], Left
	5FU43 XDVA) 1			12, 13,			00	[DV], With Rear Air, Without Ash
					52, 53				Tray, Left
	5FU43 XT5AD	1			12, 13,			O0	[T5], With Rear Air, Without Ash
					52, 53				Tray, Left
13	5521 6421	1							CUPHOLDER
14								_	GRILLE, Speaker
	D496 XDV	2						00	[DV]
	D496 XT5	2						00	[T5]
15									SCREW, (NOT SERVICED) (Not
16	0420 279	0							Serviced) NUT, For .187 Diameter Stud
16 17	9420 278 4084 328	8 1			13, 53				RETAINER, Trim Panel
17	4084 325	1			10, 00				RETAINER, Tilli Fallel RETAINER, Spare Tire Mount
10	-00- 020	'							Support
19									RETAINER, Trim Panel
	4084 323AB	2							
	55347 431AA	1			12, 13,				
					52, 53				
					•				

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


ENGINE

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

AR = Use as required -= Non illustrated part # = New this model year



Panels, Trim Lower Figure IAB-220



	PART							
ITEM	NUMBER	QTY	LINE	SERIES BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55347 467AA	1	1	51				
20								GRILLE, Exhauster Inlet
	5EM0 8XDV	1		13, 53			00	[DV]
		1		11, 12,			00	[DV]
				51, 52				
	5EM0 8XT5	1		13, 53			O0	[T5]
		1		11, 12,			O0	[T5]
				51, 52				


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EHO = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

Insulation, Lower Trim Panels Figure IAB-230



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55350 795AA	1							INSULATION, Side Panel, Front,
									Rear,Left
2	55350 793AA	1							INSULATION, Side Panel, Front, Left
3	4265 327	2			12, 13,				INSULATION, Side Panel, Rear
					52, 53				Wheel/House,Right And Left
4	5521 5963	2			11, 12,				INSULATION, Side Panel, Rear
					51, 52				
5	55350 790AA	2			13, 53				INSULATION, Side Panel, Rear
									Corner, Right And Left
6	4265 326	2	1		11, 51				INSULATION, Side Panel, Rear
									Wheel/House,Right And Left


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB) 2 = 25003 = 3500


BODY

ENGINE EHC, EHO = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

Panels, Trim Upper Figure IAB-240



Panels, Trim Upper Figure IAB-240



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
	5FV58 XT5AE	1						00	[T5], With Dual Doors
	5FV60 XDVAE							00	[DV], With Sliding Door
	5FV60 XT5AE	1						00	[T5], With Sliding Door
15									PANEL, B Pillar
	5FA25 XDVAE	∃ 1						O0	[DV], Lower Left
	5FA25 XT5AE	1						O0	[T5], Lower Left
16									MOLDING, Windshield Garnish
	5GY59 XDVA	3 1						00	[DV], Left
	5GY59 XT5AE	3 1						00	[T5], Left
	5GY62 XDVA	3 1						00	[DV], Right
	5GY62 XT5AE	3 1						00	[T5], Right
17	6503 709	2						00	PIN, Door Panel, A-Pillar
-18	55350 863AA-	1							SILENCER, Roof Head/Liner
19									FASTENER, B Pillar Trim, Push In
	5DM9 2XDV	4						00	[DV]
	5DM9 2XT5	4						00	[T5]
	5DM9 2DX9	1						00	Black
20									HANDLE, Roof Grab
	5GU40 XDVA	A 1						00	[DV]
	5GU40 XT5AA	\ 1						00	[T5]
21	6504 432	2							SCREW, Pan Head, M6-1.00x29.00
22	6503 910	2							NUT
23									PLUG, Assist and Grab Handle
	H526 XDV	2						00	[DV]
	H526 XT5	2						O0	[T5]
24									COVER, Adjustable Turning Loop
	55350 871AB	1			11, 12,				
					13				
	55350 965AA	1							
25									SCREW, [.164-18x1.250], (NOT
									SERVICED) (Not Serviced)


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EHO = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

Carpets, Mats, Scuff Plates Figure IAB-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Rear Floor
	5FB44 XDVAL	. 1			12, 52			00	[DV]
	5FB44 XTMAL	_ 1			12, 52			00	[T5]
	5FB46 XDVAN	<i>l</i> 1			13, 53			00	[DV]
	5FB46 XTMAN	Л 1			13, 53			00	[T5]
	5FB48 XDVAN	<i>l</i> 1	1		11, 51			O0	[DV]
	5FB48 XTMAN	И 1	1		11, 51			00	[T5]
-2									MAT, Floor
	5FB01 DX9AL	- 1			13, 53			00	
	5FB05 DX9AL	- 1	1		11, 51			O0	
	5FB10 DX9AL	- 1			12, 52			00	
3									ESCUTCHEON, Seat Anchor
	55216 774AB	8							8 And 12 Passenger
		12							15 Passenger
4									SCREW, [.164-18x1.00], (NOT
									SERVICED) (Not Serviced)
5									CARPET, Floor
	5FB93 XDVAL	. 1						O0	[DV]
	5FB93 XTMAL	_ 1						00	[T5]
-6	5FB37 DX9AJ	- 1						00	MAT, Floor, Front
7									CARPET, Fuel Filler Cover
	5FR34 XDVAC	2 1						O0	[DV]
	5FR34 XTMAC	C 1						00	[T5]
8									CARPET, Wheelhouse
	5FW53 XDVA	F 2						00	[DV]
	5FW53 XTMA	F 2						O0	[T5]
-9	55350 741AE-	2							MAT, Wheelhouse
10									PLATE, Scuff
	5GJ65 DX9AC	1						00	With Dual Doors
	5GK10 DX9AC	2 1						O0	With Single Door
11	0154 751	4						00	SCREW, Tapping, .164-18x1
12	5GV06 DX9AA	1						00	PAD, Side Cargo Door Sill
13	5GV08 DX9AE	3 1						00	PAD, Side Step Sill
14									STEP PAD, Side Step
	5FA28 DX9AH	1 1						O0	Right
	5FA29 DX9AH	1 1						O0	Left
15									MAT, Floor
	5GV21 DX9AE	3 1	1		12			O0	With Sliding Door
	5GV22 DX9AE	3 1	1		12			O0	With Dual Doors
16	4754 324	2							GROMMET, Floor Carpet
17	6501 067	2							PIN, Push, M6.3x20.5

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis

AR = Use as required -= Non illustrated part # = New this model year

Carpets, Mats, Scuff Plates Figure IAB-310

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		Nomber	1 2		02.11.20					
	18									SCREW, .164-18x1.00, (NOT SERVICED) (Not Serviced)
4										
(5) (18)										
(5)										
(15)										
(11) (16)										
12 11										
13										
										_
	DODGE RAM SERIES L = Van, Wag X = Conv.	VAN & WAGON LINE on 1 = 1:	F00	BODY 11= Van (1	09 WB)	FLIC	GINE C, EH0 = Mag	gnum 3.9L S	SMPI	TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis
	X = Conv.	2 = 2 $3 = 3$	500 500	12 = Van (13 = X-Var 51 = Wago	09 WB) 127 WB) (127 WB) n (109 WB) n (127WB) gon (127 WB)	ELF ELN EMI	C, EH0 = Mag F, EL0 = Mag I, EL0 = 5.2L L, EM0 = Mag	num 5.2L SM V8 MPI CN gnum 5.9L S	MPI IG SMPI	DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.
				52 = Wago 53 = X-Wag	n (127WB) gon (127 WB))		, : •		

Panel, Panel Front Door Trim Figure IAB-410

PART

4 8 3 3

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CTG1 –	Door Trim Pane	l Rass	<u>.</u>						
	oor Trm Panel,								
_	Door Trim Panel,			wn					
1	oor min ranci,	1 10111,	TATIOON DO	, vv 1 1					PANEL, Front Door Trim
•	5FY60 1DVAJ	1						00	[DV], Sales Code [CTJ], Right
	5FY60 1T5AJ	1						00	[T5], Sales Code [CTJ], Right
	5FY61 1DVAJ	1						00	[DV], Sales Code [CTJ], Left
	5FY61 1T5AJ	1						00	[T5], Sales Code [CTJ], Left
	5GC54 1DVAF	1						00	[DV], Sales Code [CTG], Right
	5GC54 1T5AF							00	[T5], Sales Code [CTG], Right
	5GC55 1DVAF							00	[DV], Sales Code [CTG], Left
	5GC55 1T5AF	1						00	[T5], Sales Code [CTG], Left
	5GJ68 1DVAF	1			11, 12,			00	[DV], Sales Code [CTK], Right
					13				
	5GJ68 1T5AF	1			11, 12,			00	[T5], Sales Code [CTK], Right
					13				
	5GJ69 1DVAF	1			11, 12,			00	[DV], Sales Code [CTK], Left
					13				
	5GJ69 1T5AF	1			11, 12,			00	[T5], Sales Code [CTK], Left
					13				
2	6504 726	2							NUT, Spring
3									BEZEL, Door Trim Panel
	5GA52 DX9AD	1						00	Right
	5GA53 DX9AD	1						00	Left
4									SCREW, .164-18x1.00, (NOT
									SERVICED) (Not Serviced)
5									BEZEL, Front Door Mirror
	5GA78 DX9AC	1						00	Base, Sales Code [CTG], Right
	5GA79 DX9AC	1						O0	Base, Without Power Mirrors, Sal
									Code [CTG], Left
	5GA81 DX9AC	1						00	Base, With Power Mirrors, Sales
									Code [CTG], Left
	5GA84 JX8AE							O0	Premium, Sales Code [CTJ], Rigl
	5GA87 JX8AC	1						O0	Premium, Sales Code [CTJ], Left
6									PLUG, Door Trim Panel
	5GC58 XDVAA							O0	[DV]
	5GC58 XT5AA	. 2						O0	[T5]
7	3420 2599	4						00	FASTENER, Trim Panel Attaching
8									PAD, Armrest
	5GC12 XDVAA	1						O0	[DV], Right

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Panel, Panel Front Door Trim Figure IAB-410

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5GC12 XT5AA	1						O0	[T5], Right
	5GC13 XDVA	A 1						O0	[DV], Left
	5GC13 XT5AA	1						O0	[T5], Left
9									CUP, Door Pull
	5FK92 DX9AC	1						O0	Right
	5FK93 DX9AC	1						O0	Left
-10	6100 815	30			11, 12,			00	NUT, Stamped, M6, Conversion
					13				Package, Sales Code [CTK]



DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

Door Trim Panels, Side and Rear Figure IAB-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I E IVI	NOWBER	QII	LINE	SERIES	ВОВТ	ENGINE	IRANS	IKIM	DESCRIPTION
1	6035 930AA	4							CLIP, Trim Panel
2									PROTECTOR, Rear Cargo Door
	5FV46 XDVAE	≣ 1						00	[DV], With Side Cargo Door, Up
	5FV46 XT5AE	1						00	[T5], With Side Cargo Door, Up
3									PROTECTOR, Side Cargo Door
	5GW86 XDVA	C 1						O0	[DV], Lower
	5GW86 XT5A0	C 1						00	[T5], Lower
4									PROTECTOR, Side Cargo Door
	5GW83 XDVA	В 1						00	[DV], Upper
	5GW83 XT5AE	B 1						O0	[T5], Upper
5									PANEL, Door Trim
	5EP90 XDVAC	2 1						00	[DV], With Single Rear Door
	5EP90 XT5AC	; 1						00	[T5], With Single Rear Door
6									PANEL, Side Cargo Door
	5EP92 XDVAE	3 1						00	[DV], Front
	5EP92 XT5AB	1						00	[T5], Front
	5EP93 XDVAE	3 1						00	[DV], Side Rear
	5EP93 XT5AB	1						O0	[T5], Side Rear
7									PANEL, Rear Cargo Door Trim
	5EP96 XDVAC	2 1						00	[DV], Rear Right
	5EP96 XT5AC	; 1						00	[T5], Rear Right
	5EP97 XDVAC	2 1						O0	[DV], Rear Left
	5EP97 XT5AC	; 1						00	[T5], Rear Left
8									PANEL, Side Cargo Door Trim
	5FU84 XDVAC	2 1						00	[DV]
	5FU84 XT5AC	; 1						O0	[T5]
9	4265 329AB	1							INSULATION, Cargo Door
10	6035 930AA	4							CLIP, Trim Panel
11									PROTECTOR, Rear Cargo Door,
									Upper
	5FV46 XDVAE	1						00	[DV]
	5FV46 XT5AE	1						O0	[T5]
12									PROTECTOR, Rear Cargo Door,
									Lower
	5GA14 XDVA	≣ 1						00	[DV]
	5GA14 XT5AE	1						00	[T5]

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Front Seat Trim Code [HD] Figure IAB-510

2	3 5 4
	45

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT COMPLETE, Front
	WG09 1T5AA	1						HD	[T5], Without Carpeted Side
									Facing, Passenger
	WG09 1DVAA	. 1						HD	[DV], Without Carpeted Side
									Facing, Passenger
	WG10 1DVAA	. 1						HD	[DV], Without Carpeted Side
									Facing, Driver
	WG10 1T5AA	1						HD	[T5], Without Carpeted Side
									Facing, Driver
	XA66 1DVAA	1						HD	[DV], With Carpeted Side Facing
									Passenger
	XA66 1T5AA	1						HD	[T5], With Carpeted Side Facing
									Passenger
	XA67 1DVAA	1						HD	[DV], With Carpeted Side Facing
									Driver
	XA67 1T5AA	1						HD	[T5], With Carpeted Side Facing
									Driver
2									COVER, Front Seat Cushion
	WG08 1T5AA	1						HD	[T5], Without Carpeted Side Fac
	WG08 1DVAA	. 1						HD	[DV], Without Carpeted Side
									Facing
	XA63 1DVAA	1						HD	[DV], With Carpeted Side Facing
	XA63 1T5AA	1						HD	[T5], With Carpeted Side Facing
3									COVER, Front Seat Back
	WG07 1DVAA	. 1						HD	[DV], Without Carpeted Back
	WG07 1T5AA	1						HD	[T5], Without Carpeted Back
	XA64 1DVAA	1						HD	[DV], With Carpeted Back
	XA64 1T5AA	1						HD	[T5], With Carpeted Back
4									HANDLE, Grab
	MH09 1DV	1						HD	[DV]
	MH09 1T5	1						HD	[T5]
5									COVER, Assist Handle
	MH10 1DV	1						HD	[DV]
	MH10 1T5	1						HD	[T5]


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Front Seat Trim [PB] Figure IAB-520



		PART								
ITE	EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	5103 025AA	1						РВ	FOAM, Seat Cushion, Repair Kit
										Includes: Foam, 3 U-Strips and
										Instruction Sheet
	2									CUSHION, Front Seat, With Cover
		WF89 1T5AA	1						PB	[T5], Without Carpeted Side
										Facing, Driver, Manual
		WF89 1DVAA	. 1						PB	[DV], Without Carpeted Side
										Facing, Driver, Manual
		WF88 1T5AA	1						PB	[T5], Without Carpeted Side
										Facing, Passenger
		WF88 1DVAA	. 1						PB	[DV], Without Carpeted Side
										Facing, Passenger
		WF95 1DVAA	. 1						PB	[DV], Without Carpeted Side
										Facing, Driver, Power
		WF95 1T5AA	1						PB	[T5], Without Carpeted Side
										Facing, Driver,Power
		XA60 1DVAA	1						PB	[DV], With Carpeted Side Facing,
										Passenger
		XA60 1T5AA	1						PB	[T5], With Carpeted Side Facing,
										Passenger
		XA61 1DVAA	1						PB	[DV], With Carpeted Side Facing,
										Driver,Manual
		XA61 1T5AA	1						PB	[T5], With Carpeted Side Facing,
										Driver,Manual
		XA62 1DVAA	1						PB	[DV], With Carpeted Side Facing,
		V/A 00 4TE A A	4						DD	Driver,Power
		XA62 1T5AA	1						PB	[T5], With Carpeted Side Facing,
	•									Driver, Power
•	3	M/E00 4 D) / A A							DD	COVER, Front Seat Cushion
		WF90 1DVAA	. 1						PB	[DV], Without Carpeted Side
		\\/_\\\	4						DD	Facing, Manual, Driver, Passenger
		WF90 1T5AA	1						РВ	[T5], Without Carpeted Side
		WF91 1DVAA	. 1						PB	Facing, Manual, Driver, Passenger [DV], Without Carpeted Side
		WESTIDVAA	. 1						PD	Facing, Driver,Power
		WF91 1T5AA	1						РВ	[T5], Without Carpeted Side
		WISTIISAA	'						1.0	Facing, Driver, Power
		XA58 1DVAA	1						PB	[DV], With Carpeted Side Facing,
		ACTOURAL	'						ם ו	Manual, Driver, Passenger
		XA58 1T5AA	1						РВ	[T5], With Carpeted Side Facing,
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ı						. 5	Manual, Driver, Passenger
										mandai, privor, i doodiigoi


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

Front Seat Trim [PB] Figure IAB-520



NUMBER XA59 1DVAA	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
XA59 1DVAA								
XA59 1DVAA								
	1						РВ	[DV], With Carpeted Side Facing,
								Driver,Power
XA59 1T5AA	1						PB	[T5], With Carpeted Side Facing,
								Driver, Power
								SEAT BACK, Front
WF93 1T5AA	1						PB	[T5], Driver
WF93 1DVAA	1						PB	[DV], Driver
	1						PB	[T5], Passenger
WF92 1DVAA	1						PB	[DV], Passenger
								COVER, Front Seat Back
	1						РВ	[T5]
WF87 1DVAA	1						РВ	[DV]
								ARMREST, Seat
							PB	[DV], Passenger
								[T5], Passenger
								[DV], Driver
MW09 2T5	1						PB	[T5], Driver
								BRACKET, Arm Rest
								Passenger
5080 033AA	1						РВ	Driver
								HANDLE, Grab
								[DV]
MH09 115	1						РВ	[T5]
								COVER, Assist Handle
								[DV]
								[T5]
SEHT SXDV	1						00	BEZEL, Power Seat Switch, Paint as
5000 005 A A	4						DD	Required
5080 035AA	1						РВ	HARDWARE KIT PLUG, Armrest
W/LIEO 1D\/	1						DD	[DV]
								[DV] [T5]
WU30 113	I						PD	BOLT, Armrest Pivot, (NOT
								SERVICED) (Not Serviced)
5012 Q12 ∆ ∆₋	2						PR	CLIP, Attaching, Assist Handle
0012 312AA-	_						гВ	attaching
	WF93 1T5AA WF93 1DVAA WF92 1T5AA WF92 1DVAA WF87 1T5AA WF87 1DVAA MW08 1DV MW08 1T5 MW09 1DV MW09 2T5 5080 032AA 5080 033AA MH09 1DV MH09 1T5 MH10 1DV MH10 1T5 5EH1 5XDV 5080 035AA WU50 1DV WU50 1T5	WF93 1DVAA 1 WF92 1T5AA 1 WF92 1DVAA 1 WF87 1T5AA 1 WF87 1DVAA 1 MW08 1DV 1 MW08 1T5 1 MW09 1DV 1 MW09 2T5 1 5080 032AA 1 5080 033AA 1 MH09 1DV 1 MH09 1T5 1 MH10 1DV 1 MH10 1T5 1 5EH1 5XDV 1 WU50 1DV 1 WU50 1DV 1 WU50 1T5 1	WF93 1DVAA 1 WF92 1T5AA 1 WF92 1DVAA 1 WF87 1T5AA 1 WF87 1DVAA 1 MW08 1DV 1 MW08 1T5 1 MW09 1DV 1 MW09 2T5 1 5080 032AA 1 5080 033AA 1 MH09 1DV 1 MH09 1T5 1 MH10 1DV 1 MH10 1DV 1 MH10 1T5 1 5EH1 5XDV 1 WU50 1DV 1 WU50 1T5 1	WF93 1DVAA 1 WF92 1T5AA 1 WF92 1DVAA 1 WF87 1T5AA 1 WF87 1DVAA 1 MW08 1DV 1 MW08 1T5 1 MW09 1DV 1 MW09 2T5 1 5080 032AA 1 5080 033AA 1 MH09 1DV 1 MH09 1T5 1 MH10 1DV 1 MH10 1T5 1 5EH1 5XDV 1 WU50 1DV 1 WU50 1T5 1	WF93 1DVAA 1 WF92 1T5AA 1 WF92 1DVAA 1 WF87 1T5AA 1 WF87 1DVAA 1 MW08 1DV 1 MW08 1T5 1 MW09 1DV 1 MW09 2T5 1 5080 032AA 1 5080 033AA 1 MH09 1DV 1 MH09 1T5 1 MH10 1DV 1 MH10 1T5 1 5EH1 5XDV 1 WU50 1DV 1 WU50 1T5 1	WF93 1DVAA 1 WF92 1T5AA 1 WF92 1DVAA 1 WF87 1T5AA 1 WF87 1DVAA 1 MW08 1DV 1 MW08 1T5 1 MW09 1DV 1 MW09 2T5 1 5080 032AA 1 5080 033AA 1 MH09 1DV 1 MH09 1T5 1 MH10 1DV 1 MH10 1T5 1 5EH1 5XDV 1 5080 035AA 1 WU50 1DV 1 WU50 1T5 1	WF93 1DVAA 1 WF92 1T5AA 1 WF92 1DVAA 1 WF87 1T5AA 1 WF87 1DVAA 1 MW08 1DV 1 MW08 1T5 1 MW09 1DV 1 MW09 2T5 1 5080 032AA 1 5080 033AA 1 MH09 1DV 1 MH09 1T5 1 MH10 1DV 1 MH10 1T5 1 5EH1 5XDV 1 WU50 1DV 1 WU50 1T5 1	WF93 1DVAA 1

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

Rear Seats, Trim Codes [HD, PB] Figure IAB-610

5	3

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Rear Seat
	5EV21 XDVA	H 1						PB	[DV], Three Passenger, With Piping
	5EV21 XDVA	I 1						PB	[DV], Three Passenger, Without
									Piping
	5EV21 XT5Al	H 1						PB	[T5], Three Passenger, With Piping
	5EV21 XT5AI	1						РВ	[T5], Three Passenger, Without
									Piping
	5EV23 XDVA	H 1						РВ	[DV], Four Passenger, With Piping
	5EV23 XDVA	l 1						РВ	[DV], Four Passenger, Without
									Piping
	5EV23 XT5AI	 1						РВ	[T5], Four Passenger, With Piping
	5EV23 XT5AI	1						PB	[T5], Four Passenger, Without
									Piping
	5EV32 XDVA	H 1						HD	[DV], Three Passenger, With Vinyl
									Side Facing
	5EV32 XDVA	I 1						HD	[DV], Three Passenger, With
									Carpeted Side Facing
	5EV32 XT5AI	1 1						HD	[T5], Three Passenger, With Vinyl
									Side Facing
	5EV32 XT5AI	1						HD	[T5], Three Passenger, With
									Carpeted Side Facing
	5EV34 XDVA	H 1						HD	[DV], Four Passenger, With Vinyl
									Side Facing
	5EV34 XDVA	I 1						HD	[DV], Four Passenger, With
									Carpeted Side Facing
	5EV34 XT5AI	H 1						HD	[T5], Four Passenger, With Vinyl
									Side Facing
	5EV34 XT5AI	1						HD	[T5], Four Passenger, With
									Carpeted Side Facing
2	ME00 MDM							D D	COVER, Rear Seat Cushion
	WF96 XDVAA							PB	[DV], Three Passenger, With Piping
	WF96 XT5AA							PB	[T5], Three Passenger, With Piping
	WG01 XDVA							PB	[DV], Four Passenger, With Piping
	WG01 XT5AA							PB	[T5], Four Passenger, With Piping
	WG03 XDVA	A 1						HD	[DV], Three Passenger, With Vinyl
	MCO2 VTEA							ЦΒ	Side Facing
	WG03 XT5AA	1						HD	[T5], Three Passenger, With Vinyl
	WG05 XDVA	۸ 1						HD	Side Facing
	VVGUS ADVA	¬\						пυ	[DV], Four Passenger, With Vinyl Side Facing
									Side I adilig

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Rear Seats, Trim Codes [HD, PB] Figure IAB-610

5	3 4

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						•			
	WG05 XT5AA	. 1						HD	[T5], Four Passenger, With Vinyl
		· ·							Side Facing
	XG77 XDVAA	. 1						РВ	[DV], Three Passenger, Without
									Piping
	XG77 XT5AA	1						РВ	[T5], Three Passenger, Without
									Piping
	XG79 XDVAA	. 1						РВ	[DV], Four Passenger, Without
									Piping
	XG79 XT5AA	1						РВ	[T5], Four Passenger, Without
									Piping
	XG82 XDVAA	. 1						HD	[DV], Three Passenger, With
									Carpeted Side Facing
	XG82 XT5AA	1						HD	[T5], Three Passenger, With
									Carpeted Side Facing
	XG84 XDVAA	. 1						HD	[DV], Four Passenger, With
									Carpeted Side Facing
	XG84 XT5AA	1						HD	[T5], Four Passenger, With
									Carpeted Side Facing
3									SEAT BACK, Rear
	5EV22 XDVA	H 1						PB	[DV], Three Passenger, With Piping
	5EV22 XDVA	J 1						PB	[DV], Three Passenger, Without
									Piping
	5EV22 XT5AH	1 1						PB	[T5], Three Passenger, With Piping
	5EV22 XT5AJ	J 1						PB	[T5], Three Passenger, Without
									Piping
	5EV25 XDVA							PB	[DV], Four Passenger, With Piping
	5EV25 XDVA	l 1						PB	[DV], Four Passenger, Without
									Piping
	5EV25 XT5AC							PB	[T5], Four Passenger, With Piping
	5EV25 XT5AI	1						PB	[T5], Four Passenger, Without
									Piping
	5EV33 XDVA	H 1						HD	[DV], Three Passenger, With Vinyl
									Side Facing
	5EV33 XDVA	J 1						HD	[DV], Three Passenger, With
									Carpeted Side Facing
	5EV33 XT5AH	1 1						HD	[T5], Three Passenger, With Vinyl
	==\	. ,							Side Facing
	5EV33 XT5AJ	1						HD	[T5], Three Passenger, With
	EEVOE VOVA	_ ,							Carpeted Side Facing
	5EV35 XDVA	⊏ 1						HD	[DV], Four Passenger, With Vinyl
									Side Facing

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.



Rear Seats, Trim Codes [HD, PB] Figure IAB-610

5	3 4 5
	1 2 6

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		•							•	
		5EV35 XDVA	G 1						HD	[DV], Four Passenger, With
_		02 700 715 771	<u> </u>							Carpeted Side Facing
		5EV35 XT5AI	= 1						HD	[T5], Four Passenger, With Vinyl
										Side Facing
		5EV35 XT5A0	G 1						HD	[T5], Four Passenger, With
_										Carpeted Side Facing
	4									COVER, Rear Seat Back
		WF97 XDVAA	\ 1						РΒ	[DV], Three Passenger, With Piping
		WF97 XT5AA	. 1						РВ	[T5], Three Passenger, With Piping
		WG02 XDVA	A 1						PB	[DV], Four Passenger, With Piping
		WG02 XT5AA	١ 1						РВ	[T5], Four Passenger, With Piping
		WG04 XDVA	A 1						HD	[DV], Three Passenger, With Vinyl
										Side Facing
		WG04 XT5AA	1						HD	[T5], Three Passenger, With Vinyl
										Side Facing
		WG06 XDVA	A 1						HD	[DV], Four Passenger, With Vinyl
										Side Facing
		WG06 XT5AA	1						HD	[T5], Four Passenger, With Vinyl
										Side Facing
		XG78 XDVAA	1						PB	[DV], Three Passenger, Without
_										Piping
		XG78 XT5AA	1						PB	[T5], Three Passenger, Without
										Piping
		XG81 XDVAA	1						PB	[DV], Four Passenger, Without
_										Piping
		XG81 XT5AA	1						PB	[T5], Four Passenger, Without
										Piping
		XG83 XDVAA	. 1						HD	[DV], Three Passenger, With
_		· · · · · · · · · · · · · · · · · · ·								Carpeted Side Facing
		XG83 XT5AA	1						HD	[T5], Three Passenger, With
		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\								Carpeted Side Facing
		XG85 XDVAA	١ 1						HD	[DV], Four Passenger, With
_		VOOE VEEAA							LID	Carpeted Side Facing
		XG85 XT5AA	1						HD	[T5], Four Passenger, With
	F	6009 076	۸Β							Carpeted Side Facing
	5	6008 076	AR							HOG RING, Seat
	6	6036 205AA	4							SCREW, Seat, Cushion to Back


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BELT, Front Outer
	5GT93 XDVAE							00	[DV], Left
	5GT93 XT5AB							O0	[T5], Left
2	6035 888	1							SCREW, Shoulder
3									SEAT BELT, Front Outer
	5GT92 XDVAE							00	[DV], Right
	5GT92 XT5AB	3 1						00	[T5], Right
4									COVER, Adjustable Turning Loc
	JV77 XDV	2						O0	[DV]
	JV77 XT5	2						O0	[T5]
5									ADJUSTER, Seat Belt Turning L
	5GT95 XDVA	1 1						O0	[DV], Left
	5GT95 XT5AA	. 1						00	[T5], Left
	5GT96 XDVA	1 1						O0	[DV], With Dual Doors, Right
	5GT96 XT5AA	. 1						00	[T5], With Dual Doors, Right
	5GT97 XDVA	A 1						00	[DV], With Sliding Door, Right
	5GT97 XT5AA	. 1						00	[T5], With Sliding Door, Right
6									BOLT, Seat Belt, Also Serviced
									The Adjuster
	6504 868AA	1						00	With Sliding Door
	6504 869AA	1						00	With Dual Doors
7	6034 384	1							SCREW, Pan Head, .437-20x1.1
8									LAP BELT, Buckle Half
	5GT98 1DVAA	\ 1						00	[DV]
	5GT98 1T5AA	. 1						00	[T5]
9	4856 560	1						00	EXTENDER, Seat Belt
10									BUTTON, BELT WEBBING
•	5093 280AA	1						00	[DV]
	5093 283AA	1						00	[T5]

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

PART



Belts, Rear Seats Figure IAB-720



DESCRIPTION


Belts, Shoulder Rear Seats Figure IAB-730

		5DW47 XDVAC	1	
		5DW47 XT5AC	1	
	2		1	
	3	0004 400		
	3			
		5DD00 \/D\/AD	_	10
	4	5DD08 XDVAB	5	12
	5	55029 448AD	1	
	-6	6035 613	1	
(3)				
\sim (4)				
(2)				
(1)				
	DODOE 5:	M VANI O MAGONI (C	2)	
	SERIES	M VAN & WAGON (AB LINE agon 1 = 1500 2 = 2500	BODY	FNGINE
	L = Van, W	agon 1 = 1500	11= Van (109 WB)	ENGINE EHC, EHO ELF, ELO ELN, ELO EML, EMO
	X = Conv.	agon 1 = 1500 2 = 2500 3 = 3500	12 = Van (127 WB)	ELF, ELO
(5)		3 = 3500	13 = X-van (127 WB) 51 = Wagon (109 WR)	ELN, ELO FMI FMO
			52 = Wagon (127WB)	LIVIL, LIVIO
			BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)	

DVAC 1	SERIES BODY	ENGINE TRANS	TRIM O0	SEAT BELT, Rear Outer, Label 55314787
DVAC 1			00	55314787
DVAC 1			00	55314787
OVAC 1			00	
OVAC 1			Ω 0	ID//I
			00	[DV]
Г5AC 1			O0	[T5]
1			O0	SCREW, Pan Head, .437-20x1.875
				BOLT, Serviced in Item1, (NOT
				SERVICED) (Not Serviced)
VAB 5	12		O0	PLUG, Shoulder Harness Anchor,
				Paint as Required
SAD 1				REINFORCEMENT, Seat Riser and
				Seat Belt
				SCREW, Reinforcement to Cushion
AD	1	1	1	1

EH0 = Magnum 3.9L SMPI EL0 = Magnum 5.2L SMPI EL0 = 5.2L V8 MPI CNG EM0 = Magnum 5.9L SMPI

Reclining Mechanism, Front Seat Figure IAB-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	9422 041	4							BOLT, Hex Head, .312-18x1.50
2									RECLINER, Seat Back
	4190 969	1						PB	Passenger
	4190 968	1						PB	Driver
3									HANDLE, Recliner
	TN56 1DVAA	1						РВ	Right
	TN57 1DVAA	1						РВ	Left
4	5072 341AA	1						PB	ADAPTER, Seat Recliner
5									SPRING, Recliner Release
	4190 249	1						PB	Driver
	4190 248	1						PB	Passenger
6									NUT, Hex, .164-32, (NOT
									SERVICED) (Not Serviced)
7									SCREW, 8-18x1, (NOT SERVIC
									(Not Serviced)
8									COVER, Front Seat Hinge
	TF76 1DVAA	1						РВ	[DV], Passenger,Outer
	TF76 1T5AA	1						PB	[T5], Passenger,Outer
	TF77 1DVAA	1						РВ	[DV], Driver,Outer
	TF77 1T5AA	1						РВ	[T5], Driver, Outer
9									COVER, Seat Recliner
	TF74 1DVAA	1						PB	[DV], Driver,Inner
	TF74 1T5AA	1						РВ	[T5], Driver,Inner
	TF75 1DVAA	1						РВ	[DV], Passenger,Inner
	TF75 1T5AA	1						РВ	[T5], Passenger,Inner
10									SCREW, 8-32x1/2, (NOT
. •									SERVICED) (Not Serviced)
11	5011 702AA	1						РВ	BOLT, Pivot
12	20	•						. –	BRACKET, Arm Rest
	5080 032AA	1						PB	Passenger
	5080 033AA	1						PB	Driver

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Adjusters And Riser, Bucket Seats, Without Power Figure IAB-820




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	۷	LINE	OLIVIEO		LITORILE	IIIAIIO	1	DESCRIPTION
Note: [P.	A.R.] = Paint as	requir	ed.						
1									ADJUSTER, Manual Seat
	5015 780AA	1						РВ	Driver Outboard, Passenger
									Inboard
		1						HD	Driver Outboard, Passenger
									Inboard
	5015 781AA	1						HD	Driver Inboard, Passenger
									Outboard
		1						РВ	Driver Inboard, Passenger
									Outboard
2									WASHER, Sealing
	5513 5290	8			11, 12,				
					13				
		8			51, 52,				
					53				
3									SPRING, Seat Track Adjuster
	4118 646	1						HD	
		1						PB	
4									WIRE, Adjuster Release
	4118 676	1						HD	
		1						PB	
5									RISER, Seat
	5GJ22 XDVAH	l 1						00	Paint as Required, Up to 3/4/02,
									Passenger
	5GJ22 XXXAI	1						O0	After 3/4/02, With Tether Holes,
									Passenger
	5GJ25 XDVAF	1						00	Paint as Required, Up to 3/4/02,
									Driver
	5GJ25 XXXAG	1						00	After 3/4/02, Driver
	5JK30 XXXAA	1						O0	After 3/4/02, Without Tether Hole
									Passenger
6	0271 502	4							NUT, Hex, .42-14
7	6025 008	4							NUT
8									STUD
	6036 131AA	4			51, 52,				
					53				
		4			11, 12,				

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Adjusters and Riser, Bucket Seats, With Power Figure IAB-825




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	Q 11	LINE	DEIXIEG	5051	LIVOINE	TRAITO	1	DECOR. HON
	.								
	Paint As Requi								AD HIOTED D
1	5017 647AA	1						PB	ADJUSTER, Power Seat
2	6025 008	4							NUT
3									RISER, Seat
	5DX57 XDVAG							00	Paint as Required, Up to 3/4/0
	5DX57 XXXAH	1						00	After 3/4/02
4	0271 502	4			11, 12,				NUT, Hex, .42-14
					13				
5									STUD, Riser to Floor
	6036 131AA	4			51, 52,				
					53				
		4			11, 12,				
					13				
6									WASHER, Sealing
	5513 5290	8			11, 12,				Passenger Side
					13				-
		4			11, 12,				Drivers Side
					13				
		8			51, 52,				Passenger Side
					53				3
7									SHIELD, Seat Cushion
	5DN6 8XDV	1						O0	[DV]
	5DN6 8XT5	1						00	[T5]
8									FASTENER, Push Pin
	5GE96 XDVAA	. 6						00	[DV]
	5GE96 XT5AA							00	[T5]
9	5EH1 5XDV	1						00	BEZEL, Power Seat Switch, [P.A.

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									RISER, Seat
	55196 041AE	2							First Rear Seat
		2	2, 3		52, 53				Second Rear Seat
	55196 048AE	2	1		51				Second Rear Seat
		2							Third Rear Seat
2	4083 412AB	2							RISER, Seat, Fourth Rear Seat
3	55346 403AE	4							BRACKET, Seat Anchor
4	4087 642	4							PLUG
5	6025 021	1							NUT, Hex, .437-14, Riser Mountin
6	6036 130AA	4							STUD, Double Ended, Riser
									Mounting
7	55216 774AB	4							ESCUTCHEON, Seat Anchor
8	55346 500AC	4							BRACKET, Seat Anchor
-9	6035 613	4							SCREW, Riser to Cushion
-9	0033 013	4							SCREW, RISEI to Custilon


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500 X = Conv.


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB) 2 = 25003 = 3500

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI


Group – SAB

Body Sheet Metal Except Doors






Group – SAB Body Sheet Metal Except Doors



GROUP SAB - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pans	
Floor Pan	Fig. SAB-210
Plugs	
Plugs	Fig. SAB-310
Front Fenders Fender Front	Fig. SAB-410
Hood and Hood Release Hood and Hood Release	Fig. SAB-510
Cowl and Dash Panel Cowl and Dash	Fig. SAB-610
Glass and Rear View Mirror	
Glass and Weatherstrips	Fig. SAB-710
Mirror, Rear View	Fig. SAB-720
Aperture Panel	
Aperture Panel	Fig. SAB-810
Quarter Panel and Pillars	
Support And Channels, Right	Fig. SAB-910
Supports Retainers And Fuel Filler Door	Fig. SAB-920
Stepwell	Fig. SAB-925
Panels, Pillars, Reinforcements, Right Side	Fig. SAB-930
Panels, Pillars, Reinforcements, Left Side	Fig. SAB-940 Fig. SAB-950
Roof Panels	3
Panels Roof Header And Roof Rails	Fig. SAB-1110
Track Sliding Door	
Track Sliding Door	Fig. SAB-1510

Floor Pan Figure SAB-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									-
1									FILLER, Side Panel To Underbody
	55346 294AF	1			11, 12,				Right
					51, 52				
	55346 295AG	1			11, 12,				Left
					51, 52				
	55346 296AE	1			13, 53				Right
	55346 297AE	1			13, 53				Left
2	55346 575AO	1							PANEL, Underbody Front
3									PANEL, Front Floor Pan
	55346 564AC	1	1		11				
	55346 565AC	1			12, 13				
-4	55346 403AE	- 6							BRACKET, Seat Anchor
5	55347 191AB	1			13, 53				EXTENSION, Floor Pan
6									PANEL, Heat Shield, (NOT
									SERVICED) (Not Serviced)
7	6022 202	1							SCREW AND WASHER, Hex Head,
									.25-20x.625
8									PANEL, Side Panel
	55346 574AE	1	1		11, 51				
	55346 764AD	1			12, 13,				
					52, 53				

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Plugs Figure SAB-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	2860 332	1							PLUG, Anti-Rattle, Antenna Grom
	2000 002	•							Hole
2	6029 939	AR							PLUG, Body, .50 Diameter, Cowl Gage Hole
3	3760 482	2							PLUG, Access Hole, Filler Gage
									Hole
4									PLUG
	4475 385	2			51, 52,				
					53				
		2			11, 12,				
					13				
5	55257 380AA	1							PLUG
6	2860 332	2			12, 13,				PLUG, Anti-Rattle
					52, 53				
7	4499 069	1							PLUG, Front Pillar Side Lock,
									Without Power Door Locks
8	4083 788	8							PLUG, Underbody Access, Seat
									Anchor Bracket Drain
9									PLUG, Body, 1.655 Diameter
	6029 057	1			51, 52,				
					53				
		1			11, 12,				
					13				
10									PLUG, Shock Tower Hole
	4860 223	1			51, 52,				
					53				
		1			11, 12,				
					13				

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB)

52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

Fender Front Figure SAB-410

PART



TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cowl Side
	55347 220AF	1							Right
	55347 221AH	1							Left
2									BEAM, Cowl Side Impact
	55347 133AB	1							Left
	5534 4982	1							Right
3	55254 614AC	1							SHIELD, Cowl, Right
4									WHEELHOUSE, Front Inner
	55347 127AH	1							Left
	55346 866AH	1							Right
5									FENDER
	55346 552AD	1							Right
	55346 553AD	1							Left
-6	6101 455	12							SCREW AND WASHER, Hex He
									M6x1x20
-7	6506 035AA-	12							NUT, U, M6x1
8									EXTENSION, Fender To Headlar
	55344 912AC	1							Right
	55344 913AC	1							Left
9	4113 920AB	1							SHIELD, Cowl, Right
-10									BRACKET, Fender
	55347 460AD-	· 1							Right
	55347 461AD-	. 1							Left
11	6503 686	2							SCREW, Torx Round Head, M6-
									0x20.0


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Hood and Hood Release Figure SAB-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOWBER	QII	LINE	JERIES	БОБТ	LINGINE	TRANS	IIXIM	DESCRIPTION
4	55040 54041	4							HOOD
1	55346 549AI	1							HOOD
2	55346 928AC	1							STRIKER, Hood Latch
3	55347 054AD	1							ROD, Hood Prop
4	4716 486	1							BUSHING, Hood Prop Rod Pivot
5									SHIM, (NOT SERVICED) (Not
•									Serviced)
6									ARM, Hood Hinge
	55347 106AB	1							Right
	55347 107AB	1							Left
7									SCREW, [.315-18x1.00], (NOT
		_							SERVICED) (Not Serviced)
8	6024 203	2							NUT, .375
9	5534 7225	2							BUMPER, Hood
10	5534 6355	2							BUMPER, Hood to Fender
11	J400 7456	1							CLIP, Prop Rod
12	55347 060AC	1							RELEASE, Hood Latch
13	55346 931AD	1							LATCH, Hood
14	6100 048	2							NUT, Hex, M6x1.00
15									REINFORCEMENT, Cowl Plenum
	5534 4970	1							Right
	5534 4971	1							Left
16									LABEL, Emission
	52113 833AB	1	1, 2		11, 12,				3.9L
					13, 51,				
					52				
	52113 835AA	1	2, 3		12, 13,				5.2L, Domestic and Right Hand
					52, 53				Drive
	52113 837AB	1	1		11, 12,				5.2L Magnum
					13, 51				
	52113 839AA	1							5.2L Magnum
	52113 841AA	1							5.2L Magnum, California
	52113 842AA	1							5.9L, Federal
	52113 844AA	1	3		12, 13,				5.9L, Federal, Gross Vehicle
					53				Weight 9200 Pounds
	52113 845AA	1	3		12, 13,				5.9L, Federal, Canada, Gross
					53				Vehicle Weight 9200 Pounds
	52113 846AB	1	1		11, 12,				5.9L, Gross Weight 6600 Pounds
					13, 51				
	52113 847AB	1	1		11, 12,				5.9L, Gross Weight 7000 Pounds
					13, 51				-

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

Hood and Hood Release Figure SAB-510




	PART									
ITE	M NUMBE	R	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1	2, 3		12, 13,				5.9L, With Clean Fuel Fleet
						52, 53				
	52113 84	AA8	1	3		12, 13,				5.9L, Gross Weight 9200 Pounds
						53				
	52113 84	9AA	1	1		11, 12,				5.9L, California, Gross Vehicle
						13, 51				Weight 6600#
	52113 85	OAA	1	1		11, 12,				5.9L, California, Gross Vehicle
						13, 51				Weight 7000#
			1	3		12, 13,				5.9L, California, Gross Vehicle
						53				Weight 8700#
			1	2		12, 13,				5.9L, California, Without Clean Fuel
						52				Fleet
	52113 85	1AA	1	1		11, 12,				5.9L, [U.S. 50 States]
						13, 51				
			1	3		12, 13,				5.9L, California, Gross Vehicle
						53				Weight 9200#
	52121 02	5AA	1							5.2L Export
	52121 02	6AA	1							5.9L Export
	52121 02	7AA	1							3.9L Export
1	7 4215 966	;	1							LABEL, Equipmemt Identification

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55359 178AF	1							PANEL, Dash
-2	5534 4558	1							REINFORCEMENT, Plenum
3	5534 6628	1							EXTENSION, Dash Panel To Engine
4	55346 629AB	1							RETAINER, Engine Housing Seal
5	55055 839AD	1							PANEL, Cowl Top
-6	6505 897AA-	7							NUT, Plastic Snap-in
7	55346 561AF	1							PANEL, Cowl And Plenum
8									REINFORCEMENT, Cowl Side
	55359 008AB	1							Right
	55359 009AA	1							Left
9	55347 034AH	1							SUPPORT, Dash Panel
10	5600 6990	1							PLUG, Sealing, Antenna Hole
11	55359 165AA	1							PANEL, Dash
12									REINFORCEMENT, Engine Housing
									Extension
	55359 010AA	1							Right
	55359 011AA	1							Left
13									BRACKET, Instrument Panel
	5534 7194	1							Right
	5534 7195	1							Left

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Glass and Weatherstrips Figure SAB-710

PART



Glass and Weatherstrips Figure SAB-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
10	5507 4791	4			13, 53				RETAINER, Glass Corner Panel
11		•			10, 00				GLASS, Sliding Door, See Doors,
• •									(NOT SERVICED) (Not Serviced)
12	6034 911	4			13, 53				SCREW, Oval Head, .25-20x.50
13	5513 5123	4			13, 53				RETAINER, Glass Corner Panel
14	2504 566	4			13, 53				WASHER, Flat, .23x1.0x.045
15	3788 265	4			13, 53				SPACER, Rear Corner Vent Glass
16	4354 952	2			13, 53				WEATHERSTRIP, Rear Corner
10	7007 90Z	_			10, 00				Panel
17									WEATHERSTRIP, Side Panel Rear
• •									Glass
	4354 948	2	2, 3		52, 53				Ciaco
	1001010	2	2, 0		12, 13				
	4354 949	2	1		51				_
		1	1		11				
18	55347 038AB	1							MOLDING, Windshield
19	4498 169	1							WEATHERSTRIP, Side Panel Vent
20	55256 967AC	2							SPACER, Windshield
21	5502 8214	3							SPACER, Windshield
22	6030 650	3							SCREW, Hex Head Locking, .25-20x.
									875
23	55074 704AB	1							HINGE, Glass
24	6033 560	3							NUT AND WASHER, Hex Nut-Coned
									Washer, .25-20
25	6033 766	3							WASHER, Flat, ID=.230/OD=.750
26	55135 041AB	2							LATCH, Vent Window
27	5502 2619	2							RETAINER, Side Panel Vent Window
28	5513 4502	4							WASHER, Vent Window Latch
29	4084 164	2							GROMMET, Vent Window Latch
30	4084 167	2							NUT, Window Latch Side Glass
31	9411 579	4							PIN, Latch
									·

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon X = Conv.


LINE 1 = 1500 2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB)

52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55077 473AA	1							MIRROR, Inside Rear View
2									SCREW, Pan Head Tapping, .19-
									16x.375, (NOT SERVICED) (No
									Serviced)
3	5507 6401	1							BUTTON, Rear View Mirror



DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis

sions.





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55347 043AP	1							APERTURE, Body Side Door, Left
-2	4490 111	1							TAPPING PLATE
-3	55276 212AA	- 1							RETAINER, Door Lock Striker
4	4712 001AA	1							TAPPING PLATE, Striker
5									APERTURE, Body Side Door
	55359 175AD	1							With Sliding Doors, Right
	55359 177AF	1							With Hinged Doors, Right
-6	5534 6386	1							BRACKET, Side Cargo Door
7									PANEL, Front Fender Rear Side
	55347 258AC	1							Right
	55347 259AC	1							Left
8	55346 698AD	1							BRACKET, Side Cargo Door, Also
									Serviced in Item #5 With Hinge
									Doors
9	4080 167AB	1							EXTENSION, Cargo Side To Step
									Sill, Also Serviced in Item #1 & 5
									With, Sliding Door
10	5534 7333	1							BRACKET, Side Cargo Door, Also
									Serviced in Item #5 With, Hinged
									Doors, Upper
11	5534 7332	1							BRACKET, Side Cargo Door, Also
									Serviced in Item #5 With, Hinged
									Doors, Lower
12	4646 855	1							PLUG, Floor Pan
13	6029 940	1							PLUG, Mirror Hole Cover
14	55359 207AA	1							BRACKET, Grab Handle

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Support And Channels, Right Figure SAB-910



FLOOR MOUNTED SPARE WHEEL 127" W.B. (TYPICAL OF 127" EXT. W.B.)

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
					-				
1	4084 328	1			13, 53				RETAINER, Trim Panel, Floor
2	4084 325	1							RETAINER, Spare Tire Mount
									Support, Lower Corner
3	4084 350	2			11, 12,				RETAINER, Trim Panel, Rear Lower,
					51, 52				Corner
4	4084 328	1			13, 53				RETAINER, Trim Panel,
									Wheelhouse, Side
5	4084 328	1			13, 53				RETAINER, Trim Panel,
									Wheelhouse, Top
6	4084 902	1			13, 53				SUPPORT, Channel
7	4262 096	1							BRACKET, Spare Tire
8	55345 720AC	1	1		11, 51				SUPPORT, Side Upper Rear
 9	55345 716AD	1			12, 52				SUPPORT, Upper Rear
10									STRAINER, Side Panel
	4084 117AC	1			11, 12,				Without Window
					13				
	55346 375AF	2							With Window
11	4084 902	1			13, 53				SUPPORT, Channel
12	55345 718AC	1			13, 53				SUPPORT, Upper Rear



SIDE MOUNTED SPARE WHEEL

DODGE RAM VAN & WAGON (AB) -SERIES LINE

L = Van, Wagon X = Conv.


1 = 1500 2 = 2500 3 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB)

12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB) ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

EHC, EH0 = Magnum 3.9L SMPI

ENGINE

Supports Retainers And Fuel Filler Door Figure SAB-920



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55345 721AC	1	1		11, 51				SUPPORT, Side Upper Rear
2	4084 350	1			-				RETAINER, Trim Panel, Lower
									Corner
3	4084 325	1							RETAINER, Spare Tire Mount
									Support, Rear,Lower Corner
4	4084 328	1			13, 53				RETAINER, Trim Panel, Side
									Wheelhouse and Floor
-5	4081 421	1	1		11, 51				REINFORCEMENT, Wheelhouse
									Strainer
6	4084 350	1			13, 53				RETAINER, Trim Panel, Vent
									Strainer
7	4084 328	1			13, 53				RETAINER, Trim Panel, Center Floo
8	4084 328	1			13, 53				RETAINER, Trim Panel, Front Floor
9	4084 350	1							RETAINER, Trim Panel, Front Door
									Lock Pillar
10	55347 383AA	1							SUPPORT, Pillar Side, Lower
11	4084 328	1			13, 53				RETAINER, Trim Panel, Front Floor
12									BRACE, Side Panel Strainer
	2956 502	1			12, 13,				To Under Body
					52, 53				
		1	1		11				To Under Body
13	4084 350	1							RETAINER, Trim Panel, Lower
									Corner
14									SUPPORT, Upper Rear
	55345 717AC	1			12, 52				
	55345 719AC	1			13, 53				
-15									SUPPORT, Side Coach Joint
	5502 3370	1			13, 53				Right
	5502 3371	1			13, 53				Left
16	4084 328	1			13, 53				RETAINER, Trim Panel, Rear Floor
17									SUPPORT, Vent Window Latch
	4212 602AD	1			11, 12,				
					13				
		1			51, 52,				
					53				
18	5534 6759	1	_						COVER, Side Panel Fuel Filler, Inne
19	5013 107AA	1	1		11, 51				STRAINER, Side Panel, Without
									Windows
20									STRAINER, Side Panel

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB)

13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI TRANSMISSION DGG = 32RH 3 Spd. Auto. DGT = 46RE 4 Spd. Auto. DG0 = All Auto. Transmis sions.

Supports Retainers And Fuel Filler Door Figure SAB-920



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TDIM	DESCRIPTION
I EIVI	NOWBER	QII	LINE	SERIES	БОДТ	ENGINE	IKANS	TRIM	DESCRIPTION
	4084 117AC	1			11, 12,				Without Windows
		•			13				
	55346 375AF	2							With Windows
21									STRAINER, Side Panel
	4084 118AB	2			13				Approximately 47.75 Inches, Left
	5014 782AA	1	1		11				Approximately 57 Inches, Left
	5014 782AB	1			12, 13,				Approximately 57 Inches, Left
					52, 53				
22	55347 354AE	1			12, 13,				STRAINER, Side Panel, Vertical, fit
					52, 53				under window
23									STRAINER, Side Panel
	4084 118AB	2			13				Without Windows, Approximately
									47.75 Inches, Right & Left
	55346 376AF	4			13, 53				With Windows, Approximately 28
									Inches, Right & Left
24	55347 468AD	1							DOOR, Fuel Fill
25									SPRING, Fuel Filler Door, (NOT
									SERVICED) (Not Serviced)
26									SCREW, [.190-16x.625], (NOT
									SERVICED) (Not Serviced)
27	55076 327AC	2							BUMPER, Fuel Door
28	55346 761AB	1							REINFORCEMENT, Fuel Tube
29									SPACER, Fuel Door Hinge, (NOT
									SERVICED) (Not Serviced)
30									SHIELD, Fuel Filler Tube, (NOT
									SERVICED) (Not Serviced)
31									GASKET, Fuel Filler Tube, (NOT
									SERVICED) (Not Serviced)
32	6503 259	2							SCREW, Tapping, M6x1x20

DODGE RAM VAN & WAGON (AB)

SERIES L = Van, Wagon X = Conv.

LINE 1 = 1500 2 = 25003 = 3500


BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB)

52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, ELO = Magnum 5.2L SMPI ELN, ELO = 5.2L V8 MPI CNG EML, EMO = Magnum 5.9L SMPI

ENGINE

Stepwell Figure SAB-925



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Side Sill
	55359 067AC	1			12, 13,				With Sliding Doors
					52, 53				
	55359 068AC	1	1		11, 51				With Sliding Doors
2	55346 903AB	1							BRACKET, Spring, With Sliding
									Doors, Front Right
3	5534 6396	1							PANEL, Side Step Well, With Sliding
									Doors
4									FILLER, Side Step To Step Well
	5534 7261	1	1		11, 51				With Sliding Doors
	55347 260AC	1			12, 13,				With Sliding Doors
					52, 53				
5									PANEL, Side Step Sill
	55346 660AF		1		11, 51				With Sliding Doors
	55346 692AG	1			12, 13,				With Sliding Doors
					52, 53				
6									EXTENSION, Wheel House
	4083 460AC	1			11, 12,				With Sliding Doors
					13				
		1			51, 52,				With Sliding Doors
					53				
7	55346 661AC	1							FILLER, B Pillar Lock, With Sliding
_									Doors
8	=== 40 00 44 =				40.40				REINFORCEMENT, SIII
	55346 684AF	1			12, 13,				With Dual Doors
	55040 000AF				52, 53				Marie D. L.D.
0	55346 690AF	1	1		11, 51				With Dual Doors
9	55346 902AC	1							BRACKET, Long Rail
10	FF24C C0CAD								PANEL, Side Step Sill, Filler
	55346 686AD								Right
4.4	55346 687AD		,		44 54				Left
11	4080 309AB	1	1		11, 51				REINFORCEMENT, Step Sill, With
									Sliding Doors


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Panels, Pillars, Reinforcements, Right Side Figure SAB-930



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Body Side Aperture
	55346 356AB	1	1		11				Without Windows, Dual Doors
	55346 358AB	1	1		51				With Windows, Sliding Door
		1	1		11				With Windows, Sliding Door
	55346 360AC	1	1		11				Without Windows, Sliding Door
	55346 362AB	1	1		51				With Windows, Dual Doors
		1	1		11				With Windows, Dual Doors
	55346 364AB	1	2, 3		52, 53				With Windows, Dual Doors
		1			12, 13				With Windows, Dual Doors
	55346 366AB	1			12, 13				Without Windows, Dual Doors
	55346 368AB	1			12, 13				With Windows, Sliding Door
		1	2, 3		52, 53				With Windows, Sliding Door
	55346 369AB	1			12, 13				Without Windows, Sliding Door
2	4084 480AB	1							PANEL, Side To Underbody
3	55346 300AC	1							WHEELHOUSE
4									PANEL, Sill
	4212 542AF	11			12, 13				
		1	2, 3		52, 53				
5	4482 237AC	1			12, 13,				PANEL, Rear Side To Underbody
_					52, 53				
6									EXTENSION, Wheel House
	4083 458	1			11, 12,				
					13				
		1			51, 52,				
					53				DILLAD E (D. L. L. MOT
7									PILLAR, Front Door Lock, (NOT
0									SERVICED) (Not Serviced)
8	5504C CCOAF	4	4		44 54				PANEL, Side Step Sill
	55346 660AF	1	1		11, 51				With Sliding Door
	55346 669AB	1			12, 13,				With Dual Doors
	EE246 6024 C	4			52, 53				With Cliding Door
	55346 692AG	1			12, 13,				With Sliding Door
	EE247 021 A D	- 1	1		52, 53				With Dual Doors
0	55347 031AB	1	1		11, 51				
9	4080 959	1	1		11, 51				FILLER, Rear Cargo Door Hinge
	1 000 303	1	1		11, 51 12, 13,				
		1			52, 53				
10					52, 53				PILLAR, Side Cargo Door, Dual
10									Doors, C Pillar
									Dools, C Filial


DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Panels, Pillars, Reinforcements, Right Side Figure SAB-930



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55347 319AD	1	1		11, 51				
	55346 836AF	1			12, 13,				
					52, 53				
11	4499 167	1	1		11, 51				EXTENSION, Cargo Door Pillar To
									Sill, Dual Doors, For Line 12,13,52
									53 Serviced With Pillar
12	4087 125	1							BRACKET, Cargo Door Hinge, Dua
									Doors
13	4087 123	1							BRACKET, Cargo Door Hinge, Dua
									Doors
14									PILLAR, Side Cargo Door, Sliding
									Door
	55347 187AD	1			12, 13,				
					52, 53				
	55347 190AD	1	1		11, 51				
15									EXTENSION, Cargo Side To Step
									Sill, Sliding Door, Serviced With
									Pillar, (NOT SERVICED) (Not
									Serviced)
16									TAPPING PLATE, Side Door Lock
									Striker, Sliding Door
	3739 768	1			12, 13,				
					52, 53				
		1	1		11, 51				

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

Panels, Pillars, Reinforcements, Left Side Figure SAB-940



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REINFORCEMENT, Side Panel to
									Uni Body
	55347 421AB	1	1		11, 51				
	55347 425AB	1			12, 13,				
					52, 53				
2	55346 592AB	1							BRACKET, Spring, Rear Spring
									Mounting Support
3	55346 290AC	1							REINFORCEMENT, Rear Spring
									Side Panel
4	5534 6604	1							BRACKET, Floor Pan Side Rail
5	2956 413AB	1							EXTENSION, Side Sill
6									REINFORCEMENT, Step Sill, (NO
									SERVICED) (Not Serviced)
7	2956 275	1							EXTENSION, Wheel House
8									PANEL, B Pillar, See Aperture Pa
									(NOT SERVICED) (Not Serviced
9									FILLER, B Pillar To Side Step, Se
									Aperture Panel, (NOT SERVICE
									(Not Serviced)
10	55347 351AB	1							PANEL, Side Step Sill
11									EXTENSION, Door Lock, See
									Aperture Panel, (NOT SERVICE
									(Not Serviced)
12									PANEL, Body Side Aperture
	55346 568AB	1	1		11				Without Windows
	55346 569AB	1			12, 13				Without Windows
	55346 570AC	1	1		11, 51				With Windows
	55346 571AC	1			12, 13,				With Windows
					52, 53				
13	55346 301AC	1							WHEELHOUSE
14	55346 572AC	1							PANEL, Side To Underbody

DODGE RAM VAN & WAGON (AB)
SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)


ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Panels, Pillars, Reinforcements Figure SAB-950

PART



Panels, Pillars, Reinforcements Figure SAB-950



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	4087 122	1							BRACKET, Cargo Door Hinge Pillar,
									Dual Doors, Right,Lower
11	4087 123	1							BRACKET, Cargo Door Hinge, Dual
									Doors, Left,Lower
12									REINFORCEMENT, Side Rear
									Corner Panel, Dual Doors
	2956 664	1			13, 53				Rear Fasica Mounting, Right
	2956 665	1			13, 53				Rear Fasica Mounting, Left
	3639 148	1			11, 12,				Rear Fasica Mounting, Right
					51, 52				
	3639 149	1			11, 12,				Rear Fasica Mounting, Left
					51, 52				
13									FILLER, Rear Door Pillar, Dual
									Doors
	4166 723	1							Left
	4166 722	1							Right
14	55346 997AH	1							PILLAR, Rear Cargo Door Lock,
									Right
15	55346 837AI	1							PILLAR, Hinge Inner, Single Door,
									Left
16	4087 125	1							BRACKET, Cargo Door Hinge,
									Single Door, Left,Upper
17	4087 123	1							BRACKET, Cargo Door Hinge,
									Single Door, Left,Lower
18	2664 352	1							TAPPING PLATE, Striker, Single
									Door
19	3824 601	1							RETAINER, Door Lock Striker,
									Single Door
20	55055 657AB	2							EXHAUSTER, Quarter Panel


DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.

BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB) 2 = 25003 = 3500

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

Panels Roof Header And Roof Rails Figure SAB-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									•
or rail v	vith sliding door	see illu	ustration 1	510, Track	Sliding Do	or			
1									ROOF
	5534 6647	1	1		11, 51				
	5137 727AA	1			12, 52				
	5137 728AA	1			13, 53				
2	55344 924AB	1							PANEL, Windshield Header
3									PANEL, Roof Side Rail
	55347 071AB	1	1		11, 51				Left
	55347 075AB	1			13, 53				Left
		1			12, 52				Left
	55347 066AD	1			13, 53				Right
	55347 068AD	1			12, 52				Right
	55347 070AD	1	1		11, 51				Right
-4									NUT PLATE, .25-20, Attach
									Reinforcement Assembly to Roo
									Side Rail Header Rear
	6033 150	2	1		11, 51				
		2			12, 52				
		1			13, 53				
5	55346 532AE	1							HEADER, Rear Door, With Dual
									Doors
6	55346 526AE	1							HEADER, Rear-Single Door
7									RAIL, Roof Side
	55346 655AC	1			13, 53				Left
	55347 414AD	1			13, 53				Right
	55346 651AC	1	1		11, 51				Left
	55346 653AC	1			12, 52				Left
	55347 420AD	1			12, 52				Right
	55347 422AD	1	1		11, 51				Right
8									RAIL, Roof Side, Corner
	55359 080AA	1							Right
	55359 081AA	1							Left
9	55347 444AB	4							CLIP, Roof Rail
10									BOW, Roof
	4778 343AB	4			13, 53				Bow # 1,2,3,4
		3			11, 12,				Bow # 1,2,3
					51, 52				
	4796 094AB	1			11, 12,				Bow # 4
					51, 52				
	4796 096AB	1			13, 53				Bow # 5
-11									FASTENER, Bulkhead

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500


X = Conv.

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

Panels Roof Header And Roof Rails Figure SAB-1110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4696 963	8	1		11, 51				
		8			12, 52				
		10			13, 53				
-12	5534 5970	2			11, 12,				BRACKET, Dome Lamp
					13				

DODGE RAM VAN & WAGON (AB) SERIES LINE
L = Van, Wagon 1 = 1500

X = Conv.


2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

ENGINE

TRANSMISSION
DGG = 32RH 3 Spd. Auto.
DGT = 46RE 4 Spd. Auto.
DG0 = All Auto. Transmis sions.

Track Sliding Door Figure SAB-1510



	Doors, Rear an Doors, Rear Wi				100		
	Doors, Doors, F		_				
1	4084 099	1	ia ragin oi	ao, with c	, idoo		TRACK, Sliding Door
-2	2276 749	1					STOPPER, Cargo Door, Roof Ca
		•					Door Upper
3							SCREW, Self Drilling, .190-16x5.
							[.190-16x.500], (NOT SERVICE (Not Serviced)
4	4084 105	1					COVER, Side Cargo Door Hinge
-5	6030 538	1					RETAINER, Hinge Cover, .300x.7
6							REINFORCEMENT, Sliding Door Track
	5534 7373	1			12, 13,		Front
					51, 52,		
					53		
	5534 7375	1	1		11, 51		With [GHA, GHB, GHD]
7							REINFORCEMENT, Sliding Door
							Track
	5502 2776	1			12, 13,		Rear
					51, 52,		
					53		
	5502 2775	1	1		11, 51		With [GHA, GHB, GHD], Rear
8	55347 287AB	1					COVER, Roof Side Rail
9	5534 7382	1					PLUG, Side Rail Hinge Outer Tra
4.0	0454.004						Cover
10	0154 631	1					SCREW, Pan Head, .190-16x.5
11	4000 00040		4		44 54		PANEL, Roof Side Rail
	4080 202AC	1	1		11, 51		
	4080 206AC	1			12, 52		
10	55344 576AC	1			13, 53		SUPPORT, Sliding Door Track
12 13	55347 415AD 55346 878AB	1 1					RAIL, Roof Side
14	4087 399	1					TRACK, Roof Header Upper Roll
15	4080 278	1					RAIL, Roof Side, Header Outer
16	4000 270	'					TAPPING PLATE, Side Door Tra
	3636 872	1			12, 13,		Hinge
	0000 012	'			51, 52,		
					53		

ENGINE EHC, EH0 = Magnum 3.9L SMPI ELF, EL0 = Magnum 5.2L SMPI ELN, EL0 = 5.2L V8 MPI CNG EML, EM0 = Magnum 5.9L SMPI

2 = 25003 = 3500 BODY 11= Van (109 WB) 12 = Van (127 WB) 13 = X-Van (127 WB) 51 = Wagon (109 WB) 52 = Wagon (127WB) 53 = X-Wagon (127 WB)

